INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1906. Parts I. & II.

(Marked A., i and A., ii respectively); and Transactions, 1906 (marked T.); and Proceedings, 1906 (marked P.).

COMPILED BY MARGARET D. DOUGAL.

Abati, Gino, influence of the position of the ethylene linking on the electro-affinity and characters of unsaturated alicyclic acids, A., i, 958.

hydrophthalic acids: affinity constants of two new anhydrides.

A., i, 959.

Abati, Gino, and Andrea Contaldi, hydrophthalic acids: transformation by heat of the new dihydrophthalic anhydrides; characters of the pmethoxyphenylhydrophthalimides. III., A., i, 959.

Abati, Gino, and Paolo Gallo, action of phenylcarbamide on certain phenylamic acids, A., i, 944.

Abderhalden, Emil, proteid chemistry and physiology, A., ii, 460.

Abderhalden, Emil, and Boris Babkin, the monoamino-acids of legumin, A., i, 546.

the fate of leucylglycine in the organism of the dog, A., ii, 464.

Abderhalden, Emil, and Oscar Bergmonoamino-acids of the hausen, crystalline proteid from pumpkin seeds, A., i, 999.

Abderhalden, Emil, and Erich Ebstein, monoamino-acids of the membrane of

hens' eggs, A., ii, 781.

Abderhalden, Emil, and Andrew Hunter, the amount of glycine in milk proteids, A., i, 545.

hydrolysis of vitellin, A., i, 912. action of proteolytic ferments of the animal organism, A., ii, 782.

Abderhalden, Emil, and Karl Kautzsch. the decomposition of dl-leucylglycine and dl-leucylglycylglycine in the organism of rabbits, A., ii, 778.

xc. ii.

Abderhalden, Emil, Karl Kautzsch, and E. S. London, digestion of proteids in the dog's alimentary canal, A., ii,

Abderhalden, Emil, and E. R. Le Count, the monoamino-acids of keratin from

goose feathers, A., i, 56.

Abderhalden, Emil, and Fernand Malengreau, monoamino-acids of gluten, A., i, 914.

Abderhalden, Emil, and Fritz Pregl, the monoamino-acids of crystallised

egg-albumin, A., i, 53.

Abderhalden, Emil, and Peter Rona, the proteolytic ferments of the pyloric and duodenal juices, A., ii,

assimilation of proteids in animals,

A., ii, 464.

the behaviour of leucylphenylalanine, leucylglycylglycine, and alanylglycylglycine toward the liver-juice of the ox, A., ii, 873.

Abderhalden, Emil, and Franz Samuely, fate of leucine and leucyl-leucine in the organism of the dog, A., ii, 464.

Abderhalden, Emil, and Alfred Schittenhelm, metabolism of nucleic acids in the animal organism, A., ii, 465.

comparison of the caseinogen of various milks, A., ii, 467.

the amount of amino-acids in normal human urine, A., ii, 470.

excretion of amino-acids in diabetic urine, A., ii, 693.

phosphorus poisoning, A., ii, 878. Abderhalden, Emil, and Eduard Strauss, the cleavage products of spongin

with acids, A., i, 547. monoamino-acids of keratin from the of Testudo græca, A., ii, eggs 781.

62

Abderhalden, Emil, and Yutaka Teruuchi, preparation of tyrosine from silk, A., i, 852.

the fate of certain amino-acids and peptides in the organism of the dog, A., ii, 293.

the behaviour of certain peptides Ā., towards organ-extracts,

culture researches with Aspergillus niger and certain amino-acids and peptides, A., ii, 479.

proteolytic action of animal tissue juices and of intestinal juice, A., ii, 873.

Abderhalden, Emil, and Harry Gideon Wells, the monoamino-acids of keratin from horse-hair, A., i, 55.

Abderhalden, Emil. See also Otto Diels and Emil Fischer.

Abegg, Fritz. See Friedrich Wilhelm Küster.

Abegg, Richard [Wilhelm Heinrich], theory of the Grignard reactions, A., i, 57.

influence of temperature on vital pro-

cesses, A., ii, 95.
new electrical arrangement of the Breslau University Chemical Labora-

tory, A., ii, 266.
capacity of the elements for entering into chemical combination, A., ii, 738.

Abegg, Richard, and Anna Hamburger, solid polyiodides of the alkali metals, their stability and conditions of existence at 25°, A., ii, 747.

Abegg, Richard, and Hans Pick, electroaffinity of anions. II. The nitrite ion and its equilibrium with nitrate and nitric oxide, A., ii, 833.

Abegg, Richard, and Iwan Shukoff, validity of Faraday's law for metals yielding ions of different valency, A., ii, 596.

Abegg, Richard. See also William Maitland and Max Scholtz.

Abel, Emil, theory of electromotive force in polyphase and non-aqueous one-phase systems, A., ii, 722.

a specially simple case of intermediate reactions, A., ii, 731.

hydrolysis of the esters of polyhydric alcohols, A., ii, 731.

Abel, Emil, and Otto von Fürth, physical chemistry of oxyhæmoglobin; the capacity for combining with alkali of the colouring matter of blood, A., i, 546.

Abel, John J[acob], and René de Mortemer Taveau, epinephrine [adrenaline] hydrate, A., i, 56.

Abram, John Hill. See Benjamin Moore.

Ach, Friedrich. See Emil Fischer.

Achard, Ch., and M. Aynaud, rôle of sodium chloride in the histological impregnation of tissues by silver nitrate, A., ii, 561.

Ackermann, D., benzenesulphomethylguanidine, A., i, 768.

detection of guanidine, A., ii, 505. Acree, Salomon Farby, new apparatus

bulbs; fpotash porcelain-lined bomb; electrolytic apparatus], A., ii, 304.

sulphate and sulphur determinations, A., ii, 897.

detection of formaldehyde in milk, A., ii, 906.

Acree, Salomon Farby, and R. F. Brunel, preparation of standard solutions, A.,

Acree, Salomon Farby, and W. A. Syme, constituents of the poison ivy plant (Rhus Toxicodendron), A., ii, 795.

Adam, Paul [Gabriel], milk treated with

hydrogen peroxide, A., ii, 295.

Adami, J. G., and L. Aschoff, myelin bodies, A., i, 1000.

Adensamer, Alex., and Philipp Hoernes, hydrolysis of egg-albumin, A., i, 121. Agostinelli, C. See Roberto Cuisa.

Ahlström, Bertel, and Ossian Aschan, the pinene fractions of French and American turpentine oils, A., i, 442.

Ahlum, Charles Chester, a modification of the volumetric estimation of free acid in the presence of iron salts, T., 470; P., 63.

estimation of the sodium phosphates, A., ii, 393.

Ahrens, Felix Benjamin, new constituents of coal tar, A., i, 473.

Aktien-Gesellschaft für Anilin-Fabrikation, dipropylacetyl-p-phenetidine, A., i, 418.

5-nitro-2-aminophenol, A., i, 496. preparation of dialkylmalonyl-pphenetidines, A., i, 497.

p-aminodiphenyloxide-3-sulphonic acid, A., i, 658.

p-hydroxyphenylglycinamide, A., i, 658.

soluble double salt of sodium salicylate and barium theobromine, A., i, 692. nitration of m-diarylsulphondiamides, A., i, 701.

acetylated indophenols, A., i, 702. preparation of 5:5-diethylbarbituric acid, A., i, 704.

aminohydroxy-derivatives ofphenylnaphthiminazoles, Α., 713.

Aktien-Gesellschaft für Anilin-Fabrikation, soluble double salts of 1:3-1:3:7dimethylxanthine and barium with trimethylxanthine salicylate, A., i, 715.

[reduction of nitroazo-compounds], A., i. 717.

nitration of aromatic arylsulphonamides, A., i, 736.

preparation of a 3:4-dichloroanilinesulphonic acid, A., i, 825.

preparation of a di-o-anisidinedisulphonic acid, A., i, 837. [p-aminophenylnaphthyl-1:2-triazole-

3:8-disulphonic acid], A., i, 906. preparation of a di-o-phenetidinedi-

sulphonic acid, A., i, 950.

Alberda van Ekenstein, William, and Jan Johannes Blanksma, benzaldehyde derivatives of sugars and glucosides, A., i, 511.

benzylidene and tolylidene derivatives of hydroxy-acids, A., i, 512.

Alberti, Leo, and Bronislav Smieciuszewski, preparation of the chlorohydrin, the oxide, and an unsaturated alcohol from normal diprimary decylene glycol [decane-ak-diol], A., i, 619.

Albrecht, Walther, additive products of cyclopentadiene and quinones, A., i,

674.

Albrecht, Walther. See also Johannes Thiele.

Alefeld, Ernst. See Heinrich Biltz. Alexander, William. See Benjamin Moore.

Alilaire, E., composition of an acetic ferment, A., ii, 623.

Allain, L., preservative action of sodium and calcium chlorides on hydrogen peroxide solutions, A., ii, 663.

Allen, Eugene Thomas, Fred. Eugene Wright, and J. K. Clement, minerals of the composition MgSiO3; a case of tetramorphism, A., ii, 865.

Allen, Eugene Thomas, and W. P. White, [with optical study by Fred. Eugene Wright], wollastonite and pseudowollastonite; polymorphic forms of calcium metasificate, A., ii, 683.

Allen, Eugene Thomas. See also Arthur Louis Day.

Allen, Richard W. See Edward Farquhar Buzzard.

Allner, W., Bunsen flame, A., ii,

Almagia, Marco, uric acid metabolism, A., ii, 109.

Aloy, Jules [François], and P. Frébault, bismuth, A., ii, 550.

Alsberg, Carl Luca. See Phoebus A. Levene.

Alt, Heinrich, latent heats of vaporisation of liquid oxygen and liquid nitrogen, and the variation of these quantities with temperature, A., ii, 269.

Altenburg, Johannes. See Otto Wallach. Altnéder, F., estimation of silver in alloys in the wet way, A., ii, 395.

Alway, Frederick Jacob, and Ross A. Gortner, condensation of the three nitroauilines with p-nitrosobenzaldehyde, A., i, 994.

Amar, Jules, gaseous osmosis through a colloidal membrane, A., ii, 337.

Amberg, Samuel, estimation of hydrogen peroxide in milk and the preservation of milk by this substance, A., ii,

Amerio, Alessandro, emission of carbon in certain flames, A., ii, 440.

Aminoff, Gregori, crystalline form of platinichlorides of sulphine derivatives, A., i, 787.

Ammann, Louis. See Léon Lindet.

Amos, Arthur. See Alfred Daniel Hall. Anderlini, Francesco, automatic mercury pump and apparatus for the study of gases, A., ii, 605.

Andersen, A. C. Lauritz Sörensen. See Sören Peter

Anderson, Charles, petterdite and datolite, A., ii, 768.

Anderson, Hugh Kerr, action of alkaloids on the iris, A., ii, 104.

Andés, L. E., chlorobenzenes as solvents for resins, A., i, 154.

Andouard, Ambroise, sodium nitrate in preserved meat, A., ii, 492.

André, Gustave, composition of the liquids which circulate in plants; variations of the nitrogen in the leaves, A., ii, 192.

variations in phosphoric acid and nitrogen in the leaf sap of certain plants, A., ii, 246.

variations in the nitrogen and phos-

phoric acid of the sap of an oleaginous plant, A., ii, 385. André, Gustave. See also Marcellin

Berthelot. Andrew, George William, See William

Arthur Bone.

Andrlík, Karl, Vladimír Staněk, and Josef Urban, consumption of nutrients by parent beets and seedlings, A., ii, 300.

Andrlik, Karl, and Josef Urban, retention of the injurious nitrogen compounds of sugar beet by the sap; stability of these substances in the purification process and their increase during prolonged storage of the roots, A., ii, 388.

Angel, Andrea, cuprous formate, T., 345; P., 58; discussion, P., 59.

Angeli, Angelo, and Vincenzo Castellana, certain nitrogen compounds [substituted hydroxylamines], A., i, 162.

Angeli, Angelo, and Guerriero Marchetti, axoxy-compounds, A., i, 716.

Angelucci, Ottorino, constitution of Scholl's nitroimines, A., i, 769.

quantitative separation of radiothorium from the mud of Echaillon and Salins Moutier, A., ii, 594.

Angelucci, Ottorino. See also Gian Alberto Blanc.

Angenot, *Henri*, separation of tungsten from tin, A., ii, 496.

Angström, Knut, emission of heat by radium, A., ii, 63.

Anilinfarben- & Extrakt-fabriken vorm. Joh. Rud. Geigy, [basic dyes from formyl-m-diamines], A., i, 308.

nitration of 2-hydroxy-1-diazonaphthalene-4-sulphonic acid, A., i, 545. preparation of diazo-oxynaphthalenesulphonic acids and their anhydr-

ides, A., i, 907.
preparation of the anhydrides of 1diazo-2-hydroxy- and 2-diazo-1-

hydroxy-naphthalenes, A., i, 908.

Anneler, E. See Frederick Pearson

Treadwell.

Anschütz, Arnold. See Max Trautz.

Anschütz, Richard, action of phosphorus pentachloride and trichloride on substituted o-phenolcarboxylic acids, A., i, 500.

Anschütz, Richard, and Richard Anspach, action of phosphorus pentachloride and trichloride on 3-chlorosalicylic acid, A., i, 502.

action of phosphorus pentachloride and trichloride on 5-chlorosalicylic acid, A., i, 503.

Anschütz, Richard, and Alphons Deschauer, transformations of methyl dicarboxyaconitate, A., i, 727.

Anschütz, Richard, [with Emanuel Löwenberg, Fritz Schmitz, and Jeff H. Shores], action of benzene and aluminium chloride on free phenol-carboxylic chlorides, A., i, 516.

Anschütz, Richard, and Heinrich Mehring, action of phosphorus pentachloride and trichloride on 3:5-dichlorosalicylic acid, A., i, 501.

Anschütz, Richard, and Alfred Robitsek, action of phosphorus pentachloride and trichloride on 3:5dibromosalicylic acid, A., i, 503.

action of phosphorus pentachloride and trichloride on 2-hydroxyuvitic acid, A., i, 507. Anschütz, Richard, Alfred Robitsek, and Fritz Schmitz, action of phosphorus pentachloride and trichloride on 3:5-di-iodosalicylic acid, A., i, 504.

Anschütz, Richard, and Ernst Schroeder, action of phosphorus pentachloride and trichloride on m-cresotic acid (3-hydroxy-p-toluic acid; 4-methylsalicylic acid), A., i, 506.

action of phosphorus pentachloride and trichloride on p-cresotic acid (5-methylsalicylic acid; 4-hydroxy-

m-toluic acid), A., i, 507.

Anschütz, Richard, Ernst Schroeder, Everhard Weber, and Richard Anspach, action of phosphorus pentachloride and trichloride on \(\theta\)-cresotic acid [2-hydroxy-m-toluic acid; 3-methylsalicylic acid], A., i, 505.

Anschütz, Richard, Everhard Weber, and Karl Runkel, action of phosphorus pentachloride on 1-hydroxy-2-naphthoic acid A i 508

naphthoic acid, A., i, 508.

Anschütz, Richard, Everhard Weber, Julius Sieben, and Richard Anspach, action of phosphorus pentachloride and trichloride on nitro- and halogennitro-salicylic acids, A., i, 505.

Anselmino, Otto, isomeric Schiff's bases, A., i, 13.

formation of salts of aromatic bases with dicarboxylic acids, A., i, 493.

Anspach, Richard. See Richard An-

Anspach, Richard. See Richard Anschütz.

Anthony, Roland B. See Louis Kahlen-

berg.

Antoni, Wilhelm. See Eduard Buchner. Appenzeller, E. See Franz Sachs.

Archbutt, Leonard, estimation of oxygen in copper, A., ii, 122.

Arena, M. See Ezio Comanducci. Arend, J. P. See Camille Aschman. Arima, R. See Junichi Mochizuki.

Armes, Henry Percy. See Julius Berend Cohen.

Armit, Henry William, and Arthur Harden, estimation of small quantities of nickel in organic substances, A., ii, 397.

Armstrong, Edward Frankland, studies on enzyme action. VII. The synthetic action of acids contrasted with that of enzymes; synthesis of maltose and isomaltose, A., i, 127.

studies on enzyme action. VIII. The mechanism of fermentation, A., i, 128.

Armstrong, Henry Edward, studies on enzyme action; lipase, A., i, 126.

Arnaud, Francis William Frederick. See Cecil Howard Cribb. Arndt, Kurt, conductivity of fused salts, A., ii, 418.

Arnold, Carl, [reagents for ozone], A., ii, 390.

two new methods for the estimation of dextrose, A., ii, 400.

Arnoldi, H. See Karl A. Hofmann.

Arny, Henry V., and T. M. Pratt, estimation of casein, A., ii, 407.

Aronstein, Louis, detection of small quantities of white phosphorus in presence of large quantities of phosphorus sesquisulphide, A., ii, 705, 899.

Arragon, Ch., estimation of organic phosphorus compounds in flour and pastry, A., ii, 592.

Arrhenius, Svante August. See Hartog Jakob Hamburger.

Arrivaut, G., alloys of manganese and molybdenum, A., ii, 676.

constituents of manganese-moly bdenum alloys, A., ii, 758.

pure alloys of tungsten and manganese; preparation of tungsten, A., ii, 861. Arsem, William C., electric vacuum

furnace, A., ii, 652.

Arsonval, Arsène d', and Fréd. Bordas, low temperatures and chemical analysis [addendum], A., ii, 497.

Arth, Georges, and Crétien, solution of calcium sulphate in salt water, A., ii, 853.

Artini, Ettore, crystalline form of nitrogen sulphide, N₄S₄, A., ii, 533.
 Artmann, Paul. See Anton Skrabal.

Artmann, Paul. See Anton Skrabal.
 Aschan, [Adolf] Ossian, terpenes from Finni-h pine and fir resins, A., i, 442, 686.

Aschan, Ossian. See also Bertel Ahlström.

Ascher, Erich. See Carl Neuberg.

Aschman, Camille, and J. P. Arend, direct estimation of water in butter and other fats, A., ii, 814.

Aschoff, L. See J. G. Adami.

Ascoli, Alberto, the active constituent of anthrax serum, A., ii, 687.

Aselmann, E., ions produced by falling liquids, A., ii, 329.

Asher, Philip, assay of opium and its preparations, A., ii, 638.

Ashley, R. Harman, analysis of dithionic acid and the dithionates, A., ii, 800.

Asō, Keijirō, injurious action of acetates and formates on plants, A., ii, 887. stimulating action of calcium fluoride on phænogams, A., ii, 888.

stimulating influence of sodium fluoride on garden plants, A., ii, 889.

application of sodium nitrate as topdressing for some Japanese crops, A., ii, 890. Asō, Keijirō, manurial value of calcium cyanamide, A., ii, 890.

manurial value of different potassium compounds for barley and rice, A., ii, 891.

Asō, Keijirō, and Rana Bahadur, influence of the reaction of the manure on the yield, A., ii, 890.

Asō, Keijirō. See also Oscar Loew.

Astre, Charles, and P. Aubouy, pyramidone hydrochloride and hydrobromide, A., i, 989.

Astruc, A., piperazine benzoate and salicylate, A., i, 309.

Aten, A. H. W., equilibrium in the system; bismuth and sulphur, A., ii, 11.

solubility of mercuric chloride in ethyl acetate and acetone, A., ii, 151.

the system sulphur—chlorine, A., ii, 157.

preparation of sulphuric acid of known strength by specific gravity determinations, A., ii, 893.

minations, A., ii, 893.

Atkinson, Ernest Francis Joseph, and Jocelyn Field Thorpe, the formation and reactions of imino-compounds. Part II. Condensation of benzyl cyanide leading to the formation of 1:3-naphthylenediamine and its derivatives, T., 1906; P., 281; discussion, P., 282.

Atterberg, Albert, borates of the alkali metals and of ammonium, A., ii, 281.

Aubouy, P. See Charles Astre.

Auer, John, effect of saline purgatives, A., ii, 876.

Auer, John. See also Samuel J. Meltzer. Aufrecht, Arthur. See Hermann Grossmann.

Auger, Victor, new methods of preparing some organic derivatives of arsenic, A., i, 488.

decomposition of copper sulphate by methyl alcohol, A., i, 550.

Auld, Samuel James Manson, new method for the estimation of acetone, A., ii, 256.

Auld, Samuel James Manson. See also Wyndham Rowland Dunstan, Arthur Hantzsch, and Thomas Anderson Henry.

Aupperle, James A., volumetric estimation of carbon in iron and steel with the use of barium hydroxide, A., ii, 630.

Austin, Percy Corlett. See Alfred Senier.

Austin, Peter T. See Thomas Bliss Stillman.

Austrian, C. R. See Walter Jones.

Auwers, Karl [Friedrich], relations between the constitution and the stability of the condensation products of organic bases with substituted hydroxybenzyl bromides, A., i, 258.

constitution of pseudo-phenols, A., i,

838.

chlorinated alcohols [phenols] of the dihydrobenzene series and their transformation products, A., i, 947. some aromatic aldehydes and ketones, A., i, 962.

Auwers, Karl, and Alfred Dombrowski, hydroxybenzylpiperidines and bromo-p-hydroxy- ψ -cumylanilines, A.,

Auwers, Karl, [and, in part, Fritz Jescheck, Otto Schröter, Th. von Markovits, and Carl Roever], new brominated ψ -phenols, A., i, 354.

Auwers, Karl, and Carl Kipke, condensation products of organic bases with phenols and ψ -phenols of the

y-cumenol series, A., i, 263.

Auwers, Karl, Carl Kipke, Alfred
Schrenk, and Otto Schröter, condensation products of organic bases with phenols and \psi-phenols of the xylenol and hemimellithenol series, A., i, 261.

Auwers, Karl, and Alfred Schrenk,

condensation products of organic bases with ψ-phenols of the mesitol series, A., i, 267.

Auwers, Karl, and Otto Schröter, condensation products of organic bases with phenols and \psi-phenols of the cresol series, A., i, 259.

condensation products of organic bases with ψ-phenols containing strongly negative substituting groups, A., i,

347.

Avery, Samuel, constitution of Paris green and its homologues, A., i, 788. Avery, Samuel, and E. Corr, estimation of total soluble bitumen in paving

material, A., ii, 584.

Aynaud, M. See Ch. Achard. Ayrignac, J. See Alexandre Desgrez. Azzarello, E. See Alberto Peratoner.

R.

Babák, Edward, morphogenetic reaction of the alimentary canal of the frog's larva on muscle proteids of different classes of animals, A., ii, 101.

Babcock, E. N. See Raymond E. Han-

Babel, Allexis, formation of methæmoglobin, A., i, 779, 914.

Babkin, Boris. See Emil Abderhalden. Bach, Alexis, influence of peroxydase on alcoholic fermentation, A., i, 470.

fate of yeast catalase in cell-free alcoholic fermentation,

influence of peroxydase on the activity of catalase, A., i, 470.

as peroxydases specifically-acting enzymes, A., i, 616.

specific action of peroxydases as cnzymes, A., i, 919.

action of light on uranyl acetate, A.,

Bachmann, Hermann, manurial experiments with "Agricultural phosphate," A., ii, 702.

Bacon, N. T., phenomena observed in Crookes' tubes, A., ii, 722.

Badenhausen, Th. See Hans Stobbe. Badische Anilin- & Soda-Fabrik, pre-

paration of chloro-derivatives of indigotin, A., i, 89, 277. chlorination of mono- and di-amino-

derivatives of anthraquinone, A.,

azo-dye from 3:4-dichloroaniline, A.,

o-hydroxyazo-dyes, A., i, 121.

preparation of chloro- and bromo-phthalimides, A., i, 182.

[azo-dyes from 3:4:6-trichloroaniline], A., i, 322.

[azo-dves from nitro-m-phenylenediaminesulphonic acid], A., i, 322.

sulphonic esters of hydroxybenzaldehydes and hydroxybenzoic acids, A., i, 413.

preparation of the salts of formaldehydesulphoxylic acid, A., i,

preparation of indoxyl, A., i, 695.

preparation of hydroxyethylaniline and its derivatives, A., i, 736.

preparation of derivatives of the reduction products of anthraquinone, A., i, 862.

preparation of indoxyl and its derivatives, A., i, 883.

preparation of benzanthronequinolines, A., i, 889.

preparation of 4-alkyloxy-α-naphthols, A., i, 951.

preparation of hydroxyethyl salicylate, A., i, 957.

Baer, Julius. See Ernst Friedmann.

Baezner, Carlo, and August Gardiol, o-nitrobenzophenone and its reduction products, A., i, 673.

synthesis in the acridine series, A., i, 887.

Baezner, Carlo, and J. Gueorguieff, [with August Gardiol], conversion of o-nitro- and op-dinitro-benzyl chlorides into acridine derivatives, A., i, 699.

diacridines, A., i, 901.

Bagard, P. See Edmond Emile Blaise. Silvestro, comparison Baglioni, muscles, electrical organ, and bloodserum of Torpedo ocellata, A., ii,

composition of body-fluids in marine

animals, A., ii, 869.

Bahadur, Rana, composition of the fibrous part of the Japanese orange, A., ii, 886.

Bahadur, Rana. See also Keijirō Asō. Bahntje, Paul. See Erich Müller.

Baidakowsky, L., action of zinc on a mixture of cinnamaldehyde and ethyl a-bromopropionate, A., i, 178.

action of zinc on a mixture of salicylaldehyde and ethyl a-bromopropionate; synthesis of a-methylcoumarin, A., i, 178.

Bailey, E. Monroe, studies on the banana.

I., A., ii, 385.

Baillon, M. See Robert Fosse.

Bain, Alexander William, the action of ethyl iodide and of propyl iodide on the disodium derivative of diacetylacetone, T., 1224; P., 196.
Bainbridge, Francis Arthur, the post-

mortem flow of lymph, A., ii, 782.

Bainbridge, Francis Arthur, and Arthur Philip Beddard, secretion by the frog's kidney, A., ii, 469.

secretion by the renal tubules in the frog, A., ii, 563.

secretin in relation to Diabetes mellitus, A., ii, 786.

Bakhuis Roozeboom. See Roozeboom. **Bakker**, Gerrit, pressure in the capillary layer parallel to its surface, A., ii, 655. Bakunin, Marussia, action of benzyl chloride on aminophenols, 496.

Bakunin, Marussia, and Vincenzo Majone, toxicological investigation of

strychnine, A., ii, 507.

Bakunin, Marussia, and L. Parlati, products of dehydration of phenyl-onitrocinnamic acid and the products which accompany this acid when prepared by Perkin's synthesis, A., i, 664.

Balavoine, Pierre, detection of foreign oils in nut oil, A., ii, 589.

Balbiano, Luigi, and Vincenzo Paolini, composition of light petroleum, A., i, 473.

Balbiano, Luigi, [with Vincenzo Paolini, Angelo Nardacci, Umberto Tonazzi, Enrico Luzzi, Francesco Bernardini, D. Cirelli, Giacomo Mammola, and Gion Battista Vespignani], action of aqueous solutions of mercuric acetate on olefinic compounds, A., i, 186.

Baldwin, Helen, acetonuria following chloroform and ether anæsthesia, A., ii, 108.

Balhorn, Hans. See Johannes Thiele. Baly, Edward Charles Cyril, Walter Henry Edwards, and Alfred Walter Stewart, the relation between absorption spectra and chemical constitution. Part III. The nitroanilines and the nitrophenols, T., 514; P., 35; discussion, P., 35.

Baly, Edward Charles Cyril, (Miss) Effie Gwendoline Marsden, and Alfred Walter Stewart, the relation between absorption spectra and chemical constitution. Part V. The isonitrosocompounds, T., 966; P., 126; discussion, P., 127.

Baly, Edward Charles Cyril, and Alfred Walter Stewart, the relation between absorption spectra and chemical constitution. Part II. The a-diketones and quinones, T., 502; P., 34. aly, Edward Charles Cyril,

William Bradshaw Tuck, the relation between absorption spectra and chemical constitution. Part VI. The phenylhydrazones of simple aldehydes and ketones, T., 982; P., 142; discussion, P., 143.

Baly, Edward Charles Cyril. See also Alfred Walter Stewart.

Bambach, Adolf. See Robert Stollé. Bamberg, R. See Reinhold von Walther.

Bancels. See Larguier des Bancels. Bancroft, Frank W., validity of Pflüger's law for Paramœcium, A., ii, 104.

relative concentration of calcium ions in reference to the reversal of the polar effects of the galvanic current in Paramœcium, A., ii, 869.

Bancroft, Wilder Dwight, the van't Hoff-Raoult formula, A., ii, 523.

Bang, Ivar, and J. Forssman, hæmolysin formation, A., ii, 558.

Banthien, H. See Rudolf Schenck.

Barber, M., phosphotungstates of some amino-acids, A., i, 633.

Barberio, Michele, microchemical reaction of the semen and its application in medico-legal investigations, A., ii, 208.

Barbero, Cesare. See Arrigo Mazzucchelli.

Barbier, Henri. See Auguste Lumiere.

Barbier, [François Antoine] Philippe, and Paul Sisley, new mode of formation of di-p-aminodiphenylamine, A., i, 51.

s- and as-phenosafranines, A., i, 51,

Barbieri, Giuseppe A., higher forms of combination of silver, A., ii, 612.

Barbieri, Giuseppe A. See also Felice Garelli.

Barcroft, Joseph L., oxygen tension in submaxillary glands and other tissues, A., ii, 178.

Barcroft, Joseph L., and Philip Hamill, estimation of oxygen in salt solution, A., ii, 798.

Bardachzi. Franz, proteid reactions attributed to tryptophan, A., i, 778.

Barendrecht, H. \bar{P} ., enzyme action. II., A., i, 328.

Bargellini, Guido, sulphonic derivatives of naphthalic anhydride, A., i, 184. condensation products of rhodanic acid with aldehydes, A., i, 383, 536.

action of chloroform and sodium hydroxide on phenols in acetone solution, A., i, 666.

Bargellini, Guido. See also Luigi Francesconi.

Barger, George, saponarin, a new glucoside coloured blue with iodine, T., 1210; P., 194; discussion, P., 194.

Barger, George, and Arthur James Ewins, note on the molecular weight of epinephrine, P., 38.

Barker, Lewellys Franklin, and B. A. Cohoe, considerations on proteid diet with reference to the various forms of nitrogen it contains, A., ii, 102.

Barker, Thomas Vipond, contributions

to the theory of isomorphism based on experiments on the regular growth of crystals of one substance on those of another, T., 1120; P., 111, 112.

Barkla, Charles G., secondary Röntgen

radiation, A., ii, 413.

Barkow, C. See Emil Erlenmeyer, jun. Barlow, Percival Smith, the osmotic pressure of solutions of sugar in mixtures of ethyl alcohol and water, T., 162.

osmotic pressure of dilute aqueous solutions, A., ii, 149.

osmotic pressures of alcoholic solutions, A., ii, 273.

Barlow, William, and William Jackson Pope, a development of the atomic theory which correlates chemical and crystalline structure and leads to a demonstration of the nature of valency, T., 1675; P., 264; discussion, P., 264.

Barlow, William E., solubility of silver chloride in hydrochloric acid and sodium chloride solutions, A., ii,

Barmwater, [Peter Heinrich] Ferdinand, conductivity of mixtures of electrolytes. III., A., ii, 647.

Barnard, Harry E., and Harry E. Bishop, improved condensation apparatus, A., ii, 655.

Barnicot, J., the iodine reaction in leucocytes, A., ii, 558.

Barnstein, Ferdinand, malt germs, A., ii, 701.

Baroni, E., detection of nitrates in alkali iodides, A., ii, 578.

Barratt, John OglethorpeWakelin, nature of methylene blue-eosin staining, A., ii, 785.

Barschall, Hermann. See Jacobus Henricus van't Hoff.

Bartal, A. von, carbonyl bromide, A., i,

action of selenium on carbon tetrabromide, A., ii, 746.

carbon diselenide, A., ii, 848.

Bartelt, Ebcrhardt. See Wilhelm Vaubel. Barthe, [Joseph Paul] Léonce, action of ethylene dibromide on ethyl sodiocyanoacetate, A., i, 175.

Bartsch, effect of calcium cyanamide on the energy of germination, A., ii, 481.

Barus, Carl, colloidal nuclei and ions in dust-free air saturated with alcohol vapour, A., ii, 651.

Basadonna, M. See H. Cantoni.

Baschieri, A., properties of barium ferrate, A., ii, 857.
Basci, S. See Paul Pfeiffer.

Base, Daniel, determination of the yield of formaldehyde in various methods of liberating the gas for the disinfection of rooms, A., ii, 709.

Baskerville, Charles, coloration of didymium glass by radium chloride, A., ii, 824.

Basler, Adolf, excretion and re-absorption in the kidney, A., ii, 468.

Basler Chemische Fabrik, preparation

of indoxyl and its derivatives, A., i, 542.

1:3-dialkyl ethers of pyrogallol, A., i,

Bassett, Henry, jun., contributions to the study of the calcium phosphates. I. The hydrates of the calcium hydrogen orthophosphates, P., 315.

contributions to the study of the calcium phosphates. II. The action of ammonia gas on the calcium hydrogen orthophosphates, P., 315; discussion, P., 316.

Bassett, Henry, jun. See also Antoine Guntz.

Bateman, Ernest. See Treat Baldwin Johnson.

Battegay, Martin. See Emilio Noelt-

Battelli, Angelo, A. Occhialini, and Silvio Chella, radioactivity [of the thermal waters of S. Giuliano], A., ii, 824.

Battelli, Fr., and (Mlle.) L. Stern, oxidation of organic substances by ferrous sulphate in the presence of animal extracts, A., ii, 107.

moderating action of catalase on oxidations produced by extracts of animal tissues, A., ii, 107.

oxidation in tissues in the presence of ferric salts, A., ii, 184.

Battisti. See Federico Giolitti.

Baubigny, Henri, nickelo-nickelic oxide, A., ii, 91, 170.

estimation of cadmium, A., ii, 307,

Baudran, G., chemical oxydases acting in the presence of hydrogen peroxide, A., ii, 18.

Bauer, E. See Albin Haller.

Bauer, Edmond, dissociation constants of weak acids, A., ii, 649.

Bauer, Hugo, and Ernst Breit, action of a 50 per cent. mixture of glacial acetic and sulphuric acids on \$\beta\$-benzyl-\$\beta\$styrylpropiophenone and its derivatives, A., i, 517.

Bauer, Hugo. See also Heinrich Wieland.

Bauer, Karl. See Julius Schmidt.

Bauer, O., barium oxide and its hydrates: the preparation of a new hydrate, A., ii, 26.

Bauer, O. See also E. Heyn.

Baumann, M. See Hermann Finger. Baumert, R., azo-colouring matters of the pyridine series, A., i, 909.

Baumhauer, Heinrich [Adolf], regular intergrowth of rutile and hæmatite, A., ii, 456.

Baur, *Emil*, relation between electrolytic dissociation and dielectric constant, A., ii, 144, 827.

basis of stoichiometry, A., ii, 661.

Baxter, Gregory Paul, atomic weight of bromine, A., ii, 740.

Baxter, Gregory Paul, Arthur C. Boylston, and Robert Arnold Hubbard, solubility of potassium permanganate, A., ii, 856.

Baxter, Gregory Paul, and Fletcher B. Coffin, atomic weight of cobalt. IV. Analysis of cobaltous chloride, A., ii, 858.

Baxter, Gregory Paul, Murray Arnold Hines, and Harry Louis Frevert, revision of the atomic weight of cadmium. II., A., ii, 541.

Baxter, Gregory Paul, and Robert Arnold Hubbard, insolubility of ferric hydroxide in ammoniacal solutions, A.,

ii, 902.

Bayer, Friedrich. See Farbenfabriken vorm. Friedrich Bayer & Co.

Bayliss, William Maddock, adsorption phenomena, with special reference to the action of electrolytes and the ashconstituents of proteids, A., ii, 344.

Bayliss, William Maddock. See also Robert Henry Aders Plimmer.

Bearn, A. R. See Wilhelm Cramer. Beatty, Wallace Appleton. See Phoebus

A. Levene Beaulard, F., the specific inductive capacity of water and benzene, A.,

ii, 3. **Bechhold**, [Jacob] Heinrich, peculiar behaviour of hexabromodiresorcinol in alkaline solution, A., i, 173.

inhibition of Nylander's sugar reaction by the presence of mercury and chloroform in the urine, A., ii, 129.

Bechhold, Heinrich, and Paul Ehrlich,

relationship between chemical constitution and disinfecting properties, A., ii, 383.

Bechhold, Heinrich, and J. Ziegler, influence of other substances on the rate of diffusion in jellies, A., ii, 656.

precipitation membranes in jellies and the constitution of gelatin jelly, A., ii, 738.

Beck, Adolf, action of radium rays on the peripheral nerves, A., ii, 40.

Beck, G., action of atropine and other alkaloids on the spontaneous movements of plain muscle, A., ii, 111.

Beck, Ludwig. See Walter Dieckmann. Beck, P., analysis of sodium nitrate (Chili saltpetre), A., ii, 899.

Becker, August, increase of conductivity of dielectrics caused by the action of radium rays, A., ii, 322.

radioactivity of ashes and lava from the recent eruption of Vesuvius, A., ii, 515.

Beckmann, [Otto], Ernstmolecular weights of certain inorganic substances, A., ii, 845.

Beckmann, Ernst, and Werner Gabel, molecular weight of indigotin, A., i, 900.

Beckurts, Heinrich [August], estimation of the alkaloids in the leaves and stalks of Datura arborea, A., ii, 909.

Beckurts, Heinrich, and Gustav Frerichs, [with Carl Beyer and L. Hartwig], thio-fatty anilides, A., i, 650.

Beckurts, Heinrich, and Gustav Frerichs, [and, in part, A. Lachwitz], angostura bases, A., i, 34.

Becquerel, [Antoine] Henri, properties of the a-rays emitted by radium and by substances rendered active by radium emanation, A., ii, 212.

Becquerel, Jean, variations of the absorption bands of a crystal in a magnetic

field, A., ii, 317.

the correlation between the variations of the absorption bands of a crystal in a magnetic field, and the magnetic rotatory polarisation, A., ii, 421.

Becquerel, Paul, action of carbon dioxide on the latent life of some dried grains,

A., ii, 385.

Beddard, Arthur Philip. See Francis Arthur Bainbridge andMarcusSeymour Pembrey.

Beer, Carl. See Robert Behrend.

Beer, Hans. See Emil Knoevenagel. Beger, Carl, sinacid-butyrometer and its use for sheep's, goats', and cows' milk, A., ii, 131.

Gerber's salt-method [for the estimation of fat in milk], A., ii, 313. effect of different fats, both emulsified

and not emulsified, on the production of milk, A., ii, 563.

Beger, Carl. See also August Morgen. Behn, U. See Jacobus Henricus van't Hoff.

Behrend, Anton Friedrich Robert, and Hermann Friedrich, dialuric acid, A., i, 311.

Behrend, Robert, and Hans Hennicke, action of thiocarbimides on ethyl aminocrotonate, A., i, 312.

Behrend, Robert, and Carl Hufschmidt, oxidation of methylated methyluracils, A., i, 310.

nitration of trimethyluracil, A., i,

Behrend, Robert, and Hans Osten, nitration in the presence of phosphoric oxide, A., i, 229.

Behrend, Robert, and Hans Osten, [with Carl Beer], trihydroxymethyldihydrouracil, A., i, 309.

Beierle, Karl, crystallised sulphur from the Muschelkalk of Bruchsal, Baden, A., ii, 368.

Béis, Constantin, action of mixed organomagnesium compounds on imides, A., i, 884.

Bell, James M., and Frank Kenneth Cameron, flow of liquids through capillary spaces, A., ii, 833.

Bell, James M., and Walter C. Taber, solubility of gypsum in solutions of ammonium sulphate, A., ii, 352.

Bell, James M. See also Frank Kenneth Cameron.

Bellier, J., beeswax from Annam, A., i, 924.

Schlagdenhauffen's reaction [detection] of magnesium], A., ii, 396.

Belloni, E., presence of l-borneol in the ethereal oil from the buds of Pinus maritima, A., i, 520.

ethereal oil of the buds of Pinus maritima, A., i, 525.

Bellucci, Italo, hydrated palladium dioxide, A., ii, 35.

Bellucci, Italo, and Nicola Parravano, constitution of certain plumbates, A., ii, 87.

Bement, Alburto, sampling of coal and classification of analytical data, A., ii, 579.

Bemmelen, Jakob Maarten van, absorption compounds. IX. Difference between hydrates and hydrogels and the modifications of hydrogels (zirconic metazirconic acids), 430.

Benary, Erich. See Hans Stobbe.

Bence, J. See A. von Korányi. Bendix, Ernst. See Alfred Schitten-

helm.

Benedicks, Carl [Axel Fredrik], applicability of van der Waals' equation to the solid state, A., ii, 10.

deduction of the stoichiometrical laws, A., ii, 530.

Benedict, Francis Gano, cutaneous excretion of nitrogenous substances, A., ii, 107.

nutritive requirements of the body, A., ii, 689.

Benedict, H., hydroxyl-ion concentration of diabetic blood, A., ii, 876.

Benedict, Stanley R., tervalent cobalt and nickel, A., i, 333.

use of potassium periodate in the detection of manganese, cobalt, and zinc, A., ii, 128.

Bennett, Hugh Garner. See Henry Richardson Procter.

Benrath, Alfred, synthesis in sunlight, A., i, 535.

formation of acid salts in alkaline solution, A., ii, 425.

Bensemann, R., analysis of Chili saltpetre, A., ii, 125.

assay of [potash] saltpetre, A., ii, 307.

Bentheim, Alfons von. See Wilhelm Koenigs.

Bentivoglio, G. See Arnaldo Piutti. Bentley, William Henry, Arthur Friedl, Frederick Thomas, and Charles Weizmann, derivatives of naphthacenequinone, P., 324.

Bentley, William Henry, and Charles Weizmann, 4-hydroxyphthalic and 4-methoxyphthalic acids, P., 323.

Benz, Max. See Richard Willstätter. Berend, Ludwig [Bernhard], and Paul Herms, decomposition of ethyl terephthalyldiacetoacetate and a case of

stereoisomerism, A., i, 853. Berg, Armand, formula of elaterin, A., i,

estimation of tellurous and telluric acids, A., ii, 124.

Berg, L. M. van den. See Nicolaas Schoorl.

Berg, William N., and William H. Welker, influence of barium and radium bromides on proteid metabolism, A., ii, 373.

Bergau, Walther. See Wilhelm Lossen: Bergell, Peter, a comparison between organic and inorganic ferments, A., i,

Bergell, Peter, [with Theodor Dörpinghaus], examination of proteid preparations, A., i, 52.

Berger, Ernest, action of phosphorus pentachloride on β -naphthol, A., i, 81.

Berger, Fr., secretion of lithium in the urine and decomposition of lithium iodide in the organism, A., ii, 692.

Berghausen, Oscar. See Emil Abderhalden.

Bergmann, W. See Alexander Tschirch. Bergtheil, Cyril, and Richard Victor Briggs, estimation of indigotin in commercial indigo and in indigoyielding plants, A., ii, 818.

Berju, *Georg*, estimation of phosphoric acid in manures as phosphomolybdic

anhydride, A., ii, 250.

indirect estimation of small quantities of magnesium by weighing phosphomolybdic anhydride, A., ii, 706.

Berkeley, (Earl of), on the more exact determination of the densities of

crystals, P., 321.

Berkeley, (Earl of), and Ernald George Justinian Hartley, determination of the osmotic pressures of solutions by the measurement of their vapour pressures, A., ii, 599.

Berl, Ernst. See Georg Lunge.

Berlin, H. See Julius Tröger.
Bernard, V., convenient preparation of chloric acid and its application in analysis, especially in the estimation of tin in bronze and brass, A., ii, 305. Bernardini, Francesco. See Luigi Balbiano.

Bernhard, Heinrich. See Carl Graebe. Bernhart, Karl. See Wilhelm Koenigs. Bernthsen, August, chemical nature of methylene-azure, A., i, 535.

Berntrop, Johan Conrad, estimation of the amount of arsenic in the arsenic

mirror, **A**., ii, 706.

Berry, Leslie Hamilton, estimation of halogens in organic substances, A., ii, 797.

Berté, Enrico, indirect estimation of aldehydes in oil of lemons, A., ii, 132.

Berthelot, Marcellin [Pierre Eugène], insoluble alkaline compounds in living vegetable tissues, A., ii, 117.

insoluble potassium compounds in humic matters, A., ii, 117.

suboxides of carbon, A., ii, 227.

insoluble alkali compounds in living plants: oak leaves, A., ii, 246.

insoluble potassium compounds in the trunk and bark of oaks, A., ii, 246.

formation of endothermic compounds at high temperatures, A., ii, 524.

direct synthesis of nitric acid and the nitrates from their elements at the ordinary temperature, A., ii, 533.

absorption of nitrogen by organic substances under the influence of radioactive matter, A., ii, 645.

chemical equilibrium of several bases exposed simultaneously to the action of phosphoric acid, A., ii, 657.

natural and artificial coloration of amethyst, &c., A., ii, 863.

Berthelot, Marcellin, and Gustave André, some metals and minerals found in the excavations of the Tell Acropolis of Susa in Persia, A., ii, 230.

Bertozzi, Astenore, toxicity of methylbromide, homatropine atropinium hydrobromide, eumydrine, and atropine sulphate, A., ii, 475.

Bertram, Max, are spectra of neodymium and praseodymium, A., ii, 410.

Bertrand, Gabriel [Émile], fayourable employment of manganese as manure, A., ii, 121.

Bertrand, Gabriel, and A. Lanzenberg, synthetical crystalline l-iditol, A., i, 728.

Bertrand, Gabriel, and Zoltán de Vámossy, estimation of arsenic by Marsh's method, A., ii, 393.

Beschke, Erich. See Otto Wallach.

Besson, [Jules] Adolphe, safety condenser for extractions with inflammable solvents, A., ii, 842.

Besson, Adolphe, and Georges Rosset, action of nitrogen peroxide on ammonia and on some ammonium salts, A., ii, 280.

phosphorus chloronitride, A., ii, 534. Besthorn, Emil, and Josef Ibele, quinaldinic [quinoline-2-carboxylic] acid, A., i, 605.

Betti, Mario, reaction between β-naphthol, formaldehyde, and hydroxylamine, A., i, 653.

resolution of aminobenzyl-β-naphthol into its optical antipodes, A., i, 950. spontaneous oxidation in presence of benzaldehyde, A., i, 985.

Betti, Mario, and Curio Manio Mundici, condensation reaction of the pyrazol-

ones, A., i, 543.

Bettink, Hendrik Wefers, and Willem Pieter Hendrik van den Driessen Mareeuw, examination of parts of dead bodies for chloral hydrate, A., ii, 816.

Bevan, P. V., a method of following the course of certain chemical actions, and a period of induction in the action of excess of water on monochloroacetic acid, A., ii, 425.

Bewad, Iwan I., and A. Pirinsky, symmetrical tertiary α-dinitro-paraffins, A., i, 393.

Beyer, Carl. See Heinrich Beckurts. Beyer, Otto. See Franz Feist.

Beyerinck, Martinus Willem, an exclusively anaërobic sarcina, A., ii, 696. Beythien, Adolf, Paul Bohrisch, and Hans Hempel, composition of lemon

juice, A., ii, 573.

Beythien, Adolf, and L. Waters, composition of preserved eggs and egg substitutes, A., ii, 408. Beythien, Adolf. See also Heinrich

Lührig.

Bianchi, G. See Nazareno Tarugi.

Biberfeld, Joh., diuresis. XII. Excretion of sodium chloride during phloridzin diuresis, A., ii, 564.

Bibus, Bertrand, and Rudolf Scheuble, preparation of menthyl salicylate, A., i, 852.

Biddle, Henry C., conversion of formhydroxamic acid into fulminic acid, A.,i,6. derivatives of formhydroxamic acid and the possible existence of esters of fulminic acid. II., A., i, 340.

Bieber, Arthur. See Arthur Kötz.

Biehringer, [Friedrich August] Joachim, cetylphosphoric acid, A., i, 2.

Biehringer, Joachim, and Wilhelm Borsum, reversible reactions among derivatives of organic acids, A., i, 953. o-tolidine sulphates and titration of benzidine sulphate, A., ii, 637.

Bien, Franz. See Josef Hanuš.

Bierry, H., and Albert Frouin, rôle of cellular elements in the digestion of carbohydrates by intestinal juice, A.,

Bierry, H., and Giaja, amylase and maltase of pancreatic juice, A., ii, 780. Bigazzi, A. See Nazareno Tarugi.

Bigelow, Willard Dell, and Herbert C. Gore, apple marc, A., ii, 300.

Bigelow, Willard Dell, Herbert C. Gore, and Burton J. Howard, growth and ripening of persimmons, A., ii, 573.

Biilmann, Einar, organic thio-acids. II.

and III., A., i, 625, 626.

Billon, Ch., detection of mineral acids in wines, A., ii, 400.

Biltz, Arthur. See Wilhelm Traube.

Biltz, Heinrich, and Ernst Alefeld, composition of acid chloropentamminecobalt sulphate, A., ii, 859.

Biltz, Heinrich, and Richard Gärtner, preparation of fused molybdenum, A., īi, 860.

Biltz, [Eugen] Wilhelm, hydrates in aqueous solutions, A., ii, 737.

Biltz, Wilhelm, and W. Geibel, ultramicroscopic studies. II. Characterisation of inorganic colloids, A., ii, 824.

Biltz, Wilhelm, [with Kurt Utescher], theory of dyeing. IV. Lakes, A., ii, 78.

Biltz, Wilhelm, and Ernst Wilke-Dörfurt, sulphides of rubidium and cæsium, A., ii, 283, 611.

Bindschedler, Emil. See Alfred Werner. Binet du Jassonneix, Armand, magnetic properties of compounds of boron and manganese, A., ii, 520.

reduction of molybdenum dioxide by boron and the combination of boron with molybdenum, A., ii, 677.

Bingham, Eugene C., viscosity fluidity, A., ii, 218.

relation of heat of vaporisation to boiling point, A., ii, 522.

vapour pressure and chemical composition, A., ii, 523.

Bingham, Eugene C. See also Harry Clary Jones.

Binz, Arthur [Heinrich], addition of

alkali to indigotin, A., i, 749. Binz, Arthur, and W. Sondag, sodium hyposulphite. III., A., ii, 23.

Binz, Arthur. See also Hermann Wendelstadt.

Biquard, Robert. See Charles Moureu. Birckenbach, Lothar. See Alexander Gutbier.

Bischkopff, Eduard. See Alfred Einhorn.

Bishop, F. L., periodic relation between the atomic weights and the index of refraction, A., ii, 137.

Bishop, Harry E. See Harry E Barnard.

Bishop, Howard B., estimation of minute quantities of arsenic [in sulphuric acid], A., ii, 306.

Bissegger, W. See Ernst Winterstein. Bistrzycki, [Carl Anton] Augustin, and B. von Siemiradzki, liberation of carbon monoxide [from organic compounds], A., i, 135.

Bjerrum, Niels, chromium chlorosulphates, A., ii, 363.

Blackler, Montague Bennett. See Arthur

Hantzsch.

Blackman, *Philip*, improved apparatus for the determination of molecular weights, P., 175.

quantitative relation between the specific heats of a gas and its molecular constitution, A., ii, 331. relative strengths of acids, A., ii, 529. atomic conductivities of the ions, A.,

ii, 647.

ionic conductivities at 25°, A., ii, 722. Blaise, Edmond Emile, [Grignard's reaction with dihaloids], A., i, 153. anhydrides of dibasic acids, A., i, 796.

Blaise, Edmond Emile, and P. Bagard, stereoisomerism in the group of unsaturated αβ-acyclic acids, A., i, 479.
 Blaise, Edmond Emile, and Alfred

Blaise, Edmond Emile, and Alfred Pierre Courtot, abnormal dehydration of hydroxyalkylpivalic esters, A., i, 553, 794.

lactonisation of αα-dimethyl-βγ-unsaturated acids, A., i, 793. γ-aldehydo-acids, A., i, 927.

Blaise, Edmond Emile, and H. Gault, researches in the pyran series, A., i, 300.

Blaise, Edmond Émile, and L. Houillon, the relations between functional (reactive) groups in remote positions; cyclic imines, A., i, 692.

the relations between functional (reactive) groups in remote positions; decamethyleneimine, A., i, 764.

Blaise, Edmond Émile, and M. Maire, \(\beta\)-chloroethyl ketones and alkyl vinyl ketones, A., i, 142.

Blaise, J., estimation of small quantities of sugar in urine, A., ii, 710.

Blake, Sue A. See David Wilbur Horn. Blane, Givn Alberto, new element presenting the radioactive characters of thorium, A., ii, 323.

Blanc, Gian Alberto, and Ottorino Angelucci, separation of radiothorium from salts of thorium, A., ii, 644.

Blanc, Gustave [Louis], synthesis of dihydrocamphoric acid, A., i, 64.

α- and β-campholytic alcohols, A., i, 174.

synthesis of $\beta\beta$ -dimethyl- and $\beta\beta\epsilon$ -trimethyl-pimelic acids, A., i, 399.

synthesis of camphor derivatives; isolaurolene and isolauronolic acid (β-campholytic acid), A., i, 523.

Blanc, Gustave. See also Albin Haller. Blanck, Edwin, assimilation and distribution of silica and potassium in tobacco plants, A., ii, 574.

plantes, A., II, 5/4.

Blank, Oskar, and Hermann Adv. Finkenbeiner, estimation of methyla alcohol in solutions of formaldehyde by means of chromic acid, A., ii, 399.

Blanksma, Jan Johannes, nitration of s-nitro-m-xylene, A., i, 11.

introduction of halogen atoms into the benzene nucleus during the reduction of aromatic nitro-compounds, A., i, 345.

Blanksma, Jan Johannes. See also William Alberda van Ekenstein and Frans Maurits Jaeger.

Blasdale, Walter Charles. See Jacobus Henricus van't Hoff.

Blau, Georg. See Daniel Vorländer. Bleisch, C., and P. Regensburger, valuation of barley, A., ii, 135.

Bliss, H. J. W. See Samuel Auchmuty Tucker.

Bloch. See Alphonse Seyewetz.

Bloch, Siegfried. See Heinrich Wieland. Bloemendal, W. H., yellow colouring matter in Surinam greenheart, A., i, 873.

argemone seeds from Curaçoa, A., ii, 482.

Blome, Walter H. See Julius Otto Schlotterbeck.

Blough, E. See Earnest Stanley Shepherd.

Blount, Bertram, an instance of choke damp free from carbon dioxide, A., ii, 280.

Bloxam, William Popplewell, analysis of indigo, A., ii, 819.

Blum, Leon, and Ernst Fuld, new method of estimating rennin and the behaviour of human gastric juice under normal and pathological conditions, A., ii, 207.

Blumenthal, Ferdinand, lysol poisoning, A., ii, 879.

Blumenthal, Ferdinand, and Wolff, fermentation of milk, A., ii, 879.

Blyther, Donald Francis. See William Augustus Tilden.

Bock, A., separation of constituents of alloys, A., ii, 24,

Bock, Paul. See Richard Meyer.

Bodroux, F., action of esters of certain dibasic acids on magnesium halogen derivatives of primary aromatic amines, A., i, 240.

rapid preparation of hydriodic acid solutions, A., ii, 156.

Böcker, Rudolf. See Otto Schmidt. Bödtker, Eyvind, adipaniide, A., i, 827. derivatives of tert.-butylbenzene, A., i,

Böhme, Richard, estimation of petroleum, petrol distillates, and benzene in oil of turpentine, oil of pine, and turpentine substitutes, A., ii, 583.

Boehringer & Söhne, C. F., preparation of aminoguanidine from nitroguanidine,

A., i, 637.

Boeke, H. E., mixed crystals of anhydrous sodium sulphate, tungstate, and molybdate, A., ii, 750.

behaviour of barium and calcium

carbonates at high temperatures, A., ii, 753.

abnormal depression of the transition temperature in the case of mixed crystals, A., ii, 830.

Börnstein, Ernst, observations on coal

tars, A., i, 414.

Böttcher, Karl, dialkylmalonamides, A., i, 340, 405.

Böttcher, Karl. See Theodor Zincke.

Böttger, Wilhelm, solubility of sparingly soluble substances. II. Solubility of silver chloride, bromide, and thiocyanate at 100°, A., ii, 656.

Bogdan, Petru, dissociation of nitric acid, A., ii, 83.

polymerisation of liquids, A., ii, 274.

dissociation of nitrie acid in mixtures of water and ether, A., ii, 649.

Bogert, Marston Taylor, and Victor John Chambers, 5-amino-4-ketodihydroquinazoline and 5-amino-4-keto-2-methyldihydroquinazoline, A., i,

Taylor, and Bogert, Marston Parmelee Cook, quinazolines. Synthesis of 6-nitro-4-keto-2-methyldihydroquinazolines from 5-nitroacetylanthranil and primary amines, A., i, 988.

Bogert, Marston Taylor, and William Flowers Hand, 5-bromo-2-aminobenzoic acid and certain derivatives, A., i, 176.

preparation of 6-bromo-4-ketodihydroquinazolines from 5-bromo-2-aminobenzoic acid and certain of its derivatives, A., i, 208.

Bogert, Marston Taylor, and Roemer Rex Renshaw, methyl 4-aminophthalate and certain of its acyl derivatives, A., i, 510.

Bogert, Marston Taylor, and Harvey Ambrose Seil, quinazolines. XV. A 3-aminoquinazoline and the corresponding 3:3'-diquinazolyl from 6nitroacetylanthranil and hydrazine hydrate, A., i, 712.

Bogomolny, A. See A. Ryss.

Boguski, Jossif Juri von, dibenzylnaphthalene, A., i, 825.

Bohrisch, Paul, and Rudolf Richter, assay of bee's wax, A., ii, 589.

Bohrisch, Paul. See also Adolf Beythien. Boi, Enrico. See Efisio Mameli.

Boidin, A., the liquefaction of starch powder and starch grains, A., i, 933.

Boisbaudran, Paul Émile [dit Francois] Lecoq de, origin of the conception of solid solutions, A., ii, 152.

Boizard, G., conductivity of ammonium sulphate in mixtures of sulphuric acid

and water, A., ii, 419.

Bokorny, Thomas, similarity in the action of salts of copper, mercury, and silver on the lower plants, A., ii, 42.

action of dilute solutions on living cells, A., ii, 104.

quantitative action of poisons, A., ii,

the toxicity of aniline dyes, A., ii,

amounts of poison necessary for killing a given weight of living substance, A., ii, 383.

toxicity of phenol compared with that of other substances, A., ii, 480.

the separation of the life and fermentaction of yeast, A., ii, 880.

Bolsing, Fr. See Philippe Chuit.

Bolton, Charles, gastrotoxic serum, A., ii,

Boltwood, Bertram Borden, radioactivity of the salts of radium, A., ii, 413. radioactivity of thorium minerals and salts, A., ii, 415.

Boltwood, Bertram Borden. See also Ernest Rutherford

Bon, A. See $Am\acute{e}$ Pictet.

Bondi, Samuel, action of iodine on acetoacetic acid and detection of this acid in urine, A., ii, 588.

Bondi, Samuel, and Martin Jacoby, the

distribution of salicylic acid in normal

and infected animals, A., ii. 106. Bondi, Samuel, and Ernst Müller, synthesis of glycocholic and taurocholic acids, A., i, 633.

Bondzyński, Stanislaus, St. Dombrowski, and Kazimierz Panek, the group of organic acids containing nitrogen and sulphur which is present in normal human urine, A., i, 122.

Bone, William Arthur, and George William Andrew, the interaction of well-dried mixtures of hydrocarbons and oxygen, T., 652; P.,

78. Bone, William Arthur, and Julien

Drugman, the explosive combustion of hydrocarbons, T., 660; P., 78; discussion, P., 79.

Bone, William Arthur, Julien Drugman, and George William Andrew, the explosive combustion of hydrocarbous.

II., T., 1614; P., 272.

Bone, William Arthur, and Richard Vernon Wheeler, combination of hydrogen and oxygen in contact with hot surfaces, A., ii, 434.

Bonifazi, E., Stanislaus von Kostanecki, and Josef Tambor, synthesis of 6:2':4'trihydroxyflavonol, A., i, 201.

Bonnema, A. A., importance of the determination of the freezing point in the examination of milk; abnormal milk, A., ii, 710.

milk, A., ii, 710.

Book, Gilbert, constitution of cyanine

dyes, A., i, 42.

Boos, William Frederick, preparation and composition of myco-nucleic acids from yeast, A., i, 775.

Borchardt, L., sources of error in the estimation of acetone in urine, A., ii, 312.

Bordas, Fréd., and Touplain, method of estimating impurities in cocoas and chocolates, A., ii, 408.

rapidity of absorption of odours by milk, A., ii, 467.

estimation of proteid and gelatinous matters by means of acetone, A., ii, 639.

Bordas, Fréd. See also Arsène d' Arsonval.

Borgo, Alessandro. See Girolamo Mazzara.

Borissoff, Peter, luminescence of certain organic compounds between +100° and -190°, A., ii, 317.

Bornwater, J. Th., simplified method for the estimation of nitric acid in nitrates, A., ii, 578.

Borodowski, W., synthesis of the sulphur compounds of arsenic: melting point and transformation curves of these compounds, A., ii, 665.

Borsche, Walther [Georg Rudolf], conversion of aldoximes into nitriles, A., i, 664.

Borsche, Walther, and Albert Fels, formation of unsaturated keto-lactones from αβ-diacylcarboxylic esters, A., i, 508.

synthetical experiments with ethyl benzoylacetonylacetate, A., i, 509.

Borsche, Walther, and G. Gahrtz, constitution of the aromatic purpuric acids. IX. Behaviour on oxidation with potassium hypobromite, A., i, 957.

Borsche, Walther, and Arnold Heyde, constitution of aromatic purpuric acids. VIII. Picramic acid and potassium cyanide, A., i, 15.

Borsche, Walther, [with H. Kühl], the relation between quinonehydrazones and p-hydroxyazo-compounds. III. Quinoneoximehydrazones, A., i, 319.

Borsche, Walther, and W. Lange, hexahydrothiophenol (cyclohexyl mercantan) A i 165

captan), A., i, 165. thioborneol and other derivatives of camphane containing sulphur, A., i, 679, 868.

Borsum, Wilhelm. See Joachim Biehringer.

Bose, Emil [Hermann], kinetics of extreme states of aggregation, A., ii, 7. a thermochemical relationship enunciated by Julius Thomson, A., ii, 727.

Boswell, M. C. See Charles Loring Jackson.

Bottler, the chemical properties of the copals, A., i, 300.

Boudet, estimation of tannin, A., ii, 911. Boudouard, Octave, silicones, A., i, 563.

Bouffard, G., injection of benzidine dyes into normal animals, A., ii, 694.

Bougault, J., antimony tartrate, A., i, 336.

antimony tartrate and its ethyl ester, A., i, 558.

cinnamenylparaconic acid, A., i, 670. action of nascent hypoiodous acid on acids containing an ethylenic linking; iodo-lactones, A., i, 848.

Boulouch, R., existence of phosphorus sulphides: mixtures of phosphorus and phosphorus sesquisulphide, A., ii, 438.

non-existence of phosphorus trisulphide, A., ii, 535.

Boulud. See Raphael Lépine. Bouquet, E. See F. Dienert.

Bourquelot, Emile [Elié], detection of glucosides in plants by means of emulsin, A., ii, 386.

Bousfield, William Robert, ionic size in relation to the physical properties of aqueous solutions, A., ii, 428.

Bouveault, Louis, and F. Chereau, 2-chlorocyclohexanone and its derivatives, A., i, 513.

Bouveault, Louis, and René Locquin, action of sodium on esters of fatty acids; preparation of acyloins of the type R CO CH(OH) R; mechanism of the reaction, A., i, 782.

acyloins of the fatty series. III. and IV., A., i, 782.

hydrogenation of fatty acyloins; preparation of s-disecondary glycols, alcohols of the type OH CHR CHOR, and the corresponding ketones, A., i, 783.

"steric hindrance" in derivatives of

pivaloin, A., i, 784.

oxidation of acyloins of the fatty series: some a-diketones and their derivatives, A., i, 803.

reduction of oximino-esters; synthesis of a new leucine, A., i, 938.

Bowman, Richard Sisson, an improved apparatus for the continuous extraction of liquids with ether, P., 24.

Boycott, Arthur Edwin, typhoid and paratyphoid bacteria and sera, A., ii,

Boylston, Arthur C. See Gregory Paul Baxter.

Bradley, C. E., chemical study of some Oregon Beaverdam soils, A., ii, 249.

Bradley, Harold C., a delicate colour reaction for copper, and a microchemical test for zinc, A., ii, 805.

Bradley, Harold C. See also Lafayette Benedict Mendel.

Bradley, W. M. See Samuel Lewis Penfield.

Bradshaw, Hamilton, certain derivatives of phenylglycine-o-sulphonic acid, A., i, 348.

o-sulphaminebenzoic acid and related compounds, A., i, 359.

relative rates of oxidation of ortho-, meta-, and para-compounds, A., i,

Braehmar, Fritz. See Franz Fischer. See Heinrich Gold-Bräuer. Robert. schmidt.

Bragg, William Henry, ionisation of various gases by the α-particles of radium, A., ii, 322.

a-particles of uranium and thorium,

A., ii, 416. Brand, Kurt, partial reduction of aromatic dinitro- and polynitro-derivatives by electrolytic methods, A., i, 80.

Brandl, Josef, [with Ernst Mayr and A. Vierling], sapotoxin and sapogenin from Agrostemma Githago, A., i, 526.

Brandt, Hermann. See Max Busch.

Brandt, Leopold, diphenylcarbohydrazide [diphenylcarbazide] as indicator in the titration of iron with dichromate, A., ii, 309.

Brassert, Walter. See Josef Houben. Braun, Julius von, and Carl Müller, imide bromides and their decomposition, A., i, 576.

Brauns, Reinhard Anton, Vesuvian ash from the Baltic; gypsum in Vesuvian ash, A., ii, 556.

Brautlecht, Charles Andrew. See Treat Baldwin Johnson.

Bray, William C., oxyhalogen compounds. I. and II., A., ii, 221.

oxyhalogen compounds. III. Chlorine peroxide, A., ii, 222.

reactions of chlorine dioxide and chlorous acid, A., ii, 223.

IV. Reacoxyhalogen compounds. tion between chlorine peroxide and iodides, A., ii, 278.

Bréal, Emile, treatment of seeds with copper solutions, A., ii, 387.

Bréaudat, L., a new microbe which pro-

duces acetone, A., ii, 568.

Breazeale, James Frank, relation of sodium to potassium in soil and solution cultures, A., ii, 891.

Bredemann, G., alkaloids of the rhizome of Veratrum album and their estimation**, A., i**i, 506.

Bredemann, G. See also Emil Haselhoff.

Bredig, Georg, and W. Fraenkel, anticatalytic action of water, A., ii, 426.

Bredig, Georg, and David Lichty, chemical kinetics in concentrated sulphuric acid; the decomposition of oxalic acid, A., ii, 602.

Bredt, [Conrad] Julius, and Karl Burkheiser, constitution of camphor and its derivatives. IX. Electrolytic reduction of camphorcarboxylic acid to borneolcarboxylic acid and dehydroborneolcarboxylic acid, A., i, 680.

Breest, Fritz. See Walter Dieckmann. Breit, Ernst. See Hugo Bauer.

Bremer, W., action of flour on hydrogen peroxide, A., ii, 587.

Bresler, Harry W., W. H. Friedemann, and Julius Mai, action of diazohydrates on oximino-compounds, A., i, 321.

Breteau, Pierre, old decomposed cocaine hydrochloride, A., i, 600.

Bretet, ascitic fluid containing albumin soluble in acetic acid, A., ii, 875.

Breton, M. See A. Calmette.

Breuil, Pierre, copper steels, A., ii, 546, 677, 759.

Brichant, Omer, estimation of manganese in iron and steels, A., ii, 397.

Briggs, Lyman James, absorption of water vapour and of certain salts in aqueous solution by quartz, A., ii, 13. Briggs, Richard Victor. See Cyril

Bergtheil.

Brill, Otto, determination of atomic weights of rare earths, A., ii, 27. vapour tension of liquid ammonia, A., ii 847

Brillouin, [Louis] Marcel, theoretical considerations on electrolytic dissociation; influence of the solvent on the stability of the dissolved molecules, A., ii, 262.

Briner, E., heterogeneous equilibrium under variable pressures, A., ii,

424.

heterogeneous equilibria: formation of phosphonium chloride, ammonium carbamate, and ammonium hydrogen sulphide, A., ii, 529.

researches on chemical equilibria, A., ii, 657.

Bringhenti, Aldo, catalysis and electromotive force. I., A., ii, 426.

Brissemoret, derivatives of caffeine and reactions of its glyoxaline nucleus, A., i, 600.

Brissemoret and R. Combes, juglone [hydroxynaphthaquinone], A., ii, 118. Brittlebank, C. See Volkmar Kohlschütter.

Brode, Johannes, oxidation of nitrogen in the high tension flame, A., ii, 6.Brodie, Thomas Grigor, and Winifred

Brodie, Thomas Grigor, and Winifred C. Cullis, secretion of urine, A., ii, 468.

Brögger, Waldemar Christofer, composition of xenotime, A., ii, 37.

Brönsted, J. N., studies in chemical affinity, A., ii, 339, 834.

Broido, J. See Fritz Ullmann.

Broniewski, Witold, relations between the variation of electrical resistance and the expansion of monatomic solids, A., ii, 646.

Bronson, Howard L., ionisation produced by α-rays, A., ii, 413. periods of transformation of radium

A, B, and C, A., ii, 594.

Brown, Adrian John, and Edmund Theodore Millar, the liberation of tyrosine during tryptic proteolysis, T., 145.

Brown, James, interaction of hydrochloric acid and potassium permanganate in the presence of various inorganic salts, A., ii, 31.

Brown, James Campbell, the critical temperature and value of $\frac{\text{ML}}{\Theta}$ of some carbon compounds, T., 311; P., 39.

Brown, Oliver W., and Frank C. Mathers, electro-deposition of copper on iron, A., ii, 214.

Brown, Orville H., action of anæsthetics and narcotics, A., ii, 105.

toxicity of strychnine, morphine, and quinine to Parameeium, A., ii, 188. pharmacology of a colloidal compound of strychnine, A., ii, 188, 789.

Brown, Orville H., and Don R. Joseph, intravenous injection of bone marrow

extracts, A., ii, 474.

Browne, Arthur Wesley, and M. F. Mehling, modified hydrogen sulphide generator, A., ii, 609.

Browne, Charles Albert, jun., fermentation of sugar-cane products, A., ii, 381.

analysis of sugar mixtures, A., ii, 498.

Browning, Carl H. See Robert Muir. Brückner, Camillo, the system sulphur sulphates, A., ii, 279.

behaviour of sulphur towards potassium chromate and dichromate, A., ii, 364.

action of iodine on mercurous and mercuric sulphates, A., ii, 613.

Brühl, Julius Wilhelm, on the optical effects of adjacent double linking, P., 319.

Bruhns, Gustav, new method for stating analytical results, A., ii, 389. standardisation of iodine and thio-

standardisation of lodine and thiosulphate solutions, A., ii, 577.

estimation of carbon dioxide in waters, A., ii, 706.

estimation of small quantities of [combined] sulphuric acid in waters, A., ii, 800.

Brunck, Otto, gravimetric estimation of calcium, A., ii, 307.

iodometric estimation of hydrogen sulphide, A., ii, 799.

Brunel, Léon, hydrogenation derivatives of carvacrol, A., i, 81.

Brunel, R. F. See Salomon Farby Acree.

Bruner, Ludwik, the factor of proportionality between the mobility and absolute velocity of ions, A., ii, 262.

Bruner, Ludwik. See also Fritz Haber. Bruni, Giuseppe, and Angelo Contardi, reactions of double decomposition between alcohols and esters, A., i, 621.

Bruni, Giuseppe, and L. Ferrari, additive compounds of aromatic hydrocarbons with polynitro-derivatives, A., i, 491.

Bruni, Giuseppe, and Antonio Manuelli, solvent and ionising properties of ethylene cyanide (succinonitrile), A., ii, 71.

Bruni, Giuseppe, and Maurice Padoa, conditions of precipitation and of solution of metallic sulphides, A., ii,

Brunner, *Erich*, electrochemistry of the iodine-oxygen compounds, A., ii, 723.

Bryan, Thomas J., delivery funnel for introducing liquids under increased or diminished pressure, A., ii, 154.

Bublitz, Heinrich. See Julius Tafel. Buchböck, Gustav, hydration of the ions.

I., A., ii, 519. Bucherer, Hans Theodor, simple method

for the synthesis of α-amino-acids, A., i, 584.

Bucherer, Hans Theodor, and André Grolée, nitriles of arylglycines, A., i, 349.

ketone-cyanohydrins, A., i, 405.

Bucherer, Hans Theodor, and Arthur Schwalbe, ω -sulphonic acids and ω cyanides of aromatic amines, A., i, 828.

aldehyde bisulphites and [the constitution of hyposulphites, A., ii, 741.

Buchner, Eduard, and Wilhelm Antoni, the co-enzyme of zymase, A., i, 56.

Buchner, Eduard, and Rufus Gaunt, acetic acid fermentation, A., i, 920.

Buchner, Eduard, and Jakob Meisenheimer, lactic acid fermentation, A., i, 919.

chemical reactions occurring during alcoholic fermentation. III., A., ii,

Buchner, Georg. Indian Ghedda-wax, A., i, 478.

Bucky, Arthur. See Frédéric Reverdin. Büchner, Ernst Hendrik, critical tem-perature of solutions in liquid carbon dioxide, A., ii, 71.

liquid carbon dioxide as solvent, A., ii,

a mineral which retards the discharge

of an electroscope, A., ii, 645. limited miscibility of liquids; the system diphenylamine and carbon dioxide, A., ii, 731.

Büchner, Georg, rapid estimation of albumin in urine, A., ii, 912.

Bühler, Emil. See Friedrich Kehrmann and Fritz Ullmann.

Bühner, Adolf. See Johannes Thiele.

Buelens. See Louis Henry.

Bülow, [Theodor] Carl [Heinrich], condensation products of oxalylhydrazide. I., A., i, 46.

1-amino-3:4-triazole (N-amino-ββ'pyrrodiazole); the so-called "Ndihydrotetrazine" (isobisdiazomethane, trimethinetriazoimide), A., i, 905.

Bülow, Carl, and Fritz Busse, mixed diazo-compounds from p-phenylenediamine with heterocyclic side-chains, A., i, 717.

Bülow, Carl, and Max Deseniss, transformations of phthalylacetylacetone, A., i, 588.

combination of phthalylacetylacetone with pyrogallol, A., i, 966.

Bülow, Carl, and Constantin Sauter-

meister, ethyl 1-phenylthiouramino-2:5-dimethylpyrrole-3:4-dicarboxylate, A., i, 314.

Bülow, Carl, and Carl Schmid, 7-hydroxy-2-o-m-p-trimethoxyphenyl-4methylene-1:4-benzopyran and its derivatives, A., i, 201.

synthesis of Nencki and Sieber's gallacetein, A., i, 300.

quinonoid benzopyran derivatives, A., i, 598.

Bülow, Carl, and R. Weidlich, condensation products of the dihydrazides of dibasic acids, A., i, 981.

Bünz, R. See Alexander Gutbier.

Buhlert and Ernst Fickendey, estimation of nitric acid in soils, A., ii,

bacteriological investigation of soils, A., ii, 476.

Buisson, Albert, estimation of ammonia in waters by means of Nessler's reagent, A., ii, 704.

Buisson, Henri, variations in certain properties of quartz, A., ii, 350.

Buisson, Henri. See also Charles Fabry. Bulíř, J. See Emil Votoček.

Bull, Hendrik, separation of the fatty acids of cod-liver oil, A., i, 925.

Bulloch, William, and J. A. Craw, a new porcelain filter, A., ii, 662.

Bumstead, Henry Andrews, heating effects produced by Röntgen rays in different metals and their relation to the question of change in the atom, A., ii, 141.

Buraczewski, Józef, and Leon Marchlewski, colouring matter of blood. VI., A., i, 779.

Burdett, (Miss) Frances. See Kennedy Joseph Previté Orton.

Burger, O. See Julius Sand.

Burgess, Charles Hutchens, and David Leonard Chapman, the interaction of chlorine and hydrogen, T., 1399; P., 37.

Burke, W. E. See Stewart Woodford Young.

Burkheiser, Karl, and G. Christie, simple arrangement for passing gases into reacting masses which are stirred by a turbine, A., ii, 347.

Burkheiser, Karl. See also Julius Bredt.

Burmann, James, preparation of methylamine from ammonia and methyl

sulphate, A., i, 933.

Burnett, Theo. C., influence of temperature on striped muscle and its relation to chemical reaction velocity, A., ii, 872.

Burri, Robert, and M. Düggeli, bacteriological examination of some samples of abnormal milk, A., ii, 189.

Burton, E. F., properties of electricallyprepared colloidal solutions, A., ii, 275.

action of electrolytes on colloidal

solutions, A., ii, 841.

Burton, E. F., and P. Phillips, susceptibility of iron in colloidal solution, A., ii, 421.

Burton-Opitz, Russell, viscosity of blood,

A., ii, 372.

Busch, Max [Gustav Reinhold], oxidation of nitrous acid by hydrogen peroxide; estimation of nitrates in the presence of nitrites, A., ii, 392.

estimation of nitrogen in nitrocellulose,

A., ii, 708.

Busch, Max, and Hermann Brandt, behaviour of certain azo-compounds towards hydrogen chloride, A., i,

Busch, Max, and Gustav Mehrtens, endoiminotriazoles. II., A., i, 115.

Buschmann, K., weighing-bottle for liquids, A., ii, 832.

Busse, Fritz. See Carl Bülow.

Busti, G. See Giacomo Ponzio.

Buttenberg, Paul. See K. Farnsteiner. Buxton, Bertram Henry, and Philip Shaffer, agglutination and allied reactions from the physical standpoint. I., A., ii, 839.

Buxton, Bertram Henry, and Oscar from agglutination Teague, the standpoint. II. A physical comparison of various suspensions, A., ii, 840.

Buxton, Bertram Henry. See also Oscar Teague.

Buzzard, Edward Farguhar, and Richard W. Allen, effects of choline on animals, A., ii, 41.

Bygdén, A., minerals [stilbite, chabazite, &c.] from Gellivare, Sweden, A., ii, 38.

Byk, Alfred, violet and ultra-violet absorption spectra of complex copper compounds, A., ii, 317.

methods of deducing the phase rule,

A., ii, 339.

C.

Cain, John Cannell, and George Marshall Norman, the action of water on diazosalts, T., 19.

Calabrin, Giuseppe A., formation and physiological rôle of pentosans in plants, A., ii, 883.

Calamai, A. See Nazareno Tarugi.

Calberla, Robert. See Hermann Thiele. Kenneth S. See Arthur Caldwell, Hantzsch.

Callegari, Alessandro, copper and nickel salts of certain amino-acids, A., i,

Calmette, A., and M. Breton, effects of tuberculin absorbed from the digestive canal in healthy and tuberculous animals, A., ii, 378.

Calvin, J. W. See W. E. Mathew-

Cameron, Frank Kenneth, and James M. Bell, phosphates of calcium. II., A., ii, 164.

solubility of gypsum in magnesium sulphate solutions, A., ii, 353.

system lime, gypsum, water, at 25°, A., ii, 751.

phosphates of calcium. III. Superphosphate, A., ii, 752.

Cameron, Frank Kenneth, and Atherton Seidell, phosphates of calcium. I., A., ii, 163.

Cameron, Frank Kenneth. James M. Bell. See also

Campagne, Émile. See Gustav Kroupa. Campbell, Norman R., radioactivity of metals and their salts, A., ii, 411.

Camus, Lucien, hordenine, its degree of toxicity, symptoms of intoxication, A., ii, 188.

action of hordenine sulphate on the circulation, A., ii, 244.

action of hordenine sulphate on soluble ferments, and microbes, A., ii,

Cannon, Watter Bradford, mechanism of the pylorus, A., ii, 180.

Cannon, Walter Bradford, and F. T. Murphy, movements of stomach and intestines, A., ii, 180.

Cantoni, H., decomposition of the oxalates of the alkaline earths by aqueous solutions of alkali sulphates, A., i, 557.

Cantoni, H., and M. Basadonna, solubility of alkaline earth malates in water, A., i, 799.

Canzoneri, Francesco, olive leaves, A., ii, 886.

Carette, [Denis] Henri, essential oil of rue, A., i, 685.

Cari-Mantrand, Maxime, wine analysis; estimation of "added" water, alcohol, or sugar; determination of sugar in "incompletely fermented" "liqueur" wines, A., ii, 253.

Cario, F. See Ernst Dorn.
Carles, P., assay of commercial tartaric acid, A., ii, 313, 710.

fluorite crystals from Néris-les-Bains, A., ii, 680.

Carlson, A. J., osmotic pressure and heart activity, A., ii, 241.

the cause of cessation of rhythm in isotonic solutions of non-electrolytes, A., ii, 466.

chemical conditions for heart activity, with special reference to the heart of Limulus, A., ii, 558.

action of chloral hydrate on the heart, A., ii, 877.

action of drugs on the heart of Limulus, A., ii, 878.

Carlson, C. E., the guaiacum test for blood, A., ii, 591. Carlson, Tor. See Peter Klason.

Caro. See Karo.

Carobbio, Arturo, detection of traces of resorcinol, A., ii, 809.

Carobbio, Arturo. See also Annibale Ferraro.

Carpini, Camillo, photoelectric effect of selenium, A., ii, 143.

Carrara, Giacomo, and G. Ferrari, magnitude of the liquid molecules of certain organic compounds, A., ii, 599.

Carrasco, Oreste, new method for the elementary analysis of organic compounds, A., ii, 200.

Carrasco, Oreste, and Maurice Padoa, formation and decomposition of the indole nucleus by the catalytic action of nickel, A., i, 695.

Carrasco, Oreste, and Giuseppe Plancher, new method for estimating the carbon and hydrogen in organic substances by means of electrical incandescence, A., ii, 201.

Carré, Paul, formation of indazyl derivatives from o-hydrazobenzoic acid, A., i, 705.

molecular conductivity of phosphoric esters, A., ii, 4.

Carse, George A. See T. H. Laby.

Carstens, \tilde{J} . See Karl Seubert. Cartaud, G. See Floris Osmond.

Carughi, A. See Maurice Padoa.

Carveth, Hector Russell, and J. P. Magnusson, studies in vapour composition. IV., A., ii, 727.

Casares, José, occurrence of fluorine in mineral waters of the Pyrenees and in geysers of the Yellowstone Park, A., ii, 80.

[fluorine in] thermal springs, A., ii, 896.

Cash, John Theodore, and Wyndham Rowland Dunstan, the pharmacology of indaconitine and bikhaconitine, A.,

Casoria, Eugenio, [palmerite] new hydrated aluminium potassium phosphate, A., ii, 554.

Caspari, Charles Edward, and Leo R. A. Suppan, estimation of arsenious oxide, A., ii, 50.

Caspari, William Augustus, gutta percha and balata, A., i, 100.

Cassella & Co., Leopold, [4-nitro-2-amino-6-acetylaminophenol], A., i, 165. action of carbonyl chloride on 4-acetyl-

amino-m-phenylenediamine, A., i,

4-acetylamino-2-aminophenol-6-carboxylic acid, A., i, 741.

4-acetylamino-2-aminophenol-6-sul-

phonic acid, A., i, 741. azo-derivatives of 3-amino-5-acetylaminosalicylic acid, A., i, 908.

preparation of 2-nitro-6-amino-4-acetylaminophenol, A., i, 948. preparation of 5-hydroxynaphthabenz-

aldehyde-7-sulphonic acid and its diamino-derivative, A., i, 989.

Castellana, Vincenzo, detection of boric acid; reply to Velardi, A., ii, 491.

Castellana, Vincenzo. See also Angelo Angeli.

Castorina, GiovanniTrovato, radioactivity of products of Etna, A., ii, 64. Castoro, Nicola, hemicelluloses, A., ii, 884.

Castoro, Nicola. See also Ernst Schulze. Catel, J. See Alfred Guyot.

Cathcart, Edward Provan, toxin of the Bacillus enteriditis of Gärtner, A., ii, 297.

bacteria of "blown" tins of preserved food, A., ii, 699.

reduction of methylene-blue by cows' milk, A., ii, 700.

Catheart, Edward Provan, and John Beresford Leathes, absorption of proteids from the intestine, A., ii, 181.

Cavalier, Jacques, derivatives of pyrophosphoric acid, A., i, 394.

Cayeux, L., structure and probable origin of the magnetic iron ore of Diélette. Manche, A., ii, 368.

formation of an iron mineral by the decomposition of glauconite, A., ii, 368.

Cazes, E. See Camille Matignon.

Cederholm, A. M. See Forris J. Moore. Centnerszwer, Mieczyslaw, and A. Pakalneet, critical pressures of solutions, A., ii, 341.

Centnerszwer, Mieczysław, and M. Zoppi, critical temperatures of solutions. II., A., ii, 272.

Centnerszwer, Mieczyslaw. See also Paul Walden.

Cermak, P., equilibrium point in the formation and decomposition of ozone by the action of the electrical discharge from points in oxygen, A., ii, 740.

Cesáro, Giuseppe, preparation of crystalline crocoite and wulfenite by the action of atmospheric carbon dioxide on alkaline solutions of the lead salts,

A., ii, 28.

Chablay, E., conditions under which the metal-ammonium compounds reduce halogen derivatives of the fatty hydrocarbons; preparation of olefines and paraffins, A., i, 130.

of unsaturated primary reduction alcohols of the fatty series by metalammonium compounds. A., i, 722.

Chabrié, [Pierre] Camille, and F. Levallois, ultramarines, A., ii, 676.

Chace, Edward MacKay, estimation of citral in lemon oils and extracts, A., ii. 906.

Chadwick, Samuel, John Edwin Ramsbottom, and David Leonard Chapman, the action of ultra-violet light on moist and dry carbon dioxide, P., 23.

Chalker, Walter C. See Treat Baldwin Johnson.

Chambers, Victor John. See Marston Taylor Bogert.

Chapman, Alfred Chaston [Arthur William Henry], and Herbert Law, reducing action of hydrogen. II. Estimation of traces of arsenic by the Marsh-Berzelius method, and the "insensitiveness" of zinc, A., ii, 196.

Chapman, David Leonard, a difficulty in the theory of valency of W. Barlow

and W. J. Pope, P., 320.

Chapman, David Leonard. See also
Charles Hutchens Burgess and Samuel Chadwick.

Chapman, H. G. See D. A. Welsh. Charabot, Eugène [Trophime], and G. Laloue, formation and distribution of terpenic compounds in Citrus Aurantium, A., ii, 385.

Charante. See Moll van Charante. Charlton, H. W. See Frank Thomas

Charpy, Georges, equilibrium diagram of iron-carbon alloys, A., ii, 31.

Charrin, Albert, and Goupil, ferments of the placenta, A., ii, 294.

Charrin, Albert, and Le Play, variations in toxicity of the intestinal contents; modifications of the blood, A., ii, 292.

Chassy, Antoine, influence of pressure and of the form of the discharge on the production of ozone, A., ii, 663.

Chattaway, Frederick Daniel, the action of light on benzaldehydephenylhydr azone, T., 462; P., 36; discussion, P., 37.

Chattaway, Frederick Daniel, and William Henry Lewis, halogen derivatives of substituted oxamides, T., 155; P., 18.

Chattock, A. P., non-leaking glass tap, A., ii, 221.

See William Oechsner de Chauvenet. Coninck.

Chavanne, G. See Louis Jacques Simon. Chella, Silvio. See Angelo Battelli.

Chemische Fabrik auf Aktien (vorm. E. Schering), preparation of camphor from borneol or isoborneol, A., i, 28, 194.

preparation of methylenehippuric acid, A., i, 499.

preparation of barbituric acid and its 5-alkyl derivatives, A., i, 893.

benzoylalkylaminopreparation of ethanols [alkylaminoethyl benzoates], A., i, 952.

Chemische Fabrik Flörsheim, Noerdlinger, preparation of aldehydes, alcohols, and acids, A., i, 628.

Chemische Fabrik Griesheim-Elektron, [3'-chloro-4'-methylamino-4-hydroxydiphenylamine], A., i, 890.

Chemische Fabrik von Friedr. Heyden, bismuth disalicylate, A., i, 665. preparation of guanyldiethylbarbituric acids, A., i, 894.

preparation of bismuth tannate, A., i, 974.

Chéneveau, C., index of refraction of substances dissolved in non-aqueous solvents, A., ii, 509.

Chereau, F. See Louis Bouveault.

Chick, (Miss) Harriette, study of the process of nitrification with reference to the purification of sewage, A., ii, 245.

Chikashige, Masumi, carburetted water gas in the Bunsen burner, A., ii, 221.

Chilesotti, Alberto, electrolytic reduction of molybdic acid in acid solutions, A., ii, 263, 365.

Chocenský, Karl. See Josef Hanuš. Chodat, Robert, specific action of peroxydases, A., i, 779.

Chorower, Ch. See Alfred Werner.

- Chrétien, Paul, reduction of antimony selenide, A., ii, 550.
- Chrétien, Paul, and Joseph Guinchant, antimony sulphide and antimony, A., ii, 366.
- Christensen, A. C., compounds of the hydrochlorides of the alkaloids with the chlorides of the heavy metals and the corresponding bromine compounds, A., i, 875.
- Christiansen, Christian, origin of the formation of layers in solutions observed by A. Sinding-Larsen, A., ii, 74.
- Christie, G. See Karl Burkheiser. Christie, W. A. K. See Frederick Pearson Treadwell.
- Christoff, A., relation of absorption to surface tension, A., ii, 525.
- Christomanos, Anastasios Karl, a test for oxygen, A., ii, 896.
- Chuit, Philippe, and Fr. Bolsing, new coumarins and some of their derivatives, A., i, 185.
 - two homosalicylaldehydes derived from m-cresol, A., i, 282.
- Ciamician, Giacomo Luigi, modern theories of double linkings and the constitutional formula of pyrrole, A., i, 104.
- Ciamician, Giacomo Luigi, and Paul G.
 Silber, chemical action of light. X.,
 A., i, 10.
- Cingolani, Masaniello. See Celso Ulpiani. Cirelli, D. See Luigi Balbiano.
- Ciusa, Roberto, chemical action of light, A., i, 775.
 - action of bromine on ψ -cumene, A., i, 942.
 - formation and behaviour of thiobenzanilide, A., i, 953.
 - additive products formed by trinitrobenzene with aromatic substances containing the side-chain 'CH:N', A., i, 962.
- Ciusa, Koberto, and C. Agostinelli, additive products of derivatives of trinitrobenzene with certain aromatic nitrogen compounds, A., i, 891.
- Ciusa, Roberto. See also Gaetano Minunni.
- Clapp, Samuel Hopkins. See Thomas Burr Osborne.
- Clarke, Latham, and R. Norris Shreve, isohexane and a new dodecane, A., i, 473
- Clarke, Latham. See also Charles Loring Jackson.
- Clarke, Reginald William Lane, and Arthur Lapworth, reactions involving the addition of hydrogen cyanide to carbon compounds. Part VI. The action of potassium cyanide on pulegone, T., 1869; P., 285,

- Claude, Georges, application of the partial liquefaction of air with reflux action to the complete separation of air into pure oxygen and pure nitrogen, A., ii, 16.
 - the liquefaction of air by expansion with performance of external work, A., ii, 17, 884.
- Claude, Georges, and René J. Lévy, production of high vacua by means of liquid air, A., ii, 347.
- Clausmann, Paul. See Armand Gautier. Clayton, Arthur. See Gilbert Thomas Morgan.
- Clemens, Paul. See Albert Edinger. Clement, J. K. See Eugene Thomas
- Cleve, Per Theodor, memorial lecture on
- (Thorpe), T., 1301; P., 169.

 Cloetta, Max, and H. F. Fischer, the behaviour of digitoxin in the organism, A., ii, 474.
- Closson, Oliver E., elimination of creatinine, A., ii, 471.
- Closson, Oliver E. See also Lafayette Benedict Mendel and Frank Pell Underhill.
- Clough, George William, condensation of benzophenone chloride with α- and β-naphthols, T., 771; P., 109.
- Coates, Charles Edward, the series C_nH_{2n-2} in Louisiana petroleum, A., i, 329.
- Coates, Joseph Edward. See John Kenneth Harold Inglis and Kennedy Joseph Previté Orton.
- Cobb, Philip H., further investigations of the two chlorides of o-sulphobenzoic acid, A., i, 499.
- Cocheret, D. H. See Frans Antoon Hubert Schreinemakers.
- Cocking, T. Tusting, contamination of zinc and its compounds with lead, A., ii, 754.
- Coehn, Alfred, electrical phenomena accompanying the decomposition of ammonium, A., ii, 725.
- Coffignier, Ch., action of phenols and naphthalene on copals, A., i, 870.
- Coffin, Fletcher B. See Gregory Paul Baxter.
- Cohen, Julius Berend, and Henry Percy Armes, the relation of position isomerism to optical activity. VI. The rotation of the menthyl esters of the isomeric chloronitrobenzoic acids, T., 454; P., 74.
 - the relation of position isomerism to optical activity. VII. The rotation of the menthyl esters of the three isomeric dinitrobenzoic acids, T., 1479; P., 241.

Cohen, Julius Berend, and Henry Drysdale Dakin, the properties of 2.3:4:5-tetrachlorotoluene. A correc-

tion, T., 1453; P., 241.

Cohen, Julius Berend, and Israel Hyman Zortman, the relation of position isomerism to optical activity. V. The rotation of the menthyl esters of the isomeric dibromobenzoic acids, T., 47.

Cohen, N. H. See Pieter van Rom-

burgh.

Cohn, Robert, decolorisation of a faintly alkaline solution of phenolphthalein by alcohol, A., i, 853. hydrolysis of sodium palmitate, A., ii,

58.

Cohnheim, Otto, glycolysis. IV., A., ii, 292.

erepsin, A., ii, 294.

the cleavage of food-proteid in the intestine, A., ii, 871.

Cohoe, B. A. See Lewellys Franklin Barker.

Colles, William Morris, jun., aldehydrol and the formation of hydrates of compounds containing a carbonyl group, T., 1246; P., 207.
Collet, Léon W., and Gabriel W. Lee,

Collet, Léon W., and Gabriel W. Lee, chemical composition of glaucouite,

A., ii, 370.

Collin, Eugène, microscopic examination of starch and detection of rice starch in wheat starch A ii 905

in wheat starch, A., ii, 905.

Collins, Sydney Hoare, Scheibler's apparatus for the estimation of carbon dioxide in carbonates; an improved construction and use for accurate analysis, A., ii, 630.

Collot, Louis, diffusion of barium and strontium in sedimentary rocks, A.,

ii, 39.

Colman, James. See Siegmund Gabriel.Colomba, Luigi, scheelite from Traversella, A., ii, 369.

Colombano, Amedeo. See Giuseppe Oddo.

Colson, [Jules] Albert, limiting states of some dissolved chromic salts, A., ii, 74.

constitution of chromic sulphates, A., ii, 233.

Comanducei, Ezio, solubility of uric acid in silicic acid, in sodium metasilicate, and in distilled water, A., i, 405.

index of oxidation of milk, A., ii, 636.

Comanducci, Ezio, and M. Arena, analysis of the ash which fell in Naples on the night of April 4th—5th, 1906, A., ii, 864.

Comanducci, Ezio, and Luigi Pescitelli, nitro- and amino-propiophenones, A., i, 965.

thioquinine and thiocinchonine, A., i, 977.

analysis of the ash which fell in Naples on the night of October 2nd, 1904, A., ii, 177.

Combes, R. See Brissemoret.

Comella, Matteo. See Ernesto Puxeddu. Compagnie Morana, thio-compounds prepared from ketones and aldehydes, A., i, 23.

Conduché, A., a new reaction of aldehydes; action of isohydroxycarbamide on benzaldehyde, and properties of benzylidenecarbamidoxime; action of water on benzylidenecarbamidoxime, A., i, 593.

Cone, Lee Holt, and C. P. Long, monohalogen derivatives of triphenylcarbinol chloride [triphenylchloromethane], A., i, 424.

Cone, Lee Holt. See also Moses Gomberg.

Coninck. See Oechsner de Coninck.

Conrad, Max, and A. Zart, derivatives of 3-hydroxy-1-phenyl-5-pyrazolone, A., i, 608.

Consortium für Elektrochemische Industrie & Erich Müller, electrolytic production of sodium persulphate, A., ii, 749.

Contaldi, Andrea. See Gino Abati.

Contardi, Angelo. See Giuseppe Bruni and Georg Körner.

Cook, Alfred Newton, aluminium phenoxide, A., i, 495.

Cook, C. W. See Edward Henry Kraus.

Cook, Ellen Parmelee. See Marston Taylor Bogert.

Cook, Frank C. See J. Arthur Le Clerc.

Cooke, W. Ternent, chemical behaviour of argon and helium, A., ii, 539.

Copaux, Hippolyte, crystallographic description of alkali cobaltioxalates, A., i, 623.

cobalt and nickel, A., ii, 91.

chemistry and crystallography of the silicomolybdates, A., ii, 170.

two remarkable cases of isomorphism, A., ii, 549.

Copeman, Sydney Arthur Monckton, and Henry Wilson Hake, hydrochloric acid in cancer, A., ii, 875.

Coppadoro, Angelo, electrolysis with alternating currents. I. and II. Electrolysis of alkali chlorides, A., ii, 214, 849.

Coppenrath, C. See Josef König.

Cordier [von Löwenhaupt] Victor, probable stereoisomerism of nitrogen in guanidine pierate, A., i, 486.

Cormimboeuf, H., estimation of iodine in aristols [iodised thymols], A., ii, 122. estimation of nickel, A., ii, 198. assay of officinal potassium bromide,

A., ii, 395.

Corminboeut, H., and L. Grosman, estimation of metallic iron in reduced iron, A., ii, 54.

differentiation of the two pharmaceutical benzoic acids, A., ii, 636.

Cornu, Felix, acid and alkaline reaction of minerals, especially silicates, A., ii, 770.

reaction for distinguishing dolomite and calcite, A., ii, 804.

Corr, E. See Samuel Avery.

Corradi, Remo, action of sodium hypobromite on carbamide and on ammonium salts, A., ii, 505.

Corsini, Andrea, modification of the methyl-violet process in the estimation of free mineral acids, A., ii, 704.

Costa, Tullio, attempt to prove the existence of chromic acids by means of the electrical conductivity, A., ii, 617.

Costachescu, N., gases present in rocksalt and in the mud volcanoes of Roumania, A., ii, 618.

Cotton, A., and Henri Mouton, new magneto-optical properties of colloidal solutions of ferric hydroxide, A., ii, 146.

Cottrell, F. G., crystalline habit, A., ii, 220.

Couchet, Charles, R. C. Schlosser, and Louis Duparc, electrolysis of potassium nitrate, A., ii, 749.

Coulin, Pierre, the isolation of ψ-ionone hydrate and an isomeride, A., i, 869.

Coupin, Henri, action of some alkaloids on pollen. A. ii. 384.

on pollen, A., ii, 384.
Courtot, Alfred Pierre, dehydration of β-hydroxy-β-alkylpivalic esters, A., i, 230, 396, 554.

action of alkali carbonates on βγdibromo-αα-dimethyl acids, A., i, 788, 925.

Courtot, Alfred Pierre. See also Edmond Émile Blaise.

Cousin, H., fatty acids of brain lecithin, A., i, 330.

the fatty acids of kephalin, A., i, 725.

Coutelle, Carl, formation of ethyl sodiodicarboxyglutaconate from ethyl malonate, sodium ethoxide, and chloroform, A., i, 139.

Couzens, Edward Gordon. See Gilbert Thomas Morgan.

Cowie, William Beaverly, and William Dickson, assay of pepsin by the biuret reaction, A., ii, 316.

Cox, Alvin J., chromates of mercury, bismuth, and lead, A., ii, 757.

Cramer, Wilhelm, and A. R. Bearn, effect of heat on enzyme activity, A., i, 780.

Cramer, Wilhelm, and James Lochhead, chemistry of the placenta, A., ii, 781

Crampton, Charles Albert. See Arthur L. Sullivan.

Craw, J. A., filtration of crystalloids and colloids through gelatin, A., ii, 276.

Craw, J. A. See also William Bulloch.

Creeth, Norman Allen. See William Henry Perkin, jun.

Crétien. See Georges Arth.

Cribb, Cecil Howard, Dutch cheese, A., ii, 404.

Cribb, Cecil Howard, and Francis William Frederick Arnaud, approximate estimation of boric acid, A., ii, 394.

Crighton, David Cowan, electrolysis of potassium ethyl dipropylmalonate, T., 929; P., 162.

Crone, C. von der, action of phosphoric acid on higher plants and a new nutritive solution, A., ii, 191.

Cronheim, Walter, importance of vegetable organisms for the oxygen supply of water, A., ii, 191.

Crook, Thomas, and Bernard Mouat Jones, geikielite and the ferromagnesian titanates, A., ii, 459.

Crookes, Samuel Irwin. See George Young.

Crookes, (Sir) William, some phosphorescence spectra indicating the existence of new elements, A, i., 62.

effect of calcium in developing the phosphorescence of some rare earths, A., ii, 360.

ultra-violet spectrum of ytterbium, A., ii, 713.

the production of helium from radium, A., ii, 717.

Crosland, Percy Field. See Arthur George Green.

Crossley, Arthur William, and James Stuart Hills, aromatic compounds obtained from the hydroaromatic series. Part II. The action of phosphorus pentachloride on trimethyldihydroresorcin, T., 875; P., 144.

Crossley, Arthur William, and (Miss) Nora Renouf, the supposed identity of dihydrolaurolene and dihydroisolaurolene with 1:1-dimethylhexahydrobenzene, T., 26.

separation of $\alpha\alpha$ - and $\beta\beta$ -dimethyladipic acids, T., 1552; P., 252.

action of alcoholic potassium hydroxide on 3-bromo-1:1-dimethylhexahydrobenzene, T., 1556; P.,

action of reducing agents on 5-chloro-3-keto-1:1-dimethyl - △4 - tetrahydro-

benzene, P., 302.

Crowther, J. Arnold, coefficient of absorption of β -rays from uranium, A., ii, 720.

Cruser. See Dyke-Cruser.
Cullis, Winifred C., secretion by the frog's kidney, A., ii, 468.

Cullis, Winifred C. See also Thomas

Grigor Brodie.

Cumming, Alexander C., affinity constants of amphoteric electrolytes. II. Methyl derivatives of o- and m-aminobenzoic acids, A., 734.

Cumming, Alexander C., and Orme Masson, volumetric estimation of

cyanates, A., ii, 505.

Curie, (Madame) Marie (néc Sklodowska), diminution of the radioactivity of Α., polonium with time, 143.

time constant of polonium, A., ii,

Curie, Pierre, and A. Laborde, radioactivity of the gases evolved from the waters of thermal springs, A., ii, 515.

Curry, B. E., electrolytic corrosion of the bronzes, A., ii, 756.

electrolytic precipitation of bronzes, A., ii, 862.

Curtiss, Richard Sydney, amine derivatives of mesoxalic esters, A., i, 339.

reaction of nitrous anhydride with ethyl malonate, A., i, 480.

Curtius, Theodor, conversion of cholic acid into cholamine, A., i, 400.

Curtius, Theodor, and August Darapsky, action of nitrous acid on polyglycine esters. I. Ethyl diazoacetylaminoacetate, A., i, 403.

Curtius, Theodor, August Darapsky, and Ernst Müller, pseudodiazoacet-

amide, A., i, 939.

Curtius, Theodor, and James Thompson, action of nitrous acid on polyglycine esters. II. Ethyl diazoacetylglycylaminoacetate, A., i, 403.

Curtius, Theodor, and James Thompson, action of nitrous acid on polyglycine esters. III. Action of ammonia on ethyl diazoacetylglycine and ethyl diazoacetylglycylglycine, A., i, 404.

action of ammonia on ethyl diazoacetylglycine (isodiazoacetylaminoacetic acid). II., A., i, 940.

Curyel, G., effect of improving grapes on their composition, A., ii, 46.

Cuttitta, Salvatore, 1:3:6-trinitro-7methylacridone, A., i, 697.

Czapek, Friedrich.. See Eduard Kohn. Czerwek, A., new method for the separation of antimony and tin, A., ii, 708.

D.

D'Achiardi, Giovanni, some minerals from the tourmaline lodes of the granite of S. Piero in Campo (Elba), A., ii, 555.

a probably new zeolite from Elba, A., ii, 773.

Dadourian, H. M., thorium, A., ii, 415. H. M., radioactivity of

Daels, F. V., reduction of α-isodypnopinacolin, A., i, 357.

Daikuhara, G., correction of a very unfavourable ratio of lime to magnesia in a soil for the culture of barley, A., ii, 387.

application of magnesia in the form of magnesium sulphate for the needs of the rice plant, A., ii, 388.

lime factor for the tobacco plant, A., ii, 388.

Dains, Frank Burnett, action of acyl chlorides on mixtures of amines, A., i, 804.

Daitz, Werner, [qualitative] separation of metals of the ammonium sulphide group, A., ii, 308.

Dakin, Henry Drysdale, synthesis of a substance allied to adrenaline; physiological activity of substances indirectly related to adrenaline, A., i, 56.

oxidation of amino-acids with the production of substances of biological importance, A., ii, 105.

formation of glyoxylic acid, A., ii, 374.

Dakin, Henry Drysdale. Julius Berend Cohen.

Hallett, Henryphysiological actions of ergot, A. ii, 474.

- Dale, Hugh Gordon. See Raphael Meldola.
- Dam, W. van, estimation of nitrogen in saltpetre, A., ii, 898.
- Damond, E. See Paul Freundler.
- D'Ans, Joh., two acid sodium sulphates, A., ii, 351.
- ammonium syngenite, A., ii, 751. **D'Ans**, Joh. See also Jacobus Henricus
- van't Hoff.

 Danysz Jean action of radium on the
- Danysz, Jean, action of radium on the virus of rabies, A., ii, 379.
- Danysz, Jean, jun., radioactive lead extracted from pitchblende, A., ii, 644.
- Darapsky, August. See Theodor Curtius.
- Darzens, Georges, general method of synthesising $\alpha\beta$ -trisubstituted glycidic esters and ketones, A., i, 62.
 - glycidic condensation of aldehydes with ethyl α-chloropropionate, A., i, 137.
- Darzens, Georges, and Pierre Lefébure, preparation of glycidic esters and aldehydes in the hexahydroaromatic series, A., i, 430.
- Dautwitz, Fritz, condensation of tiglic aldehyde with acetone, A., i, 803.
- Davidsohn, J., and G. Weber, determination of the saponification number in oils and fats, A., ii, 908.
- Davidson, J. F., electrical conductivity of flames, A., ii, 325.
- Davies, John H., and Edgar Philip Perman, back reactions in iodine titrations, A., ii, 489.
- Davies, John H. See also Edgar Philip Perman.
- Davila, Ch. See Philippe A. Guye.
- Davis, Oliver Charles Minty, some thioand dithio-carbamide derivatives of ethyleneaniline and the ethylenetoluidines, T., 713; P., 114.
 - toluidines, T., 713; P., 114. the action of nitrogen sulphide on certain metallic chlorides, T., 1575; P., 261.
- Davis, William Alfred, basic carbonates, A., ii, 670.
- Davison, John M. See Kenneth S. Howard.
- Dawson, Harry Medforth, the nature of ammoniacal copper solutions, T., 1666; P., 256.
- influence of strong electrolytes on partition phenomena, A., ii, 730.
- Day, Arthur Louis, and Eugene Thomas Allen, isomorphism and thermal properties of the fels ars, A., ii, 177.

- Day, Arthur Louis, and Earnest Stanley Shepherd, lime-silica series of minerals, A., ii, 770.
- Dean, Graham, estimation of silica in iron ores containing alumina, A., ii, 630.
- Debierne, André, phosphorescence phenomena, A., ii, 257.
 - some properties of actinium, A., ii, 414.
- Decker, F., colouring matter in saffron, A., i, 686.
- Decker, Herman, conjugated dionium ring systems, A., i, 874.
- Decker, Herman, and Georges Dunant, reduction of cyclic amine-ones. I. Preparation of acridine from acridone, A., i, 901.
- Decker, Herman, [with Enos Ferrario, Eduard Laube, Matei Sassu, Carl Schenk, and August Würsch], coeroxene, its derivatives and isologues, A., i, 687.
- Decker, Herman, and C. Kopp, formation of indigotin from quinoline, A., i, 180.
- Decker, Herman, and Eduard Laube, constitution of alizarin monomethyl ethers, A., i, 192.
- Decker, Herman, and Carl Schenk, ammonium compounds. XXI. Action of amines on quaternary salts of 5-phenylacridine-o-carboxylic acid, A., i, 304.
- Decker, Herman, and August Würsch, constitution of isorosindone and allied substances, A., i, 905.
- Decker, Herman, See also Adolf Kaufmann and Alfred Schmid.
- Dedichen, Georg M., affinity constants of cyclic bases, A., i, 539.
- Dehn, Frank Bernhard, and Jocelyn Field
 Thorpe, note on the anhydride of
 phenylsuccinic acid, T., 1882; P.,
 283.
- Dehn, William Maurice, new urometer; modification of the hypobromite method, A., ii, 816.
- Dehn, William Maurice, and S. J. McGrath, arsonic and arsinic acids, A., i, 341.
- Dehn, William Maurice, and Burton B. Wilcox, secondary arsines, A., i, 150.
- Dejean, P., solidification of copper, A., ii, 356.
- Dekker, J., constitution of tannin, A., i, 686, 974.
- Delacre, Maurice, constitution of pinacolin and its derivatives, A., i, 476. constitution of α- and β-benzopinacolins, A., i, 518.

Delacre, Maurice, acetyl chloride as a reagent for pinacolyl alcohols, A., i, 551.

tert. pinacolyl alcohol, A., i, 784.

sec.- and tert.-pinacolyl alcohols and their separation, A., i, 921.

Delépine, [Stéphane] Marcel, decomposition of ammonium sulphate by sulphuric acid in the presence of platinum, A., ii, 24.

solution of platinum in sulphuric acid,

A., ii, 93.

action of hot sulphuric acid on platinum and iridium salts in the presence of ammonium sulphate, A., ii, 289.

double sulphate of iridium and potassium, Ir₂(SO₄)₃, 3K₂SO₄, A., ii, 551. **Delétra**, Ernst. See Frédéric Reverdin.

Delezenne, C., pancreatic juice rendered active by calcium salts, A., ii, 99.

activation of pancreatic juice by salts; specificity of calcium, A., ii, 100.

Delezenne, C., Henri Mouton, and E.
Pogerski, action of papain, A., i, 328.
Delpiano, A. See Galeazzo Piccinini.

Dember, H., photoelectric effect and fall of potential at an alkali electrode in argon, helium, and hydrogen, A., ii, 516.

Demenitroux, M. See Georges Urbain. Demoussy, Em., acidic properties of starch, A., i, 401.

Denham, H. G., temperature of combustion of methane in the presence of palladiumised asbestos, A., ii, 56.

Denicke, Gustav, oxidation of uric acid in the presence of ammonia, A., i, 938.

Denis, Willey, rate of diffusion of the salts of the blood into solutions of non-electrolytes, and its bearing on theories of heart rhythm, A., ii, 776.

Denison, Robert Beckett, and Bertram Dillon Steele, a new method for the measurement of hydrolysis in aqueous solution based on a consideration of the motion of ions, T., 999, 1386; P., 162.

accurate measurement of ionic veloci-

ties, A., ii, 68, 329.

Dennstedt, Max [Eugen Hermann], simplified method of elementary analysis for scientific purposes, A., ii, 51, 398.

supposed sources of error in the simplified method of elementary

analysis, A., ii, 200.

simplified method of elementary analysis for technical purposes, A., ii, 306.

Dennstedt, Max [Eugen Hermann], use of copper oxide in elementary analysis, A., ii, 632.

Dennstedt, Max, and F. Hassler, decomposition of proteid, A., i, 916.

estimation of sulphur in pyrites, A., ii, 896.

Denstorff, Oskar. See Arthur Hantzsch. Derrien, Eugène. See Jules Ville.

Deschauer, Alphons. See Richard Anschütz

Descudé, Marcel, order of substitution of hydrogen by chlorine in methylal, A., i, 558.

Deseniss, Max. See Carl Bülow.

Desgrez, Alexandre, and J. Ayrignae, the influence of alimentation on the value of urologic coefficients, A., ii, 377.

Desgrez, Alexandre, and (Mlle.) Bl. Guende, influence of phosphoric acid and phosphates of sodium on metabolism, A., ii, 560.

Desmoulières, Albert, estimation of glycogen, A., ii, 401.

estimation of urinary sulphur, A., ii, 799.

Deussen, Ernst, hydrogen fluoride. III., A., ii, 531.

Deutsche Gold- & Silber-Scheide-Anstalt vorm. Rössler, preparation of the alkali salts of organic acids from the corresponding nitriles and amides, A., i, 845.

preparation of zinc and magnesium perborates, A., ii, 448.

Deventer, Charles Marius van, action of strong sulphuric acid on copper, A., ii, 854.

Dewar, (Sir) James, new low temperature phenomena, A., ii, 830.

Dewar, (Sir) James, and Humphrey Owen Jones, physical and chemical properties of iron carbonyl, A., ii, 89.

Dickenson-Gair, C. J., estimation of naphthalene in coal gas, A., ii, 201.

Dickson, William. See William Beaverly Cowie.

Dieckmann, Walter, and Ludwig Beck, [and, in part, Bruno Szelinski], dyes derived from furfuraldehyde, A., i, 109.

Dieckmann, Walter, and Fritz Breest, behaviour of carboxylic acids towards phenylcarbimide, A., i, 832.

Dieckmann, Walter, and Hermann Kämmerer, αγ-diphenylpropylene, A., i, 820.

Diels, Otto, and Emil Abderhalden, cholesterol. III., A., i, 272. hydrogenisation of cholesterol, A., i, 425. Diels, Otto, and Karl Rosenmund, observations in the diphenylmethane and xanthone series, A., i, 673.

Diels, Otto, Johannes Sielisch, and Ernst Müller, 1-methylcyclopentane-2:4:5-trione. I., A., i, 438.

Diels, Otto, and Bertram Wolf, carbethoxyl isocyanate [ethyl carbimidecarboxylate], A., i, 237.

carbon suboxide. I., A., ii, 227.

Dienel, Hans, 1:4-anthraquinone, A., i,

Dienert, F., radioactivity of springs of potable waters, A., ii, 324.

Dienert, F., and E. Bouquet, radioactivity of springs of potable waters, A., ii, 211.

Diesbach, Heinrich von. See Alfred Einhorn.

Dieterich, Karl, new fossil copal (Java copal), A., i, 30.

Digby, W. Pollard, relation of stability to electrochemical efficiency in hypochlorite production, A., ii, 265.

Dilthey, Walther, [and Fritz Eduardoff], diphenylsilicone and benzylsilicon compounds, A., i, 128.

Dilthey, Walther, [and, in part, Fritz Eduardoff and F. J. Schumacher], siliconium, boronium, and titanonium salts, A., i, 342.

Dinklage, Karl. See Alfred Werner. **Dionneau**, R., asymmetric derivatives of

hexane-αζ-diol; diethyl ether and diiodo-derivative of heptane- $\alpha\eta$ -diol, A., i, 134.

Dittmer, O. See Eduard Vongerichten. **Ditz**, Hugo, purification of acetylene by means of calcium hypochlorite, A., i, 617.

Tarugi's view of the formation and composition of bleaching powder, A., ii, 26.

ac ion of strong hydrochloric acid on potassium chlorate in presence of potassium iodide or bromide and the estimation of chlorate, A., ii,

Divine, Julia, respiration of the heart of turtle and frog, A., ii, 40.

Dixon, Augustus Edward, the chemistry of organic acid "thiocyanates" and derivatives, 892; P., their Т.,

Dixon, Augustus Edward, and John Hawthorne, the action of acid chlorides on thioureas, P., 322.

Doelter [y Cisterich], Cornelio [August], influence of viscosity in silicatefusions, A., ii, 350.

rate of reaction in fused silicates, A., ii, 611.

Doelter [y Cisterich], Cornelio [August], investigation of silicate-fusions, A., ii, 665.

determination of melting points by

optical methods, A., ii, 726.

Doeltz, F. O., [and C. A. Graumann], behaviour of zinc oxide at high temperatures, A., ii, 671.

behaviour of cadmium oxide at high temperatures, A., ii, 671.

Doerinckel, Friedrich, alloys of thallium with copper and aluminium, A., ii,

compounds of manganese and silicon, A., ii, 676.

Döring, Theodor, behaviour of chromium prepared by the "alumino-thermal method" towards hydrogen haloids, A., ii, 451.

Doermer, L., properties of electrolytic calcium, A., ii, 162.

structure of electrolytic calcium, A., ii, 540.

Dörpinghaus, Theodor. See PeterBergell.

Doescher, Hans. See Josef Houben. Doht, Richard, chlorophenylcarbamides,

A., i, 419. Doht, Richard. See also J. Haager.

Dold, Hermann, the action of ethyl alcohol and related alcohols on the frog's heart, A., ii, 558.

Dolezalek, Friedrich, and Karl Finckh, thermodynamics of heterogeneous hydrolytic equilibrium, A., ii, 597.

Dolezalek, Friedrich, and Friedrich Krüger, experiment to demonstrate the non-validity of the tension law for electrolytes, A., ii, 723.

Dombrowski, Alfred. See Karl Auwers.

Dombrowski, St. See Stanislaus Bondzynski.

Dominicis, Angelo de, value of the spectrum of hæmochromogen, A., ii, 134.

hydrocyanic acid poisoning, A., ii,

Dominikiewicz, A. and M. See Heinrich Lührig.

Donath, Eduard, separation of tungsten and tin, A., ii, 309.

Donath, Julius, detection of choline by the polarisation microscope, A., ii,

Donau, Julius, colloidal nature of the black palladium solution obtained by means of carbon monoxide, A., ii, 289.

new method for the estimation of metals (especially gold and palladium) by means of conductivity measurements, A., ii, 309.

Done, Edward. See Percy Faraday Frankland.

Dony, Octave, electrolytic formation of chromium, A., ii, 363.

Dony, Octave, and Alice Dony, supposed radioactivity of hydrogen peroxide, A., ii, 644.

Dorlencourt. See Marc Tiffeneau.

Dorn, [Friedrich] Ernst, [with F. Cario], behaviour of helium in a platinum-iridium vessel at high temperatures, A., ii, 539.

Dorno, Carl. See Wilhelm Lossen. Dorschky, Karl. See Hans Rupe.

Dorssen, W. van. See Pieter van Romburgh.

Dost, K., oxidation products of thiocarbamides and their isomerides, A., i, 315.

new oxidation products of unsymmetrical disubstituted aromatic thiocarbamides. A., i. 351.

thiocarbamides, A., i, 351. **Doughty**, Howard Waters, preparation of phosphorus di-iodide, A., ii, 21.

Doughty, Howard Waters. See also William Albert Noyes.

Douglas, C. Gordon, estimation of the volume of blood in animals, A., ii, 179.

Drawe, Paul, estimation of [combined] nitric acid in water, A., ii, 490.

Dreaper, William Porter, the solution state, A., ii, 13.

Dreaper, William Porter, and Alexander Wilson, the coagulating action of colloids, P., 70; discussion, P., 71.

absorption of gallic acid by organic colloids, A., i, 777.

Dreser, Heinrich, effect of a drug on a simple vital process, A., ii, 43. free hydrochloric acid in the gastric

juice, A., ii, 777.

Dreyer, Georges, and Arthur John Jex-Blake, agglutination of bacteria, A., ii as

Dreymann, Carl, preparation of solid fatty acids, A., i, 622.

Driessen Mareeuw, Willem Pieter Hendrik van den. See Hendrik Wefers Bettink.

Drjewezki, Alexis von, influence of alkalinity on liver autolysis, A., ii, 873.

Drucker, Karl, connexion between depression of freezing point and latent heat of fusion, A., ii, 71.

heat of fusion, A., ii, 71. molecular weight of the solvent in binary mixtures, A., ii, 74.

Drugman, Julien, the oxidation of hydrocarbons by ozone at low temperatures, T., 939; P., 163.

Drugman, Julien. See also William Arthur Bone.

Dryfuss, B. J., and Charles George Lewis Wolf, physiological action of lanthanum, praseodymium, and neodymium, A., ii, 473.

Duboin, André [Grégoire], two lithium mercuric iodides, A., ii, 85. double iodides of mercury and calcium,

A., ii, 231.

calcium and strontium mercuric iodides, A., ii, 286.

barium and mercury iodides, A., ii, 359.

isomorphism of mercuric iodide with zinc and cadmium iodide, A., ii, 544.

magnesium and manganese mercury iodides, A., ii, 544.

sodium and barium mercuric iodides, A., ii, 673.

Duclaux, Jacques, a property of enzymes, A., ii, 660.

washing colloidal precipitates, A., ii, 677.

Duden, Paul, preparation of bornylenediamine, A., i, 100.

Dudgeon, Leonard Stanley, a new pathogenic bacillus isolated from an enlarged prostrate gland, A., ii, 693.

Dudgeon, Leonard Stanley. See also Horace George Turney.

Dudley, Charles Benjamin. See William Francis Hillebrand.

Dueck, Hans. See Wilhelm Lossen. Düggeli, M. See Robert Burri.

Dufau, Emile. See Léon Grimbert.
Duguet, Maurice, abnormality in melting points of amides derived from aliphatic sulphonic acids, A., i, 475.

Dukelski, M., preparation of oxychlorides of mercury, A., ii, 544. borates, A., ii, 610.

Dumesnil, Ernest, compound of lithium with theobromine. A., i, 450.

with theobromine, A., i, 450.

Dumont, J., influence of light of various kinds on the migration of the proteids in wheat grain, A., ii, 117.

absorption of alkali carbonates by the mineral constituents of the soil, A., ii, 249.

phospho-humic compounds of the soil, A., ii, 626.

Dunant, Georges. See Herman Decker. Dunlap, Frederick Levy, preparation of aldehyde-free alcohol for use in oil and fat analysis, A., i, 393.

Dunlop, Harry, the detection of beef fat in lard, A., ii, 502.

Dunstan, Albert Ernest, the viscosity of liquid mixtures. Part III., P., 89. Dunstan, Albert Ernest, and John Theodore Hewitt, studies in the acridine Part III. The methylation of chrysaniline (2-amino-5-p-aminophenylacridine), Т., 73.

studies in the acridine series. Part IV. The methylation of chrysophenol, T., 1472; P., 243.

Dunstan, Albert Ernest, and Robert O'F. Oakley, derivatives of 5-phenylacridine. I., A., i, 383.

derivatives of 5-phenylacridine. II. Halogen derivatives of the acridine group, A., i, 383.

Dunstan, Albert Ernest, and James A. Stubbs, derivatives of 5-phenylacrid-III. 5-p-Bromophenylacridine, A., i, 698.

Dunstan, Albert Ernest, and Robert William Wilson, the viscosity of liquid mixtures, P., 308.

Dunstan, Wyndham Rowland, Thomas Anderson Henry, and Samuel James Auld, cyanogenesis in Part IV. Occurrence of Mansonplants. phaseolunatin in common flax, A., ii, 794.

cyanogenesis in plants. Part V. Occurrence of phaseolunatin in cassava, A., ii, 795.

Dunstan, Wyndham Rowland, and Bernard Mouat Jones, variety of thorianite from Galle, Ceylon, A., ii, 554.

Dunstan, Wyndham Rowland. also John Theodore Cash.

Duparc, Louis. See Charles Couchet. Dupré, P. V., new method of estimating moisture, with special application to moisture in cordite and other substances containing volatile matters other than water, A., ii, 626.

Dupuis, P. See Victor Thomas.

Durand, Huguenin & Co. See Farbwerke vorm. Durand, Huguenin & Co. Durham, Herbert Edward. See T. R.

Elliott.

Dutoit, Paul, and Léon Gagnaux, kinetics of the transformation thiocarbimide -> ammonium thiocyanate in dilute aqueous solution, A., ii, 660.

Duttenhöfer, Alfred. See Friedrich Kehrmann.

Duval, Henri, reduction in the diphenyl-

methane series, A., i, 314. **Duvillier**, Edouard [Charles Ernest], a-dimethylaminobutyric acid, A., i,

Duyk, Maurice, apparatus for the complete extraction of liquids containing "saccharin," A., ii, 407. Dyke-Cruser, Frederick van, and Edmund Howd Miller, insoluble chromicyanides, A., i, 816.

Dyson, F. W., determinations of wavelength from spectra obtained at the total solar eclipses of 1900, 1901, and 1905, A., ii, 713.

Dziewoński, Karl. See Emilio Noelting.

E.

Earle, Richard Blair, and H. Louis Jackson, action of pyridine on salicyl chlorides, A., i, 177.

Eason, John, paroxysmal hæmoglobin-uria, A., ii, 296.

Eberhard, G., spectroscopic investigation of Urbain's terbium preparations, A.,

Eberhardt, Ph., new method of extracting star aniseed oil, A., ii, 246.

Ebler, Erich, gasometric estimation of copper with hydrazine salts, A., ii, 53. gasometric and volumetric estimation of mercury by hydrazine salts and

gasometric estimation of hydrazine by mercury salts, A., ii, 53.

general method for the separation of metals without using hydrogen sulphide, A., ii, 126.

Ebrill, George. See Hugh Ryan. Ebstein, Erich. See Emil Abderhalden.

Echtermeier, P., quinic acid, A., i, 367. Eckardt, Moritz. See Heinrich Goldschmidt.

Ecker, O. See Fritz Straus.

Eckert, Richard. See Hans Stobbe. Eckstein, Oskar, quinoline hydrochloride; action of acid chlorides on quinoline, A., i, 604.

Edie, Edward S., glycosuria caused by excess of carbon dioxide in the respired air, A., ii, 786.

Edie, Edward S., and Edward Whitley, gain and loss of fixed alkali in the body; estimation of organic acids in urine, with reference to diabetes, A., ii, 185.

Edie, Edward S. See also Benjamin Moore.

Edinger, Albert, and Paul Clemens, importance of thio-compounds in the body, A., ii, 877.

Edkins, J. Sydney, gastric secretion, A., ii, 238.

Eduardoff, Fritz. See Walther Dilthey. Edwards, Walter Henry. See Edward Charles Cyril Baly.

Effront, Jean, fermentation process with colophony, A., ii, 42.

development of amylase during germination, A., ii, 116.

Eggink, B. G. See Sijbe Tijmstra, jun. Ehrenfeld, Richard, electrolytic reduction of carbonic acid, A., ii, 83.

Ehrlich, Felix, behaviour of racemic amino-acids towards yeast; new biological method for resolving them, A., i, 807.

Ehrlich, Paul. See Heinrich Bechhold. Eibner, Alexander, Gabriel's conversion of phthalides into indanediones, A., i, 588.

Eibner, Alexander, and O. Laue, mixed azo-compounds. II., A., i, 613.

Eibner, Alexander, and M. Löbering, quinonaphthalone, A., i, 606.

existence of isopyrophthalone, A., i, 700. **Eichholz**, behaviour of milk towards magenta-sulphurous acid solution and the detection of formaldehyde in milk, A., ii, 59.

Eichloff, Robert. See Wilhelm Lossen. Einecke, Albert, and Theodor Pfeiffer, action of alkalis on the development of plants, A., ii, 480.

Einecke, Albert. See also Theodor Pfeiffer.

Einhorn, Alfred, hydroxymethyl derivatives of amides, A., i, 486.

preparation of 5:5-dialkylbarbituric acids, A., i, 538.

preparation of 2-arylimino- and 2-arylhydrazino-5:5-dialkylbarbituric acids, A., i, 538.

preparation of 3-amino-2-hydroxybenzylamine, A., i, 658.

Einhorn, Alfred, [with Eduard Bisch-kopff, Carl Ladisch, Theodor Mauer-mayer, Gustav Schupp, Eduard Spröngerts, and Bruno Szelinski], nmethylol compounds of the acid amides, A., i, 245.

Einhorn, Alfred, and Heinrich von Diesbach, anhydrides of diethylmalonic

acid, A., i, 398.

Ekeley, John B., a second 1:4-dihydro-quinoxaline, A., i, 459.

Ekenstein. See Alberda van Ekenstein. Elbs, Karl, accumulators of material other than lead, A., ii, 3.

Eldred, Frank R., percolator for use in assaying drugs, A., ii, 305.

Ellinger, Alexander, constitution of the indole group in albumin. III. Oxidation of tryptophan to indole-3-aldehyde, A., i, 696.

Elliott, T. R., and Herbert Edward Durham, subcutaneous injection of

adrenaline, A., ii, 877.

Elster, Julius, and Hans Geitel, radioactivity of thorium, A., ii, 643. diminution of the mobility of ions in fog, A., ii, 652. Elworthy, Herbert S., and Ernest H. Williamson, preparation of methane, A., i, 225.

Embden, Gustav, and F. Kalberlah, acetone formation in the liver. I. A., ii, 375.

Embden, Gustav, and Heinrich Reese, amino-acids in normal urine, A., ii, 108.

Embden, Gustav, Harry Salomon, and Fr. Schmidt, acetone formation in the liver. II., A., ii, 375.

Emde, Hermann. See Ernst Schmidt. Emmerling, [Friedrich Carl Julius August] Adolph, and Fritz Sieden, demonstration of the amount of clay in soils, A., ii, 494.

Emmerling, Oskar, and L. Kristeller, derivatives of ethyl propionylpropionate, A., i, 623.

[8-ethoxymethylacrylic acid], A., i, 929.

Emmert, Bruno. See Julius Tafel.

Emmett, A. D., and Harry Sands Grindley, study of the phosphorus content of flesh, A., ii, 242.

Engel, Rodolphe [Charles], the Baudouin reaction in the fat of human milk, A., ii, 243.

Engelbrecht, Curt. See Otto Wallach.

Engels, Otto. See Max Kling.

Engels, Paul, and William Henry Perkin, jun., brazilin and hæmatoxylin. Part VII. Some derivatives of brazilein, P., 132.

Enklaar, C. J., ocimene and myrcene, A., i, 377.

aliphatic terpene alcohols, A., i, 377. **Enklaar**, Johannes Eliza, action of bases on chloral hydrate, A., i, 929.

Ephraim, Fritz, colloidal sodium chloride, A., ii, 351.

Erber, J. See Gustav Schultz.

Erdmann, Ernst [Immanuel], distillations in high vacua, A., ii, 148.

Erdmann, Hugo, some properties o liquid nitrogen, Δ., ii, 349.

Erdmann, L. See Edgar Wedekind. Ericson-Aurén, Tycho, and Wilhelm

Palmaer, solutions of metals. III., A., ii, 839.

Erlenmeyer, [Friedrich Gustav Carl]
Emil, jun., cinnamic acid from storax, A., i, 21.

stereochemistry of the cinnamic acids, A., i, 176, 274.

Erlenmeyer, Emil, jun., [and C. Barkow], isomeric phenylserines, A., i, 237.

stereoisomeric cinnamic acids, A., i, 429.

Ernest, Adolf, [hydrolysis of] some celluloses, A., i, 401.
 Ernest, Adolf. See also Julius Stoklasa.

Ernst, Hans W. See Fritz Ullmann.

Errera, Giorgio, and G. La Spada, new syntheses of derivatives of fluorene and of diphenyl, A., i, 277.

Errera, Giorgio, and Raffaele Maltese, oxidation of 4-nitro-6-amino-m-xylene,

A., i, 84.

Eschbaum, Friedrich,differentiation between the various sugars in urine, A., ii, 585.

Esposito, Mario, contributions to the chemistry of the rare earths, P., 20.

Euler, (Madame) Astrid, and Hans von Euler, naphthaquinoneanils and their derivatives, A., i, 370.

Euler, (Madame) Astrid. See also Hans von Euler.

Euler[-Chelpin], Hans von, aldehydes as acids, A., i, 140.

formation of diazoxides and naphthaquinoneanils from nitrosobenzene, Ā., i, 369:

pseudo-acids, A., i, 415, 576.

reaction between silver nitrate and organic halogen compounds, A., i, 789.

Euler, Hans von, and (Madame) Astrid Euler, formaldehyde and formate formation, A., i, 140.

formation of sugar from formaldehyde, A., i, 142.

of i-arabinoketose from formation formaldehyde, A., i, 143.

Kuler, Hans von. See also (Madame) Astrid Euler.

Evans, Edgar. See Otto Wallach.

Evans, John William, chrysotile from Cyprus, A., ii, 457.

Evans, Percy Norton, adsorption of dissolved substances, A., ii, 429.

Evans, Wm. Lloyd, behaviour of benzoylcarbinol towards alkalis and oxidising agents, A., i, 269.

Eve, A. S., absorption of the γ -rays of radioactive substances, A., ii, 259. measurement of radium in minerals by the γ -radiation, A., ii, 593.

Ewers, Erich, polarimetric estimation of starch, A., ii, 57.

Ewers, P., radiations emitted polonium and radiotellurium, A., ii,

Ewert, Richard, physiological action of copper-lime mixture on plants, A., ii, 387.

Ewins, ArthurJames, See George Barger.

Eyerman, John, mineralogical notes, A., ii 774.

Eyken, P. A. A. F., presence of guaiol in an odoriferous wood from New Guinea, A., i, 295. essence of the wood of Gonystylus

Miquelianus, A., i, 298.

F.

Fabinyi, Rudolf, and Ludwig Förster, changes in the properties of elements, especially chlorine, A., ii, 435.

Fabinyi, Rudolf, and Tiberius Széki, condensation products of asaryl aldehyde, A., i, 422.

action of magnesium organic compounds on asaryl aldehyde, A., i,

424.

Fabry, Charles, and Henri Buisson, measurement of the wave-lengths of the iron spectrum for the establishment of a system of spectroscopic standards, A., ii, 641.

Fages y Virgili, Juan, action of sulphides in nitroprussides, A., i, 637.

Fahrion, Wilhelm, fat analysis, A., ii,

Failyer, George H. See Oswald Schreiner. Falk, Kaufman George. See Johannes Thiele.

Falkner, Ernest Basil. See Charles Weizmann.

Fallada, Ottokar, composition of seedbeet shoots and of beet seedlings, A., ii, 881.

Fallada, Ottokar. See also Friedrich Strohmer.

Falta, W., and C. T. Noeggerath, feeding with artificial nutriment, A., ii, 102.

Faltis, Franz, opium alkaloids and the constitution of berberine and morphine, A., i, 979.

Farbenfabriken vorm. Friedrich Bayer & Co., triacetylcellulose, A., i, 6. yellow disazo-dyes, A., i, 121.

blue and green anthracene dyes, A., i, 293.

preparation of aminohydroxyanthraquinonesulphonic acids, A., i, 293.

preparation of 1:4:8-trihydroxyanthraquinone, A., i, 294.

azo-dyes from aminoanthraquinonesulphonic acids, A., i, 323.

[1-hydroxy-4-diazoanthraquinone], A., i, 323.

preparation of m-tolylsemicarbazide,

A., i, 459. preparation of 5:5-dialkylbarbituric acids, A., i, 461, 538, 703, 704, 987.

benzyl isovalerate, A., i, 498. preparation of amino-, alkylamino-, and arylamino-anthraquinones and their derivatives, A., i, 519.

Farbenfabriken vorm. Friedrich Bayer & Co., preparation of hydroxyanthraquinonesulphonic acids, A., i, 519, 866.

acyl derivatives of cyanamide and carbamide, A., i, 634.

preparation of tertiary alcohols, A., i, 660.

anthraquinone-α-sulphonic acids, A., i, 677.

preparation of the carbamates of the nitroaminoanthraquinones, A., i, 677. a new derivative of anthraquinone,

A., i, 678.

[sulphonation of a-hydroxyquinizarin-

green], A., i, 679.

preparation of dialkylbarbituric acids and dialkyloxypyrimidine derivatives, A., i, 704.

conversion of anthracene derivatives into azines and dihydroazines, A., i, 707.

preparation of the chloride of methionic acid, A., i, 787.

preparation of the urethanes of polynitroaminoanthraquinones, A., i, 863. bluish-green colouring matters of the anthracene series, A., i, 867.

preparation of p-nitro-derivatives of the a-hydroxyanthraquinones, A., i, 868. preparation of 1:2:2':1'-authrazine,

A., i, 868.

[action of alkyl sulphates and sulphonates on quinoline bases], A., i, 885. preparation of an oxidation product of alizarin-blue, A., i, 889.

preparation of 4:6-dioxy-2-thiopyrimidine and its 5-alkyl substituents, A., i, 893.

[hydroxynaphthiminazoles and their azo-derivatives], A., i, 900.

preparation of pyrazoles from anthraquinone derivatives, A., i, 904. preparation of azines of the anthra-

quinone series, A., i, 905.

preparation of amino-alcohols, A., i, 936. preparation of diamino-alkyl esters, A., i, 936.

production of alkali nitrites, A., ii, 611.

Farbwerke vorm. L. Durand, Huguenin
& Co., [action of formaldehyde on
gallocyanin] A i 873

gallocyanin], A., i, 873.

Farbwerke vorm. Meister, Lucius, & Brüning, soluble preparations of o-nitrophenyl-β-lactomethyl ketone, A., i, 97.

preparation of α-methyl-β-naphthol, A., i, 257.

[3:5-dichloro-4'-dimethylamino-4hydroxydiphenylamine], A., i, 308. stable compounds of hyposulphites with ketones, A., i, 400. Farbwerke vorm. Meister, Lucius, & Brüning, preparation of blue and violet dyes by oxidation, A., i, 444.

azo-dye from m-aminobenzeneazo-m-toluidine, A., i, 466.

sulphonation of 2-chloro-5-nitrobenzaldehyde with alkali sulphates, A., i. 512.

preparation of indoxyl and its homologues, A., i, 534, 749.

preparation of diaminodinaphthazines, A., i, 543.

preparation of α-nitro-β-methoxyanthraquinones, A., i, 677.

stable derivatives of the active base of the extract of suprarenal glands, A., i, 691.

colourless soluble salts of rosaniline, A., i, 712.

[colouring matters of the cyanine series], A., i, 716.

zinc formaldehydesulphoxylate, A., i, 802.

preparation of the alkamine esters of o- and m-aminobenzoic acids, A., i, 845.

preparation of N-alkylated alkamine esters of o- and m-aminobenzoic acids, A., i, 846.

preparation of the alkamine esters of p-aminobenzoic acid, A., i, 847.

the employment of vanadium salts in the electrolytic oxidation or reduction of organic compounds, A., i, 862.

preparation of chlorinated quinizarins, A., i, 867.

colouring matters of the quinolinium series, A., i, 886. preparation of 5:5-dialkylbarbituric

preparation of 5:5-dialkylbarbituric acid, A., i, 894.

preparation of alkylated aryl-p-diaminoanthraquinonesulphonic acid, A., i, 968.

preparation of 2-arylimino-5:5-dialkyl-barbituric acids, A., i, 987.

Farmer, Robert Crosbie. See Oswald Silberrad.

Farnsteiner, K., K. Lendrich, and Paul Buttenberg, composition of the fat of pigs fed on oil meals, A., ii, 205.

Farrington, Oliver Cummings, zoisite from Lower California, A., ii, 775. the South Bend racteorite, A., ii, 775.

the South Bend meteorite, A., ii, 775.

Farup, Peder, velocity of electrolytic reduction of azobenzene, A., ii, 153. rate of action of oxygen, carbon dioxide, and water vapour on carbon, A., ii, 745.

Farup, Peder. See also Jacobus Henricus van't Hoff.

Fauvel, Pierre, influence of chocolate and coffee on uric acid [excretion], A., ii, 564.

excretion of endogenous purine substances and uric acid, A., ii, 564.

Fawsitt, Charles Edward, electric measurements on metals, A., ii, 328.

Feder, E., estimation of picric acid, A., ii, 809.

Feder, E. See also Th. Schumacher. Federer, Max. See Carl Neuberg.

Feenstra, Rudolf. See Alfred Werner.
Fehrlin, H. C., compounds of catechol monoalkyl ethers with proteids, A., i, 467.

Feigl, Johann, and Hugo Meier, biochemical studies on chloroform, A., ii, 876.

Feilitzen, Hjalmar von, manurial experiments with calcium cyanamide on mineral and on peaty soils; decomposition of calcium cyanamide in different soils, A., ii, 487.

Feilmann, Ernest. See John Golding.
Feist, Franz, ethyl tetrolate, A., i, 332.
brominated 4-pyrones and their hydroperbromides, A., ii, 974.

Feist, Franz, [with Otto Beyer], ethyl carbacetoacetate and ethyl isodehydroacetate, A., i, 334.

 β -methylglutaconic acid and $\alpha\beta$ -dimethylglutaconic acid, A., i, 336.

Feit, Wilhelm, and Karl Przibylla, determination of the atomic weights of the elements of the rare earths, A., ii, 754.

Feld, Walther, preparation of hydrogen cyanide from ferrocyanides, A., i, 486.Fellenberg, Theodor von, action of mag-

nesium benzyl chloride on mesityl oxide and phorone, A., i, 567.

Fels, Albert. See Walther Borsche. Fenaroli, P., gravimetric estimation of

Fenaroli, P., gravimetric estimation of ozone: ozone numbers of oils, A., ii, 896.Fendler, Georg, detection of foreign

Fendler, Georg, detection of foreign colouring matters in fats, A., ii, 58. detection of boric acid, A., ii, 251.

detection of boric acid, A., ii, 251.

Fendler, Georg, and O. Kuhn, fatty oil from the seeds of Manihot Glaziovii, A., ii, 482.

Fenton, Henry John Horstman, an indicator for strong acids and bases, A., ii, 489.

Ferchland, Paul, electrolytic chlorine, A., ii, 842.

Ferguson, Alexander Robert. See Robert Muir.

Fermi, Claudio, method for the study of proteolytic and gelatinolytic enzymes, A., i, 392.

Fernbach, Auguste, influence of the reaction of the medium on the activity of diastases, A., i, 327.

Fernbach, Auguste, and Jules Wolff, the almost complete conversion into maltose of the dextrins obtained by the saccharification of starch, A., i, 484.

mechanism of the influence of acids, bases, and salts in the liquefaction of starch paste, A., i, 804.

Fernbach, Auguste. See also Jules Wolff.

Fernekes, Gustave, potassium mercuric ferrocyanide, A., i, 149.

ferricyanides of mercury, A., i, 487. Ferrari, G. See Giacomo Carrara.

Ferrari, L. See Giuseppe Bruni.

Ferrario, Enos. See Herman Decker. Ferraro, Annibale, and Arturo Carobbio, modified Bettendorf's reagent, A., ii,

Fettweis, F., influence of phosphorus on the solubility of carbon in iron, A.,

ii, 232. Fichter, Fritz, and Rudolf Gageur, 8-amino-1-naphthol, A., i, 839.

Fichter, Fritz, and Hermann Müller, measurements of affinity of monobasic unsaturated fatty acids, A., i, 622.

Fichter, Fritz, and Carl Schlaepfer, αγ-dimethyl- and α-ethyl-itaconic acids, A., i, 399.

Fichter, Fritz, and Julius Schwab, B-methylglutaconic acids, A., i, 625.

3:4-diaminoguaiacol, A., i, 842.

Fickendey, Ernst. See Buhlert. Filippi, Eduardo, action of barium chloride on the heart, A., ii, 466.

Filippo, A. See Frans Antoon Hubert Schreinemakers.

Filippo, H. See Pieter Adriaan Meerburg.

Finckh, Karl. See Friedrich Dolezalek. Findeklee, Waldemar, nitro-m-toluic acids, A., i, 21.

isoquinoline derivatives from 4 methylphthalic acid, Λ., i, 42.

Findlay, Alexander, formation of hydrogen peroxide and other compounds by means of the Tesla discharge, A., ii, 261.

Finger, Hermann, chloro-derivatives of diacetamide, A., i, 811.

Finger, Hermann, [with M. Baumann], hydrazine derivatives of the diaminodiphenylmethane series, A., i. 892.

diphenylmethane series, A., i, 892. Finger, Hermann, and L. Schupp, action of imino-ethers on amino-esters, A., i, 901.

Fingerling, Gustav, effect of foods, both rich and poor in fat, in conjunction with various foods on milk secretion, A., ii, 622.

Fingerling, Gustav. See also August Morgen.

Finkelstein, Alexis, dissociation of barium carbonate, A., ii, 354.

Finkenbeiner, Hermann See Oskar Blank.

Finn, A. N., estimation of uranium and vanadium, A., ii, 903.

Finn, Bertha, action of nutritive fluids on the heart, A., ii, 40.

Firbas, Richard, action of gum arabic on morphine, A., i, 529.

Firma Emanuel Merck. See Merck.

Fischer, *Emil*, synthesis of polypeptides, A., i, 145, 808.

amino-acids, polypeptides, and proteids, A., i, 324.

Fischer, Emil, and Emil Abderbalden, dipeptide formation of a hydrolysis of silk fibroin, A., i, 326.

formation of dipeptides by the hydrolysis of proteids, A., i, 718.

behaviour of different polypeptides towards pancreas and stomachic juices, A., ii, 99. Fischer, Emil, and Friedrich Ach, con-

version of caffeine into paraxanthine, theophylline, and xanthine, A., i, 219.

Fischer, Emil, and Walter A. Jacobs, resolution of racemic serine into the optically active components, A., i, 807.

Fischer, Emil, and Carl Kaas, action of hippuryl chloride on 2-methylindole, A., i, 455.

Fischer, Emil, Koichi Matsubara, and Siegfried Hilpert, resolution of aaminoisovaleric acid into its optically active components, A., i, 561.

Fischer, Emil, and Karl Raske, stereochemistry of the 2:5-diketopiperazines, A., i, 457.

Fischer, Emil, and Wilhelm Schmitz, synthesis of a-amino-acids by means of bromo-fatty acids, Α., 182.

phenylbutyric acids and their a-aminoderivatives, A., i, 584.

Fischer, Emil, and Umetarō Suzuki, synthesis of polypeptides. X. Polypeptides of the diamino- and hydroxyamino-acids, A., i, 73.

Fischer, Emil, and Otto Warburg, resolution of leucine into its optically active components by means of its formyl derivative, A., i, 72.

Fischer, Franz, and Fritz Braehmar, conversion of oxygen into ozone at high temperatures and the oxidation of nitrogen, A., ii, 224.

Fischer, Franz, and Hans Marx, thermal production of ozone and of nitric oxide in moving gases, A., ii, 606.

behaviour of ozone with tetramethyldi-p-diaminodiphenylmethane, A., ii, 627.

thermal relationships between ozone, nitric oxide, and hydrogen peroxide, A., ii, 845.

Fischer, Fritz, change of resistance of palladium wires caused by occlusion of hydrogen, A., ii, 516.

Fischer, H. See Ferdinand Wohltmann. Fischer, H. F. See Max Cloetta.

Fischer, Julius, thermochemical theory of assimilation, A., ii, 792.

Fischer, [Philipp] Otto, and Fritz Limmer, benziminazoles and their resolution, A., i, 895.

Fischer, Otto, [with Fritz Römer], resolution of the iminazole and oxazole rings, A., i, 539.

Fischer, Otto, and Erich Schindler, oxidation of naphthaphenazine by chromic acid. Il., A., i, 609. Fischer, Robert. See Josef Herzig.

Fischler, F., urobilin, A., ii, 470, 780. Fisher, Irving, a new method of indicating food-values, A., ii, 374.

Fitzenkam, Robert. See Fritz Ullmann. Flamand, Henri, influence of nutrients on the development of leguminous nodules, A., ii, 44.

Flanders, Fred F., new qualitative test

for calcium, A., ii, 901.

laws of the Flawitzky, Flavian M., reciprocal action of solid substances in cryohydrate mixtures and in eutectic alloys, A., ii, 152.

Fleissner, Hans. See August Harpf. Fleurent, Emile [Charles Albert], bleaching of flour, A., ii, 587.

Flora, Charles P., the use of the rotating anode for the estimation of cadmium taken as the chloride, A., ii, 52.

estimation of cadmium by means of the rotating cathode, A., ii, 127.

estimation of cadmium as oxide, A., ii, 127.

See Franz Kunckell.

Flürscheim, Bernhard, variations in the affinity value of single bonds, A., ii, 529.

Foà, Carlo, action of compressed gases on the life of micro-organisms and on enzymes, A., ii, 696.

Foerster, Fritz, the electrolytic estimation of copper, A., ii, 805.

Förster, Ludwig. See Rudolf Fabinyi. Fokin, Sergius, fermentative decomposition of fats [by enzymes], A., ii, 793. Folin, Otto, estimations of sulphate and sulphur, A., ii, 123.

Foote, Harry Ward, and L. H. Levy, double salts of mercuric chloride with the alkali chlorides and their solubility, A., ii, 231.

Foote, Harry Ward, and George A. Menge relative solubility of certain sparingly soluble calcium and barium salts, A., ii, 353.

Forch, Carl [Friedrich Otto Hugo], and Paul Nordmeyer, specific heat of chromium, sulphur, silicon, and some salts between -188° and the ordinary temperature, A., ii, 521.

Forcrand, Robert [Hippolyte] de, rubidium, cæsium, and lithium, A., ii,

445.

chlorides and sulphates of rubidium and cæsium, A., ii, 654.

comparisons between the alkali and alkaline earth oxides, Α.,

action of the alkali and alkali-earth metals on a molecule of water, A., ii, 831.

plaster of Paris, A., ii, 852.

Ford, Allan P., gas generator for hydrogen sulphide, hydrogen, and other gases, A., ii, 531.

Ford, John Simpson, and John Monteath Guthrie, the influence of certain amphoteric electrolytes on amylolytic action, T., 76.

Ford, W. Hutson, alcohol in normal

blood and tissues, A., ii, 867.

Ford, William Ebenezer, some interesting beryl crystals and their associations, Λ., ii, 684.

Ford, William Ebenezer. See also Samuel Lewis Penfield.

Foregger, R. von, and Herbert Philipp, earth alkali and allied peroxides: properties and applications, A., ii, $\bar{3}52.$

Formánek, Julius, fluorescence of dyes, A., ii, 319.

Formenti, Carlo, analysis of aluminium chief alloys, and its 127.

Forschbach, J., ethyl glucosaminecarboxylate and its behaviour in the system of a dog suffering from pancreas-diabetes, A., ii, 788.

Forssman, J. See Ivar Bang.

Forssner, Gunnar, free amino-acids in urine, A., ii, 243.

Forster, Martin Onslow, studies in the camphane series. Part XXI. Benzenediazo-ψ-semicarbazinocamphor and its derivatives, T., 222; P., 31; discussion, P., 31.

Forster, Martin Onslow, and HansGrossmann, studies in the camphane series. Part XXII. Nitrogen halides from camphoryl-\psi-carbamide, T., 402; P., 74.

Fortini, Valentino, new analogies between thallium and aluminium, A.,

ii, 87.

Foss, A. See Lothar Wöhler.

Fosse, Robert, a reaction of some acid anhydrides; new series of acids containing the pyran ring, 691.

Fosse, Robert, [with M. Baillon and A. Robyn], new reactions of some hydrols, A., i, 975.

Fosse, Robert, and L. Lesage, valency of the oxygen atom in xanthyl compounds, double salts of xanthyl and metallic haloids, A., i, 687.

Fosse, Robert, and A. Robyn, introduction of dinaphthapyryl and xanthyl radicles into electro-negative molecules, A., i, 756.

Foster, Glyn William Arnold, the action of light on potassium ferrocyanide, T., 912; P., 136.

Foster, M. Louise. See Christian Archibald Herter.

Fouard, Eugène, catalytic action of the alkali and alkaline-earth salts in the fixation of atmospheric oxygen by solutions of the polyphenols, A., i, 421.

reaction of an oxydase type exhibited by halogen derivatives of the rare earths, A., i, 578.

Fourneau, Ernest, and Marc Tiffeneau, some aromatic ethylene oxides, A., i, 20.

Fournel, P., determination of the transition points of steels by the electrical resistance method, A., ii, 546.

variation of the electrical resistance of steels near the transition points. A., ii, 646.

Fournier, H., action of hydrogen bromide on primary and secondary saturated alcohols, A., i, 787.

Fränkel, Sigmund, decomposition of histidine, A., i, 547.

Fränkel, Sigmund, and Max Hamburg, diastase. I. Preparation and pro-

perties, A., i, 917.

Fraenkel, W. See Georg Bredig.

Francesconi, Luigi, and Guido Bargellini, relation between fluorescence and the chemical constitution of organic substances, A., ii, 714.

Franchimont, Antoine Paul Nicolas, and Hermann Friedmann, amides of aand β -aminopropionic acids, A., i, 71.

Francis, Francis Ernest, the preparation and reactions of benzoyl nitrate, T., 1.

Franck, W. See Hugo Kauffmann.

Francke, E., action of nitrous acid on hydrazine, Λ , ii, 82.

François, Maurice, preparation of acetamide, A., i, 340.

combinations of mercuric iodide and methylamine, A., i, 484.

combination of mercuric iodide with free amines, A., i, 644.

Frank, Adolph, production of carbon (lampblack and graphite) from acetylene and metallic carbides, A., ii, 21.

Franke, M. See Julius Tröger.

Franke, R., action of 2:5-dimethylpyrazine on aldehydes, A., i, 47.

Frankforter, George Bell, pitch [oleo-resin] and terpenes of the Norway pine and the Douglas fir, A., i, 971. analysis of the water of Death Gulch, A., ii, 557.

Frankforter, George Bell, and Francis C. Frary, chlorohydrochlorides of pinene

and firpene, A., i, 970.

Frankforter, George Bell, and Rodney M. West, action of formaldehyde solution on potassium permanganate, A., i, 929.

Frankl, Erich. See Rudolf Wegscheider.

Frankland, Percy Faraday, and Edward Done, the influence of various substituents on the optical activity of malamide, T., 1859; P., 286.

Frankland, Percy Faraday, and Douglas Frank Twiss, the influence of various substituents on the optical activity of tartramide. Part II., T., 1852; P.,

Franzen, Hartwig, N-aminoheterocyclic compounds. I. 1-Amino-2-phenyl-2:3-naphthaglyoxaline, A., i, 706. application of sodium hyposulphite in

gas analysis, A., ii, 577.

Franzen, Hartwig, and O. von Mayer, action of hydrazine hydrate on complex cobalt salts, A., ii, 859.

Franzen, Hartwig, and Fr. Zimmermann, action of amyl nitrite on oximes, A., i, 388.

a new method of preparation and the properties of quaternary hydrazines,

A., i, 702. Fraprie, Frank Roy, cæsium chromates, A., ii, 539.

Praps, George Stronach, nitrification and ammonification of some fertilisers, A., ii, 382.

availability of phosphoric acid of the soil, A., ii, 702.

Frary, Francis C. See George Bell Frankforter.

Frasch, Hans Albert, preparation of a double salt of ammonio-nickel chloride,

Frazer, Joseph Christie Whitney. Harmon Northrop Morse.

Frébault, P. See Jules Aloy.

Fredenhagen, Carl, passivity, A., ii, 76.

spectrum analysis, A., ii, 409.

French, H. See Marcus Seymour Pem-

Frenkel, estimation of small quantities of ammonia in presence of urea, A., ii, 391.

Frerichs, Gustav, and Heinrich Frerichs, detection of poisoning by veronal, A., ii, 379.

Frerichs, Gustav, and L. Hartwig, action of carbamide on compounds of cyanoacetic acid, A., i, 74, 163.

Frerichs, Gustav, and M. Hollmann,

arylhydantoins, A., i, 207.

Frerichs, Gustav. See also Heinrich Beckurts.

Frerichs, Heinrich, and O. Rentschler, action of xanthates on derivatives of chloroacetic acid, A., i, 408.

Frerichs, Heinrich, See also Gustav Frerichs.

Freund, Hermann, isopropyl-4-stilbazole, m-methyl-4-stilbazole, and m-methyl-2-stilbazole, A., i, 883.

Freund, Martin, thebaine, A., i, 303.

new method for the preparation of tetraphenylmethane, A., i, 574.

Freund, Martin, and Paul Horkheimer, cytisine, A., i, 302.

Freund, Martin, and Fritz Mayer, action of Grignard's reagents on Michler's ketone, A., i, 384.

Freund, Martin, and Hans Hermann Reitz, behaviour of cotarnine towards Grignard's reagent, A., i, 600.

Freundler, Paul [Théodore], cyclohexylacetone, A., i, 283.

azo-compounds; transformation of ocarboxylic azo-compounds into 3hydroxyindazyl derivatives, A., i, 544.

researches in the cyclohexane series, A., i, 733.

Freundler, Paul, and E. Damond, preparation of racemic amyl alcohol, A., i,

Frevert, Harry Louis. See Gregory Paul Baxter.

Frew, John. See Thomas Stewart Patterson. Fribourg, Ch. See Henri Pellet.

Friderich, Louis, numerical studies on the equation of fluids; determination of the constants α and b, A., ii, 427.

Friderich, Louis, Edouard Mallet, and Philippe A. Guye, new method of preparing lead peroxide, A., ii, 756.

Fridrich, Walter. See Rudolf Friedrich Weinland.

Friedel, Georges, boleite and related minerals, A., ii, 455.

Friedel, Jean, a green organ devoid of assimilatory power, A., ii, 481.

assimilatory power, A., ii, 481.

Friedemann, W. H. See Harry W.

Bresler.

Friedemann, Ulrich, precipitation of egg-albumin by other colloids and its relationship to the reactions of immune substances, A., i, 467.

mune substances, A., i, 467.

Friedl, Arthur. See William Henry
Bentley.

Friedländer, Paul, sulphur analogues of the indigotin group, A., i, 378.

Friedmann, Ernst, constitution of adrenaline, A., i, 529.

Friedmann, Ernst, and Julius Baer, physiological relationships of the proteids containing sulphur. IV., A., i, 802.

Friedmann, Hermann. See Antoine Paul Nicolas Franchimont.

Friedrich, Hermann. See Robert Behrend.

Friedrich, K., copper and arsenic, A., ii, 29.

lead and arsenie, A., ii, 230.

Friedrich, K., and A. Leroux, silver and arsenic, A., ii, 283. lead and sulphur, A., ii, 355.

zinc and arsenic, A., ii, 671.

silver and silver sulphide, A., ii, 751. Friedrich, K., [and Puchta], lead and

silver, A., ii, 541.

Friend, John Albert Newton, a study of the reaction between hydrogen peroxide and potassium persulphate, T., 1092; P., 161.

Fries, J. August, intestinal gases of man, A., ii, 690.

Fries, Karl, action of bromine on aromatic amines; substitution products and perbromides, A., i, 644.

Fries, Karl, and Eduard Hübner, 1methyl-β-naphthol and its quinonoid derivatives, A., i, 190.

Fries, Karl, and W. Klostermann, coumarins from m-cresol, A., i, 276.

Fritzsche & Co., Franz, preparation of protocatechualdehyde, A., i, 513.

Fröhlich, Emanuel. See Édgar Wedekind.

Fromm, Emil, unsaturated disulphides, A., i, 656.

Fromm, Emil, and Kurt Schneider, dithiobiurets, A., i, 656.

action of phenylhydrazine on unsaturated disulphides; synthesis of triazoles, A., i, 714.

Fromm, Emil, and José de Seixas Palma, benzylsulphinic acid and dibenzyl disulphoxide, A., i, 819.

oxides of hydrogen sulphide, A., i, 819.

Fromm, Emil, and Paul Ziersch, thioderivatives of ketones. III., A., i, 930.

Frouin, Albert. See H. Bierry.

Fry, Harry Shipley, new synthesis of methyl ethyl xanthate, A., i, 552.

Fuchs, Willy. See Leopold Nathan.
Fühner, Hermann, physiological evidence as to the constitution of ammonium dye bases, A., ii,

behaviour of quinoline in the animal

body. I., A., ii, 692.

Fühner, Hermann, and E. Neubauer, estimation of the hæmolytic action of monohydric alcohols, A., ii, 687.

Fürstenberg, August. See Josef König. Fürth, Otto von, and Michele Russo, crystalline chitosan compounds from sepia shells, A., i, 720.

Fürth, Otto von, and Julius Schütz, influence of bile on pancreatic ferments A ii 871

ments, A., ii, 871.

Färth, Otto von. See also Emil Abel.
Füth, H., and Georg Lockemann, sarcolactic acid in the cerebro-spinal fluid in eclampsia, A., ii, 472.

Füth, H. See also Georg Lockemann.

Fuld, Ernst. See Leon Blum.

Funaro, Angiolo, and A. Rastelli, organic combination of the phosphorus in wine, A., ii, 886.

Funk, W., separation of iron from zinc by means of ammonia, A., ii, 54.

scparation of iron from manganese, nickel, cobalt, and zinc by the acetate process, A., ii, 398.

separation of ferric iron from manganese, nickel, cobalt, and zinc by the formate process, A., ii, 707.

separation of iron and manganese from nickel and cobalt by treating the sulphides with dilute acids, A., ii, 806.

G.

Gabel, Werner. See Ernst Beckmann. Gablin & Cie, neuræmin, A., i, 546.

Gabriel, Siegmund, action of bromine on a lactylcarbamide and related compounds, A., i, 634.

Gabriel, Siegmund, and James Colman, quinazoline alkyl haloids, A., i, 209.

tertiary and quaternary bases from piperidine, A., i, 881.

supposed penthiazole derivatives, A., i, 889.

Gabutti, Emilio, analytical reactions of coniine, A., ii, 711.

Gachot, Charles. See Emilio Noelting. Gadais, L., and J. Gadais, estimation of sodium chloride in yolk of egg, A., ii, 631.

Gadamer, Johannes [Georg], alkaloids of calumba root, A., i, 976.

Gaebel, Otto, hordenine, A., i, 979.
Gärtner, Richard. See Heinrich Biltz

Gärtner, Richard. See Heinrich Biltz.
Gärtner, Simon, a soluble polychloral,
A., i, 481.

preparation of a solid modification of chloral, A., i, 628.

Gageur, Rudolf. See Fritz Fichter.

Gagnaux, Léon. See Paul Dutoit. Gahrtz, G. See Walther Borsche.

Galeati, D. See E. Viviani.

Galeotti, Gino, equilibrium between proteids and electrolytes. III. Solubility of globulin in magnesium sulphate: influence of temperature, A., i, 912.

is the phase rule valid in the case of colloids? A., ii. 273.

colloids? A., ii, 273.

Galimard, J., L. Lacombe, and Albert

Morel, the true nature of Lepierrre's

a-glucoproteins, A., i, 776.

culture of micro-organisms in definite chemical media, A., ii, 695.

Galimard, J., and E. Verdier, arsenic in "pure glycerins," A., ii, 306.

Galimard, J. See also Louis Hugouneng.

Gallagher, Francis E., alloys of antimony and tin, A., ii, 367.

Galler, H. See William Küster.

Gallo, Gino, electrochemical equivalent of iodine, A., ii, 278.

Gallo, Gino. See also Giovanni Giorgis. Gallo, Paolo. See Gino Abati.

Gambarjan, Stephan. See Heinrich Wieland.

 Gamble, Mercier, clinical estimation of the alkalinity of the blood, A., ii, 296.
 Gañguli, Atul Chandra. See Prafulla Chandra Rây.

Gardiol, August. See Carlo Baezner.
Garelli, Felice, and Giuseppe A. Barbieri, new additive compounds of 1-phenyl-2:3-dimethylpyrazolone (antipyrine), A., i, 985.

Garner, James Bert, and Walter E. King, germicidal action of potassium permanganate, A., ii, 245. Garner, Wightman Wells. See Arthur Michael.

Garrett, Frederic Charles, and E. L. Lomax, estimation of sulphur in petroleum and bituminous minerals, A., ii, 123.

Garrod, Archibald Edward, and T. Shirley Hele, uniformity of homogentisic acid excretion in alcaptonuria, A., ii, 108.

Garrod, Archibald Edward, and William Holdsworth Hurtley, estimation of homogentisic acid in urine, A., ii, 130.

cystinuria, A., ii, 471.

Gascard, Albert, determination of the molecular weights of alcohols and of phenols by the use of benzoic anhydride, A., i, 722.

Gascard, Albert. See also L. Georges. Gasda, Georg, condensation of p-methylquinaldine [2:6-dimethylquinoline] with aromatic aldehydes, A., i, 41.

Gassmann, Th. See Paul Pfeiffer. Gastine, G., microscopical examination

of flours and detection of rice in wheat flour, A., ii, 587.

Gatin-Gruzewska, (Madame) Z., action of adrenaline on muscular glycogen, A., ii, 566.

Gattermann, Ludwig, syntheses of aromatic aldehydes. I., A., i, 589.

Gaubert, P., influence of the colouring matter of the mother liquor on the form of crystals deposited in it (phthalic acid), A., ii, 152.

condition of the colouring matter in artificially coloured crystals, A., ii, 343.

Gaudechon, H., action of the electric discharge on cyanogen, A., i, 731.

Gault, H. See Edmond Émile Blaise. Gaunt, Rufus. See Eduard Buchner.

Gautier, [Emile Justin] Armand, estimation of carbon monoxide in air by means of iodine pentoxide, A., ii, 125.

use of copper as an accelerator in Marsh's apparatus, A., ii, 393.

action of carbon monoxide at a red heat on water-vapour, and of hydrogen on carbon dioxide; application of these reactions to the study of volcanic phenomena, A., ii, 538.

action of water-vapour on sulphides at a red heat; production of free metals; application to volcanic phenomena, A., ii, 548.

action of hydrogen sulphide on certain oxides; application to volcanic phenomena and thermal springs, A., ii, 548. Gautier, [Émile Justin] Armand, the ultimate red coloration of certain leaves, and the colour of autumn leaves, A., ii, 884.

Gautier, Armand, and Paul Clausmann, some difficulties in the estimation of carbon monoxide in gaseous mixtures, A., ii, 251.

Gautrelet, Jean, reaction of the blood; its function in nutrition, A., ii, 372

Gawalowski, A., aluminium carbonicum, A., ii, 450.

solubility of barium sulphate in hydrogen peroxide, A., ii, 669.

detection of sucrose in presence of lactose, A., ii, 811.

Gaze, Rudolf. See Ernst Schmidt.

Gebhardt, A., vapour pressure of mercury and sodium, A., ii, 9.

Geibel, W. See Wilhelm Biltz.

Geibel, W. See Theodor Zincke.

Geiger, C. See Friedrich Wüst.

Geiger, Walter. See Hermann Leuchs. Geigy, Joh. Rud. See Anilinfarben-& Extrakt-fabriken.

Geinsperger, Ernst. See Zdenko Hanns Skraup.

Geisel, Emil. See Otto Ruff.

Geitel, Hans [Friedrich Carl], spontaneous ionisation of air and other gases, A., ii, 329, 518.

Geitel, Hans. See also Julius Elster.
Gelmo, P., and Wilhelm Suida, process of dyeing animal textile fibres. II., A., i, 445.

Georges, L., and Albert Gascard, colorimetric estimation of morphine, A., ii, 507.

Georgievics, Georg [Cornelius Theodor] von, constitution and colour of nitrophenols, A., i, 420.

Gérard, G., a reaction of theobronine, A., ii, 507.

Gerhardt, Ph. See Alfred Werner.

Gerlach, Oscar. See Wilhelm Lossen. Gerlinger, Paul, iodometric estimation of copper, A., ii, 308.

Gerlinger, Paul. See also Emilio
Noelting.

Gesellschaft für Chemische Industrie in Basel, preparation of sulphineazocompounds, A., i, 328.

preparation of aminoarylacylaminonaphtholsulphonic acids, A., i, 659. [the diazotisation of substituted metadiamines], A., i, 718.

Gessard, C., anti-oxydasic serum, A., ii, 373.

Getman, Frederick Hutton, viscosity of binary liquid mixtures, A., ii, 832. Giaja. See H. Bierry. Gianfranceschi, Giuseppe, velocity of ions produced by a flame, A., ii, 146.

Gibbs, Harry Drake, liquid methylamine as a solvent, and a study of its chemical reactivity, A., i, 933.

Gibbs, Harry Drake, and Carlton C. James, occurrence of arsenic in wines, A., ii, 197.

Gibson, J. A. See Henry Augustus Torrey.

Gibson, John, conductivity of concentrated aqueous solutions of electrolytes, A., ii, 722.

Gibson, R. J. Harvey, physiological properties of West African boxwood, A., ii, 187.

Gibson, Robert Banks, concentration of antitoxin for therapeutic use, A., ii, 110.

Gies, William John, the identity of Thudichum's phrenosin and Thierfelder's cerebron, A., i, 871.

Gies, William John. See also H. D. House, Edward R. Posner, and Bert Russell.

Giesel, Friedrich Oscar, β-polonium, A., ii, 212, 260.

spectrum of helium from radium bromide, A., ii, 514. Gieser, Karl. See August Klages.

Gilbert, Adolph, analysis of native molybdenum sulphide, A., ii, 707.

Gilbert, Adolph. See also Paul Hett.
Gilbert, Ralph Davis. See Thomas
Burr Osborne.

Gillot, *Henri*, and *A*. Grosjean, application of the pyknometric method to the determination of the weight and volume of precipitates suspended in liquids, A., ii, 488.

Gimel, Gilbert, adaptation of yeast to sulphurous acid, A., ii, 477.

Gin, M., treatment of uranium-vanadium metals and the electrolytic preparation

of vanadium, A., ii, 862.

Giolitti, Federico, use of metallic

deposits in the micrographical examination of alloys, A., ii, 759. nature of pseudo-solutions of ferric hydroxide. I., A., ii, 857.

Giolitti, Federico, and Battisti, nature of pseudo-solutions of ferric hydroxide. II., A., ii, 857.

Giolitti, Federico, and G. Liberi, equilibrium phenomena with the hydrates of uranous sulphate. III. The hexahydrate, pentahydrate, and basic sul-

phates, A., ii, 861. Giorgis, Giovanni, and Gino Gallo, pozzuolana and its technical value, A., ii, 447

- Giran, Henri, existence of sulphides of phosphorus, A., ii, 226.
- Gisiger, Erwin, di-p-methylbenzilic acid (pp'-tolilic acid), A., i, 958.
- Gittel, W., action of hydroxylamine on dimethyldihydroresorcin, A., i, 169.
- Gittelmacher-Wilenko, Gerson, hippocoprosterol, A., i, 759.
- Giusti, G., estimation of lead in alloys of tin and lead, A., ii, 581.
- Given, Arthur, constant temperature bath for low temperatures, A., ii,
- Gizelt, $A_{\cdot,\cdot}$ influence of alcohol on the activity of the pancreatic enzymes, A., ii. 373.
- Glasmann, Boris, two new methods for the estimation of dextrose, A., ii,
 - estimation of urea, A., ii, 314.
 - quantitative separation of glucinum from aluminium, A., ii, 902.
- estimation of glucinum, A., ii, 902. Glover, Walter Hamis. See Oswald
- Silberrad. Gnehm, Robert, and Felix Kaufler, thiazines, A., i, 389.
- Gnehm, Robert, and Oskar Knecht, nitrophenolsulphonic acids, A., i, 578, 835.
- Gnehm, Robert, and W. Schröter, indamines and thiazines, A., i, 211. Gnehm, Robert, and E. Walder, methyl-
- ene-green, A., i, 390.
- Godchot, Marcel, some derivatives of octahydroanthracene and perhydroanthracene, A., i, 76.
 - some hydroanthracene derivatives, A., i, 494.
- Godchot, Marcel. See also Émile Jungfleisch.
- Goebel, J. B., modification of van't Hoff's theory of the depression of the freezing point. II., A., ii, 332.
- Göckel, Heinrich, report on graduated vessels at the Sixth International Congress for Applied Chemistry at Rome, 1906, A., ii, 576.
- Goessmann, G., alkaloids of Anagyris foetida, A., i, 378.
- Gogitidse, S., is the passage of food-fat into the milk proved by Winternitz's experiments with iodised fats? A., ii, 295.
- Goitein, Sándor, calcium and magnesium metabolism, A., ii, 870.
- Goldberg, Emanuel, kinetics of photochemical reactions. I. Reaction between chlorine and benzene in light, A., ii, 513.
 - reaction between chromic acid and quinine in light, A., ii, 514.

- Goldberg, Emanuel. See also Robert Luther.
- Goldberg, Irma, phenylation in the presence of copper as a catalyst, A., i, 426.
- Goldberg, Irma, and Fritz Ullmann, preparation of arylanthranilic acids, A., i, 953.
- Goldberger, Felix, and Rudolf Tandler, action of dilute sulphuric acid on the pinacone formed from ethyl propyl ketone, A., i, 58.
- Golding, John, and Ernest Feilmann, taint in milk due to contamination with copper, A., ii, 205.
- Goldmann, F., estimation of diabetic sugar in urine by fermentation, A., ii, 586.
- Goldmann, Max. See Richard Willstätter.
- Goldschmidt, Carl, detection of formaldehyde, A., ii, 132.
 - estimation of silver and gold, A., ii, 309.
- estimation of cadmium, A., ii, 581.
- Goldschmidt, F. See Fritz Haber.
- Goldschmidt, Hans, rate of autoracemisation of optically active ammonium salts, A., ii, 612.
- Goldschmidt, Heinrich, and Robert Bräuer, formation of anilides, A., Roberti, 158.
 - kinetics of the fission of carbon dioxide from trichloroacetic acid in aniline solution, A., i, 159.
- Goldschmidt, Heinrich, and Moritz Eckardt, reduction of nitro-compounds by alkaline solutions of solutions of stannous oxide, A., i, 825.
- Goldschmidt, Heinrich, and Einar Sunde, reduction of nitro-compounds by tin haloids. II., A., i, 734. ester formation, A., ii, 219.
- Goldschmidt, Victor, loss on ignition as a mineralogical character, A., ii, 237.
- Goldschmidt, Victor, and P. Hermann, loss on ignition of zeolites as mineralogical characters, A., ii, 237.
- Goldschmidt, VictorMoritz,luminescence of quartz, A., ii, 409.
- Goldschmiedt, Guido, influence alkyloxy-groups on the reactivity of a-halogen atoms in aromatic compounds, A., i, 241.
- Gollücke, Ferdinand. See Hans Stobbe. Gomberg, Moses, and Lee Holt Cone, triphenylmethyl, A., i, 414, 821, 822.
- Gonnermann, Max, hydrolytic activity of liver histozymes and enzymes on some glucosides and alkaloids, A., i,

Goodall, Alexander. See George Lovell Gulland.

Goode, J. Archibald, and Frederick Mollwo Perkin, the Gutzeit test for arsenic, A., ii, 629.

Goodson, William H. See Waldemar Koch.

Goodwin, Joseph H., electrolytic calcium, A., ii, 25.

Gorboff, Alex., static character of the equilibrium of physico-chemical systems, A., ii, 339.

Gordan, P., experiments with Röhrig's modification of the Gottlieb-Röse apparatus, A., ii, 501.

Gordin, Harry Mann, crystalline alkaloid of Calycanthus glaucus. II., A., i, 35.

Gore, Herbert C., high vacua in the Scheibler type of desiccator, A., ii, 605. Gore, Herbert C. See also Willard Dell

Bigelow.

Gorke, H., chemical processes in frozen plants, A., ii, 793.

Gorke, Herbert. See Arthur Hantzsch. Gorni, Felice, detection of salicylic acid in alimentary products, A., ii, 313.

Gorter, K., Baptisia glucosides, A., i, 973. Gortner, Ross A. See Frederick Jacob

Gosio, B., possibility of accumulating arsenic in the fruits of certain plants, A., ii, 624.

fermentative production of coumarin during development of certain Hyphomycetes, A., ii, 699.

Gossner, B. See Alexander Gutbier. Gottschalk, Willy. See Paul Jannasch.

Goupil. See Albert Charrin.

Gourdon, Ernest, volcanic rocks from Graham's Land, Antarctic, A., ii, 621. Gouy, Léon Georges, the electro-capillary function, A., ii, 652, 725.

Graaff, (Mrs.) Cornelia J. Weevers de. See Weevers de Graaff.

Graebe, Carl, methylation of hydroxyanthraquinones, A., i, 863.

Graebe, Carl, and Heinrich Bernhard, methyl ethers of 2- and 1-hydroxyanthraquinones, anthrapurpurin, and purpuroxanthin, A., i, 865.

Graebe, Carl, and Hermann Kraft, oxidation by fusion, A., i, 255.

behaviour of sulphonic acids on oxidation by fusion, A., i, 643.

Graebe, Carl, and Carlos Thode, ethers of alizarin, flavopurpurin, hydroxyanthrarufin, and hydroxychrysazin, A., i, 863.

Graefe, Edmund, the iodine value of mineral oils, A., ii, 56.

some uses of carbon tetrachloride in the laboratory, A., ii, 201.

Gräfenberg, accumulators of material other than lead, A., ii, 3.

Graf, Hugo. See Otto Ruff.

Grafe, Erich, estimation of ammonia in animal tissues, A., ii, 709.

Graham, Richard P. D., two pseudomorphs from Canada, A., ii, 682.

Graham-Smith, George Stuart, action of diphtheria and diphtheria-like bacilli, A., ii, 693.

Grandmougin, Eugène, condensation of gallocyanin dyes with aminosulphonic acids, A., i, 596. decomposition of azo-compounds by

sodium hyposulphite, A., i, 716.

sodium hyposulphite as a reducing agent. II., A., i, 967.

action of diazo-compounds on a-hydroxynaphthoic acids, A., i, 997. Grandmougin, Eugène, and E. Walder,

methylene-green, A., i, 772. Graumann, C. A. See F. O. Doeltz.

Graux, Lucien, direct proportionality between the freezing point of a mineral water of the acid carbonate class and the composition of the water expressed in terms of the anhydrous salts and normal carbonates, A., ii, 148.

Graux, Lucien. See also Louis O. **M**aillard.

Gray, Andrew, Heusler's magnetic alloy of manganese, aluminium, and copper, A., ii, 266.

Gray, C. W. See Harmon Northrop Morse.

RobertWhytlaw, a possible Gray, source of error in Stas' nitrogen ratios, T., 1173; P., 197.

Gray, Thomas, an improved form of the William Thomson calorimeter, A., ii,

Grebe, L., absorption of the vapours of benzene and some of its derivatives in the ultra-violet, A., ii, 410.

Green, Arthur George, and Percy Field Crosland, the colouring matters of the stilbene group. Part III., T., 1602; P., 256.

Green, Arthur George, and Percy E. King, constitution of the phenolphthalein and quinolphthalein salts, A., i, 670.

Green, Arthur George, and Arthur George Perkin, note on the constitution of cellulose, T., 811; P., 136.

Gregory, Arnold W. See John McFar-

Gréhant, Nestor, behaviour of an animal respiring mixtures of air and 5 to 10 per cent. of carbon dioxide, A., ii, 621.

Greinacher, Heinrich, fluorescence of glass, mica, and quartz, caused by radiotellurium, A., ii, 410.

Grélot, P., masking of iodine in presence of saccharine matters, A., ii, 709.

Grgin, Duśan J., a new indolenine base, A., i, 884.

Grimbert, Léon [Louis], detection of bile pigments in urine, A., ii, 134.

presence of chlorate in sodium nitrate, A., ii, 282.

Schlagdenhauffen's reaction [detection of magnesium], A., ii, 307.

Grimbert, Léon, and Émile Dufau, means for distinguishing true albumin in urines from mucinoid substances, A., ii, 912.

Grimm, C. See W. Schloesser.

Grimmer, Walther. See Arthur Scheunert.

Grindley, Harry Sands. See A. D. Emmett and Perry Fox Trowbridge.

Groebel, Paul. See Daniel Vorländer. Gröger, Maximilian, cobalt chromates, A., ii, 451.

Grolée, André. See Hans Theodor Bucherer.

Grombach, Adolf. See Hugo Kauffmann.

Gromoff, T., influence of high sugar concentration on the work of endotryptase in dead yeast cells, A., ii, 569.

Groschuff, Erich, iodic acid, A., ii, 16.

Groschuff, Erich. See also Franz Mylius. Grosjean, A. See Henri Gillot.

Grospean, A. See Henri Gillot. Grosman, L. See H. Cormimboeuf. Grossmann, Hans. See Martin Onslow

Forster.
Grossmann, Hermann, action of alkaline
uranyl salts on the rotatory power of
sugars and other optically-active
hydroxyl compounds, A., ii, 61.

some reactions of tervalent titanium, A., ii, 806.

rotatory power of coloured solutions.

I. Action of alkaline copper solutions on the rotation of sugars, higher alcohols, and hydroxy-acids, A., ii, 823.

influence of lead salts on the polarimetric investigation of urine and organic secretions, A., ii, 905.

Grossmann, Hermann, and Arthur Aufrecht, volumetric estimation of formaldehyde and of formic acid with potassium permanganate in acid solution, A., ii, 634.

Grossmann, Hermann, and Fritz Hünseler, compounds of metallic thiocyanates with organic bases, A., i 7.

Grossmann, Hermann, and Heinz Pötter, increase and reversal of rotation. I. Complex molybdyl and tungstyl malates, A., i, 799. Grossmann, Hermann, and Heinz Pötter, influence of concentration and temperature on the specific rotatory power of strongly optically active compounds. II., A., ii, 211.

Grossmann, Hermann, and Bernhard Schück, action of ethylenediamine on cobalt and platinum compounds, A., i, 485.

compounds of metallic thiocyanates with organic bases, A., i, 629.

ethylenediammonium double salts, A., i, 630.

additive compounds of dicyanodiamide and inorganic salts, A., i, 938.

new delicate test for nickel; nickeldicyanodiamidine, A., ii, 903.

Grossmann, Hermann, and Leo Wieneke, influence of temperature and concentration on the specific rotation of optically active substances, A., ii, 209.

Grube, Georg, alloys of magnesium with eadmium, zinc, bismuth, and antimony, A., ii, 355.

Grün, Adolf. See Alfred Werner. Grüters, Max. See Theodor Zincke.

Grunmach, Ludwig Leo, experimental determination of the surface tension of liquid oxygen and of liquid nitrogen, A., ii, 655.

Grutterink, Alide, and (Mrs.) Cornelia J. Weevers de Graaff, crystalline urinary albumose. II., A., i, 326.

Gschwendner, Bernhard. See Eduard Strauss.

Guareschi, *Icilio*, new derivatives of δ-ketonic acids, A., i, 800.

Gubser, Alois. See Alfred Werner.

Gudeman, Edward, artificial digestion experiments, A., i, 53.

Guende, (Mlle.) Bl. See Alexandre Desgrez.

Günther, Fritz. See Johannes Thiele. Günther, Oskar. See Johannes Thiele. Günzel, E., alkaloids of calumba root, A., i, 976.

Gueorguieff, J. See Carlo Baezner.
Guérin, F. Gabriel, estimation of uric acid, A., ii, 501.

Guerrini, G., equilibrium between proteids and electrolytes. II. Precipitation of egg-albumin with sodium

sulphate, A., i, 466.

Guertler, W., and Gustav Tammann, compounds of iron with silicen, A., ii, 32.

silicides of nickel, A., ii, 362.

Guignard, Léon, formation and quantitative variations of the cyanogenetic principle of Sambucus nigra, A., ii, 118. Guignard, Léon, emulsin; general existence of the ferment in orchids, A., ii, 119.

cyanogenetic beans of Phaseolus lunatus, A., ii, 301.

new examples of Rosaceæ furnishing hydrogen cyanide, A., ii, 795.

Guigues, P., rectification of officinal ethyl ether, A., i, 724.

quinine formates, A., i, 977.

Guillemard, H., and Robert Moog, influence of high altitudes on general nutrition, A., ii, 101.

Guillet, Léon, special brasses, A., ii,

Guinchant, Joseph. See Paul Chrétien. Gulewitsch, Władimir von, substances extracted from muscle. III. Methylguanidine, A., i, 637.

Gulewitsch, Wladimir von, and Th. Wasmus, action of ammonium cyanide on the saturated ketones, A., i, 409.

Gulland, George Lovell, and Alexander Goodall, leucæmia and chloroma, A.,

Guntz, Antoine [Nicolas], new method of preparing barium, A., ii, 87. preparation of pure barium from its suboxide, A., ii, 669.

Guntz, Antoine, and Henry Bassett, jun., sublimation of platinum below its melting point, A., ii, 93.

copper nitride, A., ii, 359. attempts to prepare sub-salts of calcium,

A., ii, 540. Guntz, Antoine, and G. Roederer, preparation and properties of strontium, A., ii, 229.

strontium amalgams, A., ii, 668.

Gutbier, Alexander, [with Lothar Birckenbach and Hans Mehler], atomic weight of bismuth, A., ii, 92.

Gutbier, Alexander, and R. Bünz, peroxides of bismuth, A., ii, 174, 234, 551, 678.

Gutbier, Alexander, and B. Gossner, atomic weight of tellurium, A., ii,

Gutbier, Alexander, and A. palladium, A., i, 12. derivatives of palladosammine, A., i,

compounds of palladous haloids with

aliphatic amines, A., i, 402. Alexander, [with Gutbier, WalterWagenknecht], atomic weight of tellurium. II., A., ii, 81.

Gutbier, Alexander, and M. Woernle, ethylene- and propylene-diamine compounds of palladium, A., i, 805.

Guthe, Karl Eugen, electrochemical equivalent of silver, A., ii, 520.

Guthrie, Charles Claude, and F. H. Pike, effect of blood-pressure respiration, A., ii, 686.

Guthrie, John Monteath. See John Simpson Ford.

Gutmann, August, action of potassium cyanide on sodium tetrathionate and dithionate, A., i, 149.

Gutton, [Antoine Marie] Camille, photographic experiments on the action of nrays on an oscillating spark, A., ii, 142.

Gutzeit, E., action of charlock on nitri-

fication, A., ii, 476.

Guye, Charles Eugène, the most probable value of the ratio (ϵ/μ_0) of the charge to the mass of the electron in cathode rays, A., ii, 516.

Guye, Philippe A[uguste], atomic weight of nitrogen [and silver], A., ii, 19, 20.

atomic weight of nitrogen, A., ii, 349. electrochemical problem of the fixation of nitrogen, A., ii, 533.

Guye, Philippe A., and Ch. Davila, density of nitric oxide; atomic weight of nitrogen, A., ii, 20.

Guye, Philippe A., and G. Ter-Gazarian, atomic weight of silver, A., ii, 750.

Guye, Philippe A. See also Friderich and Edouard Mallet. See also Louis

Guyot, Alfred, and J. Catel, derivatives of dihydroisobenzofuran. Parts I. to III., A., i, 761.

Guyot, A'fred, and Ch. Staehling, γ substituted anthracene derivatives. Parts II. and III., A., i, 17.

Gwyer, Alfred G. C., aluminium-bismuth and aluminium-tin alloys, A., ii, 544. Gyzander, C. R., estimation of sulphur

in pyrites, A., ii, 391.

H.

Haager, J., and R. **Doh**t, action of nitrous acid on tolyl- and m-xylylcarbamides and on phenylthiocarbamide._ II., A., i, 577.

Haagn, Ernst, ignition in a vacuum by means of the electric furnace, A., ii, 48. Haas, Karl. See William Küster.

Haas, Paul, the condensation of dimethyldihydroresorcin and of chloroketodimethyltetrahydrobenzene with primary amines. Part I. Monoamines—ammonia, aniline, and p-toluidine, T., 187; P., 17.

the condensation of dimethyldihydroresorcin and of chloroketodimethyltetrahydrobenzene with primary Part II. Diamines—mamines. and p-phenylenediamines, T., 387; P., 63.

Haas, Paul, the occurrence of methane among the decomposition products of certain nitrogenous substances as a source of error in the estimation of nitrogen by the absolute method, T., 570; P., 81; discussion, P., 81.

Haas, Wilhelm. See Robert Pschorr.

Haber, Fritz, detection and precipitation of the ferrous iron in aqueous solutions of potassium ferrocyanide, A., i, 149.

Haber, Fritz, and Ludwik Bruner, the

carbon cell, A., ii, 212.

Haber, Fritz, and F. Goldschmidt, the anodic attack of iron by stray currents in the earth and the passivity of iron, A., ii, 213.

Habermann, Josef, stable cupric hydroxide and the basic salt 7CuO,2SO₃, 5H₂O (brochantite), A., ii, 757.

Habershon, Samuel Herbert, iodine staining granules of leucocytes, A., ii, 96.

Hackett, F. E. See John A. McClelland.

Hackford, John Edward. See Samuel Russell Trotman.

Hackspill, L., reduction of silver and of copper chloride by calcium, A., ii, 161.

alloys of lead and calcium, A., ii, 671. **Haehn**, Huyo, new method for the preparation of ketones, A., i, 400. vacuum distilling apparatus for solid substances, A., ii, 841.

Haensel, Heinrich, ethereal oils, A., i,

Haerdtl, Hugo, action of cyanoacetic acid on crotonaldehyde, A., i, 62.

Häuser, F., explosive mixtures of coalgas and air, A., ii, 441.

Haeussermann, Carl, tertiary aromatic amines. V., A., i, 910.

Haga, Tamemasa, hydroxylamine-aβ-disulphonates (structural isomerides of hydroximinosulphates or hydroxylamine-ββ-disulphonates), T., 240;
 P., 29; discussion, P., 30.

Hahn, Oskar, a new product from

actinium, A., ii, 323.
some properties of the α-rays from radiothorium. I., A., ii, 416, 594. ionisation ranges of the α-rays of actinium, A., ii, 718.

Hahn, Oskar. See also Ernest Rutherford.

Haid, Rudolf, nitro- and amino-derivatives of α-naphthaquinoline and their oxidation to quinoline-7:8-dicarboxylic acid, A., i, 605.

Haimann, M. See Paul Pfeiffer.

Hake, Henry Wilson. See Sydney Arthur Monckton Copeman.

Halban, J. von. See Alfred Werner.

Haldane, John Scott, gas analysis apparatus, A., ii, 121.

Hale, William Jay, William D. McNally, and C. J. Pater, Grignard syntheses in the furan group, A., i, 199.

Halenke, A., and Max Kling, ricinus

residues, A., ii, 387.

Hall, Alfred Daniel, and Arthur Amos, the determination of available plant food in soil by the use of weak acid solvents. Part II., T., 205; P., 11; discussion, P., 12.

Hall, Alfred Daniel, and Norman Harry John Miller, effect of plant growth and of manures on the retention of bases by the soil, A., ii, 119.

Hall, Alfred Daniel, Norman Harry John Miller, and Numa Marmu, the estimation of carbon in soils and kindred substances, T., 595; P., 103; discussion, P., 103.

Hall, John Walker, glycine and total mono-amino-acids in pathological

urine, A., ii, 378.

Halle, Walter L., formation of adrenaline in the organism, A., ii, 562.

Haller, Albin, and E. Bauer, benzyland phenyl-borneols and their products of dehydration, benzyl- and phenyl-camphenes, A., i, 440.

diphenyl- or alkylphenyl-camphoryl-methanes and -methylenes,

$$C_8H_{14}$$
 $\stackrel{\text{CH 'CHRR'}}{\stackrel{\text{CO}}{\stackrel{\text{CICRR'}}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}}{\stackrel{\text{CICRR'}}{\stackrel{\text{CICRR'}}}{\stackrel{\text{CICRR'}}}{\stackrel{\text{CICRR'}}}{\stackrel{\text{CICRR'}}}{\stackrel{\text{CICRR'}}}{\stackrel{\text{CICRR'$

Haller, Albin, and Gustave Blanc, condensation of ethyl \$8-dimethylglycidate with ethyl sodiomalonate; synthesis of terebic and pyroterebic acids, A., i, 625.

Haller, Albin, and François March, rotatory powers of hexahydrobenzylidenecamphor and cenanthylidenecamphor and the corresponding saturated derivatives; comparison of the rotatory powers of these compounds with those of benzylidenecamphor and benzylcamphor, A., i, 296.

Haller, Albin, and Jules Minguin, the products of the action at a high temperature of sodium isobutoxide or propoxide on camphor, A., i, 594.

Haller, Albin, and Robert Padova, benzylidene derivatives of anthrone or anthranol. A., i. 24.

anthranol, A., i, 24.

Halliburton, William Dobinson. See

Frederick Walker Mott.

Halphen, Georges, detection of sophistication in wine, A., ii, 904.

Halske. See Siemens & Halske.

Hamburg, Max. See Sigmund Frankel. Hamburger, Anna.See

Abegg.

Hamburger, Hartog Jakob, method of determining the osmotic pressure of very small quantities of liquid, A.,

measurement of osmotic pressure in small quantities of fluid, A., ii,

Hamburger, Hartog Jakob, and Svante August Arrhenius, nature of precipitinreaction, A., ii, 559.

Hamill, John Molyneux, trypsinogen and enterokinase, A., ii, 181.

protective mechanism of intestinal worms, A., ii, 182.

Hamill, John Molyneux, and Samuel Barnett Schryver, nitrogenous metabolism in normal individuals, A., ii,

Hamill, Philip. See Joseph L. Barcroft. Hamonet, [l'Abbé] Jules Leandre, synthesis in the s-heptane- $\alpha\delta\eta$ -triol series, A., i, 58.

 $\epsilon \epsilon \epsilon$ -trichloro- α -methoxypentane- δ -ol 2-trichloromethyltetrahydrofuran, A., i, 133.

Hand, William Flowers. See Marston

Taylor Bogert. Hanks, Henry G., aragotite from California, A., ii, 456.

Hann, Archie Cecil Osborn. See Hooper Albert Dickinson Jowett and Frank Tutin.

Hansen, C. See Valdemar Henriques. Hanson, Raymond E., and E. N. Babcock, oils from conifers, A., i, 869.

Hantzsch, Arthur [Rudolf], cyanuric acid as a pseudo-acid, A., i, 146.

constitution of thiazine and oxazine dyes, A., i, 206, 453.

constitution and colour of nitrophenols, A., i, 353, 833.

pseudo-acids, A., i, 576, 833. pseudo-acids and amphoteric electrolytes, A., ii, 651.

Hantzsch, Arthur, and Samuel James Manson Auld, mercurinitrophenols, A., i, 471.

Hantzsch, Arthur, [with Montague Bennett Blackler, Edith Morgan, and Walter Practorius], relation between colour and constitution of acids, salts, and esters, A., i, 856.

Hantzsch, Arthur, and Kenneth S. Caldwell, aci-esters of nitroform, A., i, 617.

trinitromethane and triphenylmethane, A., i, 617.

Hantzsch, Arthur, and Oskar Denstorff. addition of halogens and of hydrogen perhaloids to oxygen compounds, A., i, 745.

Hantzsch, Arthur, and Herbert Gorke, quinonoid aci-nitrophenol esters, A., i,

Hantzsch, Arthur, and Carel Herman Sluiter, the isomeric nitroso-orcinols. A., i, 173.

Hantzsch, Arthur. See also Heinrich Ley.

Hanus, Josef, estimation of vanillin, A., íi, 133.

Hanus, Josef, and Franz Bien, researches on the carbohydrates occurring in spices. I. Canella bark, A., ii, 883. Hanuš, Josef, and Karl Chocenský,

estimation of caffeine by means of the immersion refractometer, A., ii, 407.

Harang, P., detection and estimation of trehalose in plants [fungi] by means of trehalase, A., ii, 311.

Harcourt, R., comparative values of different grades of wheat of crops of 1903 and 1904, A., ii, 248.

Harden, Arthur, Voges and Proskauer's reaction for certain bacteria, A., ii,

Harden, Arthur, and George Stanley Walpole, chemical action of Bacillus lactis aërogenes on dextrose and mannitol: production of βγ-butylene glycol and acetylmethylcarbinol, A., ii, 380.

Harden, Arthur, and William John Young, influence of sodium arsenate on the fermentation of glucose by yeast-juice: preliminary notice, P.,

alcoholic ferment of yeast-juice, A., i,

Harden, Arthur. See also Henry William Armit.

Harding, Everhard Percy, improved apparatus for estimating total sulphur in coal gas; modification of Dreschmidt's method, A., ii, 391.

Harding, Victor John. See William Henry Perkin, jun.

Hardy, William Bate, colloidal solutions; the globulins, A., i, 121.

Hári, Paul, intramolecular absorption of water in the tryptic digestion of proteid, A., i, 1000.

Harker, George, fermentation of cane molasses, and its bearing on the estimation of the sugars present, A., ii, 810.

Harpf, August, and Hans Fleissner, explosion of a Küster apparatus for the preparation of pure sodium hydroxide, A., ii, 850.

Harries, Carl Dietrich, caoutchouc; relations existing between the hydrocarbons from caoutchouc and gutta-percha, A., i, 30.

decomposition of casein by means of ozone, A., i, 54.

preparation of ozone, A., ii, 844.

Harries, Carl Dietrich, and Hermann Krützfeld, succinaldehyde derivatives, A., i, 930.

Harries, Carl Dietrich, [with Kurt Langheld, Carl Thieme, Hans Turk, and Valentin Weiss], action of ozone on organic compounds, A., i, 225.

Harries, Carl Dietrich, and Heinrich Neresheimer, ozonides of hydroaromatic compounds and the stability of different ring systems, A., i, 833.

Harries, Carl Dietrich, and Carl Thieme, oleic acid ozonide, A., i, 793.

Harrington, Bernard James, composition of some Montreal minerals, A., ii, 866.

Harris, David Fraser, and James Colquhoun Irvine, the use of soluble Prussian-blue for investigating the reducing power of animal bioplasm, A., ii, 784.

Harris, David Fraser, and William Moodie, action of strychnine on the spinal cord, A., ii, 475.

the use of soluble Prussian-blue for investigating the reducing power of animal bioplasm, A., ii, 784.

Harris, Isaac Foust. See Thomas Burr Osborne.

Hart, Edwin Bret. See Whitman H.
Jordan.

Hartl, F. See Ludwig Vanino.

Hartley, Ernald George Justinian. See (Earl of) Berkeley.

Hartley, Harold, the spontaneous crystallisation of supersaturated solutions, P., 60; discussion, P., 60.

Hartley, Harold, and Noel Garrod Thomas, the solubility of triphenylmethane in organic liquids with which it forms crystalline compounds, T., 1013; P., 59.

Hartley, Walter Noel, the description and spectrographic analysis of a meteoric stone, T., 1566; P., 251. presentation of the Longstaff medal to,

P., 169, 246.

Hartman, Robert Nelson. See Arthur
Michael.

Hartmann, Ernst. See Richard Meyer. Hartwig, L. See Heinrich Beckurts and Gustav Frerichs.

Haselhoff, Emil, buckwheat, A., ii, 301.
Haselhoff, Emil, and G. Bredemann, anaërobic nitrogen-absorbing bacteria, A., ii, 698.

Hasenbäumer, Julius, separation of silicic acid when estimating citrate-soluble phosphoric acid, A., ii, 579.

Hasenbäumer, Julius. See also Josef König.

Haskins, H. D., nitrogenous metabolism as affected by diet and by alkaline diuretics, A., ii, 870.

a method of estimating urea, A., ii, 908.

Haskins, H. D. See also John James Rickard Macleod.

Haslinger, C., 1:4-anthraquinone, A., i, 967.

Hassler, F. See Max Dennstedt.

Hatcher, Robert A., action of saline solutions on the vitality of blood vessels, A., ii, 103.

Hauser, Hans. See Richard Lorenz.

Hausmann, Walter, and O. Wozasek, inhibition of the toxic influence of solanine by carbon dioxide, A., ii, 789.

Hawley, L. F., identification of solid phases, A., ii, 854.

Haworth, Walter Norman. See William Henry Perkin, jun.

Hawthorne, John, the constitution and properties of acyl thiocyanates, T., 556; P., 86.

Hawthorne, John. See also Augustus Edward Dixon.

Hayhurst, E. R. See George Theoph. Kemp.

Haynes, George Secretan, pharmacological action of digitalis, strophanthus, and squill on the heart, A., ii, 243.

Headden, William P., the Doughty

springs: a group of radium-bearing springs in Colorado, A., ii, 2. [cubanite as a furnace product], A., ii,

[columbite, fibroferrite, enargite, alunogen, doughtyite, &c.], A., ii, 37.

phosphorescent calcite, A., ii, 680. **Heape**, *Walter*, the stimulus to milk secretion, A., ii, 242.

Hébert, Alexandre, presence of hydrocyanic acid in various plants, A., ii, 882.

composition of soils from French Guinea, A., ii, 889.

agricultural values of the cacao soils of S. Thomé and the Gold Coast Colony, A., ii, 889.

Heckel, Fritz. See Zdenko Hanns Skraup.

Hedin, Sven Gustav, time relations of tryptic action, A., ii, 780.

trypsin and antitrypsin, A., ii, 780. antitryptic effect of charcoal, A., ii, 780.

Hedley, Edgar Percy, the dynamic isomerism of phloroglucinol, T., 730; P., 106.

Heen, P. de. See H. Micheels.

Hefelmann, Rudolf, and Paul Mauz, distribution of glycogen in horseflesh, A., ii, 242.

the intramuscular and extramuscular fat of the principal muscles of horses and oxen, A., ii, 316.

Hefelmann, Rudolf, Paul Mauz, and F. Müller, analysis of raspberry juice, A., ii, 387.

Heilner, Ernst, the influence of intake of water on the excretion of nitrogen and chlorides, A., ii, 295.

action of dextrose on the animal body, A., ii, 689.

Heim, Friedrich. See Jakob Meisenheimer.

Heimann, E. See Paul Jannasch.

Heine & Co., preparation of the terpinoid alcohol, nerol, A., i, 521.

Heinze, Berthold, action of carbon disulphide on lower vegetable organisms and its importance for the fertility of soils, A., ii, 486. microbiology of soils, A., ii, 625.

Hele, T. Shirley. See ArchibaldEdward Garrod.

Heller. See Otto Ruff.

Heller, Gustav, a new step in the reduction of the nitro-group, A., i,

Heller, Gustav, [and, in part, Otto Lang-kopf], salts of mineral acids derived from the phthaleins. I., A., i, 671.

Heller, Gustav, and Heinrich G. Mayer, derivatives of o-nitromandelonitrile, A., i, 585.

Hemmelmayr [von Augustenfeld], Franz [Josef] von, onocerin [onocol], A., i, 356.

elaterin, A., i, 973. Hempel, Hans. See Adolf Beythien.

Henderson, George Gerald, the molybdilactate and tungstilactate of ammonium, P., 148.

Henderson, Lawrence Joseph, equilibrium in solutions of phosphates, A., ii, 185, 469.

Henderson, V. E., ureter pressure, A., ii, 107.

Henkel, Hugo, and A. W. Roth. chemical and physical methods for the analysis of pure dilute aqueous solutions of glycerol, A., ii, 129.

Henle, Franz, reduction of $\alpha\beta$ -unsaturated carboxylic esters with aluminium amalgam, A., i, 669.

Johannes Henle, Franz.See also Thiele.

Henneberg, Wilhelm, bacteriological investigations in the acetic acid factory, A., ii, 475.

poisonous action of formic acid on different Fungi, A., ii, 479.

quick-vinegar and wine bacteria, A., ii, 568.

Hennicke, Hans. See Robert Behrend. Henning, Fritz. See Ludwig Holborn and Friedrich Kohlrausch.

Henri, Victor, action of invertin in a heterogeneous medium, A., i, 327. laws of the action of enzymes and heterogeneous catalysis, A., ii, 13.

Henrich, Ferdinand [August Karl], fumarole products of Vesuvian lava,

A., ii, 685.

Henriques, Valdemar, and C. **Hansen**, can nitrogenous equilibrium in the animal organism be attained by means of heteroalbumoses? A., ii, 779.

Henry, Louis, the COH group of tertiary alcohols, A., i, 133. the addition of hydrogen chloride to

isobutylene oxide, 0 < [,

i, 228.

the alcoholic function, A., i, 329. hexamethylethane, A., i, 473.

synthesis of pentamethylethanol, A., i, 477.

volatility in various groups of compounds, A., i, 549.

methylene compounds, A., i, 558.

some synthetical reactions of pinacolin, A., i, 618.

acetyl chloride and hydrochloric acid as reagents for distinguishing between the various types of monohydric alcohols, A., i, 781.

succinic pinacone [Se-dimethylhexaneβε-diol], A., i, 922.

molecular state of water; its chemical constitution and the relative value of the two valencies of the oxygen atom, A., ii, 17.

Henry, Louis, [with Buelens and Muset], secondary alcohols derived from the octane, CHMe₂ [CH₂]₄ CH₃, A., i, 723. **Henry**, Louis, [with Aug. de Wael],

new syntheses of pentamethylethanol and of hexamethylethane, A., i, 782.

Henry, Thomas Anderson, and Samuel James Manson Auld, probable existence of emulsin in yeast, A., ii, 114.

Thomas Anderson. See also Wyndham Rowland Dunstan.

Hensgen, Carl, dissociation of electrolytes, A., ii, 73.

Henstock, Herbert, some derivatives of 2. and 3-phenanthrol, T., 1527; P., 235.

Henz, F., estimation of acids in waste gases, A., ii, 122.

Heraeus, W. C., platinum gauze for contact action in organic ultimate analysis, A., ii, 900.

Herbette, Jean, isomorphism, A., i, 929.

isomorphism of potassium chlorate and nitrate, A., ii, 660.

mixed crystals of barium chloride and bromide, A., ii, 669.

Herbst, Edgar, action of atmospheric oxygen on Para caoutchouc, A., i,

Herder, M., new reagents for alkaloids and their microscopical application, A., ii, 406.

Hérissey, Henri, prulaurasin, a crystalline cyanogenetic glucoside obtained from the leaves of cherry laurel, A.,

estimation of small quantities of benzaldehyde, A., ii, 312.

nature of the cyanogenetic glucoside in the seeds of Eriobotyra japonica, A., ii, 882.

Heritage, Gertrude. See Elmer Peter Kohler.

Hermann, Hugo, ultimate analysis of organic substances, A., ii, 398.

Hermann, P. See Victor Goldschmidt. Hermann, W. See Johannes Stark.

Herms, Paul. See Ludwig Berend. Herold, Viktor. See Franz Sachs.

Herpertz, Joseph, the spectra of arsenic and the spectrum of antimony in a Geissler tube, A., ii, 821.

Herring, Percy Theodore, crystals in the nuclei of liver cells, A., ii, 782.

Herter, Christian Archibald, relation between scatole and the p-dimethylaminobenzaldehyde reaction of urine, A., ii, 108.

production of methyl mercaptan by fæcal bacteria in peptone bouillon, A., ii, 378.

bacterial processes in advanced anæmia, A., ii, 786.

Herter, Christian Archibald, and M. Louise Foster, estimation of indole, A., ii, 134.

separation of indole from scatole and their estimation, A., ii, 910.

Herter, Christian Archibald, and Herbert C. Ward, gas production by fæcal bacteria grown on sugar bouillon, A., ii, 381.

Hertz, Arthur F., filtration through animal membranes; the saline contents of the blood compared with those of other serous fluids, A., ii, 686.

Hertzberg, W. See Alfred Wohl. XC. ii.

Herz, Walter [Georg], and Martin Lewy, partition of some organic between two solvents, A., ii, 76.

examples of the law of partition, A., ii, 530.

Herzig, Josef, [with Robert Fischer, Wolfgang Kluger, Adolf Mayrhofer, and Jacques Pollak], brazilin and hamatoxylin, A., i, 871.

Herzig, Josef, and Jacques Pollak, brazilin and hæmatoxylin, A., i, 198.

Herzig, Josef, and J. Tichatschek, replacement of the acetyl group by methoxyl under the action of diazomethane, A., i, 173.

substitution of the acetyl by the methyl group by means of diazomethane, A., i, 431.

Herzig, Josef, and Franz Wenzel, [with Withelm Reismann and Peter Rona], tetramethylphloroglucinolaldehyde, A., i, 93.

Herzog, Gustav. See Gustav Schultz. Herzog, Reginald Oliver, influence of temperature on the rate of development of organisms, A., ii, 115. velocity of fermentations. III., A., ii, 698.

Hesehus, Nicolaus A., sensitiveness of selenium to light, A., ii, 348.

Hesse, Albert [Friedrich], pinene hydrochloride and camphene hydrochloride, A., i, 375.

Hesse, Ludwig. See Arthur Kötz.

Hesse, [Julius] Oswald, lichens and their characteristic constituents. X., A., i, 280.

Hetsch, present position of the problem of the chemical sterilisation of drinking water, A., ii, 569.

Hett, Paul, and Adolph Gilbert, iodometric estimation of vanadic acid in vanadium ores, A., ii, 708.

Hewitt, John Theodore, and Herbert Victor Mitchell, azo-derivatives of 4:6-dimethylcoumarin, T., 13.

azo-derivatives of 4-methyl-α-naphthacoumarin, T., 17.

the mobility of substituents in derivatives of β -naphthol, T., 1167; P., 170; discussion, P., 171.

Hewitt, John Theodore, and Norman Walker, action of bromine on benzeneazo-o-nitrophenol, T., 182; P., 16.

Hewitt, John Theodore. See also Albert Ernest Dunstan.

Heyde, Arnold. See Walther Borsche. Heyden, Friedr. See Chemische Fabrik von Friedr. Heyden.

Heyl, Frederick W. See Treat Baldwin Johnson.

65

Heyn, E., composition of the copper cuprous oxide eutectic, A., ii, 672.

Heyn, E., and O. Bauer, copper and sulphur, A., ii, 230.

copper and phosphorus, A., ii, 855.

Hibbert, *Harold*, preparation of trialkylstibines, -arsines, and -phosphines by the Grignard reaction, A., i, 153.

Hicks, William. See Ludwig Knorr. Hicks, William Longton. See Arthur Walsh Titherley.

Hiendlmaier, H. See Karl A. Hofmann.

Hieper, A. See Theodor Pfeiffer.

Hiestand, O. See Ernst Winterstein. Higson, (Miss) Annie, and Jocelyn Field Thorpe, a method for the formation of succinic acid and of its alkyl derivatives,

T., 1455; P., 242.

Hildebrandt, Adolf. See Emil Maass. Hildebrandt, Hermann, the glucoside structure of conjugated glycuronic acids, A., i, 84.

behaviour of toluidines in the animal

organism, A., ii, 110.

Hileman, Albert, elimination and alkalimetric estimation of silicon fluoride in the analysis of fluorides, A., ii, 798. iodometric estimation of fluorine, A., ii, 895.

Hill, Arthur Edwin, a new form of calcium chloride tube for combustion,

Hill, Ernest George, the hydrolysis of ammonium salts by water, T., 1273; P., 204. Hill. Leonard Erskine, filtration in the

living organism, A., ii, 242.

Hill, Leonard Erskine, and Frederick Walker Mott, effect of cerebral anæmia

on nerve-cells, A., ii, 240. Hille, Waldemar. See Julius Tröger. [Hillebrand, William · Francis, Charles Benjamin Dudley, Clifford Richardson, and Henry Newlin Stokes], cooperative analysis of an argillaceous

limestone, A., ii, 307.
Hillebrand, Silvia, serpentine and heulandite, A., ii, 772.

Hills, James Stuart. See Arthur William Crossley.

Hilpert, Siegfried. See Emil Fischer and Franz Sachs.

Himstedt, Franz, and Georg Meyer, spectrum analysis of the light emitted by crystals of radium bromide, A., ii,

Hinden, Fritz, decomposition of silicates with hydrofluoric and hydrochloric acids, A., ii. 579.

Hines, Murray Arnold. See Gregory Paul Baxter.

Hinrichs, Gustav Dethlef, boiling points of some secondary and tertiary alcohols, A., i, 723. determination of the absolute atomic

weight of bismuth, A., ii, 367.

absolute atomic weight of terbium, A., ii, 450.

the atomic weights of all chemical elements are commensurable and matter is uniform, A., ii, 661.

the mechanism of ionisation by solution, A., ii, 839.

Hinrichsen, Friedrich Willy, and (Miss) Naima Sahlbom, atomic weight of tantalum, A., ii, 763.

Hinrichsen, Friedrich Willy, and Tosio Watanabe, separation of silver from silver sulphide in the presence of mercury, A., ii, 85.

Hinrichsen, Friedrich Willy. See also (Miss) Naima Sahlbom.

Hinsberg, Oscar [Heinrich Daniel], isomerism of ar-thio-compounds, A., i, 654.

Hiorns, Arthur H., effect of certain elements on the structure of cast iron, A., ii, 169.

effect of certain elements on the structure and properties of copper, A., ii, 613.

Hirsch, Julius, influence of formaldehyde on the energy of increase, the fermentation energy, and the duration of generation of different varieties of yeast, A., ii, 42.

Hissink, D. J., estimation of calcium in soil, A., ii, 396.

chemical and physical action of brine on soil, A., ii, 701.

Hlawatsch, Carl, amphibole from Ceva-

daes, Portugal, A., ii, 775.

Hock, Theodor. See Alfred Schmid.

Höglund, Axel Th., estimation of sugar in sugar-beets, A., ii, 130.

Hönigschmid, Otto, thorium-aluminium alloy, A., ii, 173.

a silicide of thorium, A., ii, 173. zirconium silicide, ZrS12, and titanium

silicide, TiSi2, A., ii, 678. See also Henri Hönigschmid, Otto.

Moissan. Hoering, Paul, preparation of anethole

and isosafrole oxides, A., i, 951. Hörlein, Heinrich, and Rudolf Kneisel, formation of an octacyclic polymeride from γ chloropropylpiperidine, A., i, 458.

Hörlein, Heinrich. See also Ludwig Knorr.

Hoernes, Philipp. See Alex. Adensamer and Zdenko Hanns Skraup. Hörnstein, Franz. See Carl Paal.

Hoessli, Hans. See Franz Knoop.

Hoesslin, Heinrich von, the fate of choline in the animal body, A., ii, 294. chemical changes in the blood after bleeding, A., ii, 776.

Hoff, Jacobus Henricus van't, formation of oceanic salt deposits; the occurrence of calcium compounds up to 25°, A., ii, 36.

geological thermometer, A., ii, 36.

formation of oceanic salt deposits. XLVIII. Limit of existence and decomposition of boronatrocalcite; tricalcium pentaborate and the artificial production of pandermite, A., ii, 619.

formation of oceanic salt deposits. XLIX. Artificial production of cole-

manite, A., ii, 863.

Hoff, Jacobus Henricus van't, and Hermann Barschall, mutual relationship of potassium and sodium sulphates, A., ii, 666.

Hoff, Jacobus Henricus van't, and U. reciprocal transformation of calcium monoborates, A., ii, 668.

Hoff, Jacobus Henricus van't, and Walter Charles Blasdale, formation of oceanic XLV. Formation of salt deposits. tincal and octahedral borax, A., ii,

Hoff, Jacobus Henricus van't, and Joh. D'Ans, formation of oceanic salt deposits. XLIV. Limit of existence of tachhydrite at 83°, A., ii,

formation of oceanic salt deposits.

XLVII., A., ii, 456. Hoff, Jacobus Henricus van't, Peder Farup, and Joh. D'Ans, formation of oceanic salt deposits. XLVI. Anhydrite, salt deposits. syngenite, glauberite, and penta-salt at 83°, and the formation of calcium chloride and tachhydrite, A., ii, 236.

Hoffman, E. J. See Karmon Northrop Morse.

Hoffmann, Berthold. See Alfred Stock. Hoffmann, Friedrich, and Rudolf Rothe, change of state of liquid sulphur, A., ii, 279.

Hoffmann, Josef, Knapp's boron-ultramarine, A., ii, 545. preparation of boron sulphide from

ferroboron, A., ii, 745.

Hoffmann, M., manurial experiments with lime, A., ii, 193.

Hoffmann, Martin, condensation of o-methylquinaldine [2:8-dimethylquinoline] with aldehydes, A., i, 40.

Hoffmann, W., influence of carbon dioxide under high pressure on the bacteria in water and in milk, A., ii, 695.

Hoffmann, La Roche & Co., F., benzoylsalicylic [o-benzoyloxybenzoic] acid, A., i, 669.

preparation of sodium theobromine formate, A., i, 881.

Hoffmeister, Camill, presence of a gaseous hydride of calcium in technical acetylene, A., ii, 162.

Hoffmeister, "soluble" Wilhelm, behaviour of phosphoric acid and its movements in the soil, A., ii, 120.

Hofmann, Karl Andreas, compounds of chromium tetroxide with ethylenediamine and hexamethylenetetramine, A., i, 805.

Hofmann, Karl A., and H. Arnoldi, remarkable difference in the behaviour of homologous cyclic molecules towards ammonio-nickel cyanide, A., i, 153.

decomposition of hydroxylamine in presence of hydrogen ferrocyanide: formation of crystalline ferrocyanideviolet and nitroprusside, A., i, 562. diazonium perchlorates, A., i, 907.

Hofmann, Karl A., and H. Hiendlmaier, oxidation by burning potassium, A.,

ii, 747.

Hofmann, Karl A., and F. Resenscheck, blue iron-cyanogen compounds and the cause of their colour. III., A., i, 75.

Hofmann, Karl A., and E. Seiler, compounds of mercuric chloride and alcohols with dicyclopentadiene, A., i, 786.

Hofmann, R. von. See Robert Kremann. Hofmann, Robert. See Robert Pschorr. Hoitsema, Copius, assay of silver coins in

bulk, A., ii, 197.

Holborn, Ludwig [Friedrich Christian], and Fritz Henning, specific heat of superheated steam, A., ii, 147.

Holde, David, experiments with new apparatus for elementary analysis (Dennstedt and Heraeus furnaces), A., ii, 398.

Holdermann, Karl, mercuric oxycyanide, A., i, 75, 411.

the influence of catalysts on substitution in the aromatic nucleus, A., i, 439.

Holdermann, Karl. See also Roland Scholl.

Holleman, Arnold Frederik, nitration of o- and m-dibromobenzenes, A., i, 345. influence of the added substance on substitution in aromatic nuclei, A., i, 412.

problem of substitution in the benzene ring, A., i, 489.

preparation of pinacone, A., i, 619. explanation of the substitution of aromatic compounds, A., i, 818.

fluoro-aromatic compounds, A., i, 941.

Holleman, Arnold Frederik, and Foeko Hendrik van der Laan, bromination of toluene, A., i, 154.

Holleman, Arnold Frederik, and Carel Herman Sluiter, nitration of acetanilide, A., i, 649.

Holley, Clifford D., [estimation of] sodium sulphite in foods, A., ii, 800.

Hollmann, M. See Gustav Frerichs.
Holloway, George Thomas, simple arrangement of lenses for reading the graduations of chemical and assay

balances, A., ii, 221.

assay of mercury ores, A., ii, 308. **Holmberg**, B., thiocarbonates, A., i, 330.

dithioearbamoglycollic acid (carboxy-methyldithiourethane), A., i, 811.

Holmes, John, contributions to the theory of solutions. I. The nature of the molecular arrangement in aqueous mixtures of the lower alcohols and acids of the paraffin series. II. Molecular complexity in the liquid state. III. Theory of the intermiscibility of liquids, T., 1774; P., 272.

Holmes, Willis Boit. See Alexander Smith.

Holmes, W. E. See Henry Richardson Procter.

Holtschmidt, Wilhelm, estimation of carbonic acid, A., ii, 580.

Holty, Joseph Gerard, solubility and specific rotatory power of carbohydrates and certain organic acids and bases in pyridine and other solvents, A., ii, 61.

Honcamp, Fr., food value and digestibility of oat, lentil, and pea husks, A., ii, 701.

Honda, Kōtarō, and Sumu Shimizu, magnetisation and magnetic change of length in ferro-magnetic metals and alloys at temperatures ranging from -186° to +1200°, A., ii, 69.

Hoogenhuyze, C. J. C. van, and H. Ver-

Hoogenhuyze, C. J. C. van, and H. Verploegh, exerction of creatinine in man, A., ii, 186.

Hoogenhuyze, C. J. C. van. See also Cornelis Adrianus Pekelharing.

Hopkins, B. S. See Harmon Northrop Morse.

Hopkinson, Bertram, explosions of coalgas and air, A., ii, 440.

Hoppe, Eduard, preparation of hydrogen chloride and bromide from their constituent elements. A., ii, 605.

stituent elements, A., ii, 605. Horkheimer, Paul. See Martin Freund. Horn, David Wilbur, cuprammonium salts, A., ii, 231.

variable sensitiveness in the colorimetry of chromium, A., ii, 253.

Horn, David Wilbur, and Sue A. Blake, variable sensitiveness in colorimetry. II., A., ii, 703, and III., 893.

Horn, M. See Erwin Rupp.

Hornberger, Richard, litter and nitrogen [fixation], A., ii, 47.

Horne, William Dodge, influence of the lead precipitate on the polarisation of sugar, A., ii, 400.

Horton, F., electrical conductivity of metallic oxides, A., ii, 260.

Hostelet, G., experimental study of the three parts of an electrolytic cell and their relationships, A., ii, 67.

Hotter, Eduard, chemical composition of Styrian fruits, A., ii, 796.

Hotz, Walter. See Hans Rupe.

Houben, [Heinrich Hubert Maria] Josef, syntheses of carboxylic acids. II., A., i, 21.

preparation of borneol and bornyl acetate from pinene hydrochloride, A., i, 440.

esterification of alcohols and phenols, A., i, 520.

Houben, Josef, and Walter Brassert, alkylation and arylation of anthranilic acid, A., i, 845.

Houben, Josef, and Hans Doescher, dihydropinenesulphinic acid, dihydropinenecarbithionic acid, thioborneol, and thiocamphor, A., i, 970.

Houben, Josef, [with Heinrich Pohl], carbithionic acids. I. Arylearbithionic

acids, A., i, 847.

Houghton, Elijah Mark, p-ethoxyphenylcamphorylimide (camphenal) as an antipyretic, A., ii, 188, 379.

Houillon, L. See Edmond Émile Blaise.

House, H. D., and William John Gies, influence of aluminium ions on lupin seedlings, A., ii, 191.

seedlings, A., ii, 191.

Howard, Bernard Farnborough, and F. Perry, salts of the alkaloid cinchonamine. A., i. 102.

amine, A., i, 102.

Howard, Burton J. See Willard Dell
Bigelow.

Howard, David, einchona barks and their cultivation, A., ii, 248.

Howard, Kenneth S.; analysis by John M. Davison, the Estacado aerolite, A., ii, 685.

Howell, William Henry, vagus inhibition and salts of the blood, A., ii,

amino-acids in blood and lymph, A., ii, 868.

non-coagulable proteid in blood, A. ii, 868.

Howitz, Joh., and Paul Nöther, halogen derivatives of 8-methylquinoline and nitro-8-quinolinealdehyde, A., i, 885.

Hubbard, Robert Arnold, See Gregory Paul Baxter.

Huber, Otto, volumetric estimation of sulphates with benzidine hydrochloride in presence of thiosulphates, sulphites, and sulphides, A., ii, 48.

Huber, R. See Alfred Werner.

Hubert, A., estimation of the free and combined tartaric acid in wine, A.,

estimation of volatile acidity in wines, A., ii, 635.

Hübener, G., assay of sodium thiosulphate, A., ii, 196.

Carl,bituminous Hübner, lignite ("Schweelkohle"), A., ii, 552.

Hübner, Eduard. See Karl Fries.

Hübner, H., 3-phenylcinchonic acid, A., i, 383.

Hünseler, Fritz. See Hermann Grossmann.

Hüttner, Karl. See Otto Wallach.

Hufschmidt, Carl. See Robert Behrend. Hugot, Charles, action of gaseous ammonia on phosphorus tribromide or tri-iodide, A., ii, 83.

Hugounenq, Louis [Marie Joseph], ovovitellin, A., i, 324.

Hugounenq, Louis, and J. Galimard, diamino-acids derived from albumin, A., i, 776.

Hugounenq, Louis, and Albert Morel, synthesis of amino-acids of proteid origin, A., i, 85.

hæmatogen and the formation of

hæmoglobin, A., i, 468. the true nature of the "leucines" and "glucoproteins" obtained by Schützenberger in the decomposition of proteid matter, A., i, 719.

formation of hæmoglobin in the embryo, A., ii, 95.

Huiskamp, Willem, fibrinoglobulin, A.,

precipitation of serum-globulin from blood-serum by means of acetic acid, A., i, 224.

Hulett, George · Augustus, preparation of nitrogen from the atmosphere, A., ii, 18.

Hunke, L. See Theodor Zincke. Hunt, W. F. See Edward Henry Kraus. Hunter, Andrew, precipitins of snake antivenoms and antisera, A., ii, 113.

Hunter, Andrew. See also Emil Abderhalden and Chalmers Watson.

Hunter, Matthew A., molecular aggregation of liquefied gases, A., ii, 524.

Hurmuzescu, Dragomir, specific action of metals in electric discharge by X-rays and secondary rays; rôle of the metal in the transformation of X-rays into secondary rays, A., ii, 259.

Hurmuzescu, Dragomir. See also Émile

Hurst, H. E., genesis of ions by collision and sparking-potentials in carbon dioxide and nitrogen, A., ii, 262.

Hurt, H. H. See Fletcher Pearre Veitch. Hurtley, William Holdsworth. See Archi-

bald Edward Garrod.

Hussak, Eugen, composition of chalmersite, A., ii, 553.

gyrolite and other zeolites from Brazil, A., ii, 555.

"phosphate favas" from the diamantiferous sands of Brazil, A., ii, 767.

Hutchinson, H. B., formation of crystals in cultures of denitrifying bacteria, A., ii, 477.

Hutton, Robert Salmon. See John Norman Pring.

I.

Ibele, Josef. See Emil Besthorn and Wilhelm Koenigs.

Ihering, A. von, Siepermann-Fudickar water pump, A., ii, 433.

Imhoff. See Spitta.

Immendorff, Heinrich, preservation of farm-yard manure, A., ii, 487.

Inada, Ryokichi, the occurrence of glyoxylic acid in urine, A., ii, 109.

Inamura, R., efficacy of calcium cyanamide under different conditions, A., ii. 891.

Ingle, Herbert, [amount of nitrogen as ammonia and nitrates in rain-water collected at Pretoria], A., ii, 302.

Inglis, John Kenneth Harold, loss of nitre in the chamber process, A., ii, 226.

isothermal distillation of nitrogen and oxygen and of argon and oxygen, A., ii, 332.

Inglis, John Kenneth Harold, and Joseph Edward Coates, the densities of liquid nitrogen and liquid oxygen and their mixtures, T., 886; P., 146.

Inouge, Katsuji, the nucleic acid from spermatozoa of Muraenesoxcincreus, A., i, 775.

Inouye, Katsuji, and Y. Kotake, nucleic acid of the intestine, A., i, 55.

Inouye, T. See R. Ischidzu.

Irvine, James Colquhoun, resolution of lactic acid by morphine, T., 935; P., 159.

Irvine, James Colquhoun, and (Miss) Agnes Marion Moodie, the addition of alkyl halides to alkylated sugars and glucosides, T., 1578; P., 204.

Irvine, James Colquhoun, and Robert Evstafieff Rose, the constitution of salicin. Synthesis of pentamethyl salicin, T., 814; P., 113.

Irvine, James Colquhoun. See also David Fraser Harris.

Isaac, Eduard. See Otto Wallach.

Florence. Isaac, (Miss) See Alexander Miers.

Isay, Oskar, synthesis of purine, A., i. 218.

Ischidzu, R., and T. Inouye, decomposition of urotropine (hexamethylenetetramine), A., i, 402.

Issoglio, Giovanni, derivatives of benzoyl-

acetone, A., i, 862.

Itallie, Leopold van, catalases of blood, A., ii, 238, 461.

differentiation of body fluids containing proteid, A., ii, 316.

examination of body juices, A., ii,

Itallie, Leopold van, and C. H. Nieuwland, copaiba balsam from Surinam, A., i, 596.

seeds and oil of Morynga pterygosperma, A., ii, 386.

the seeds and oil of mountain ash berries, A., ii, 573.

Iterson, G. van, jun., deduction of several common formulæ from a general equation of state, A., ii, 11.

Iwanoff, K. S., sugar formation in the isolated liver, A., ii, 466.

J.

Jaboulay, Émile, estimation of carbon in iron-alloys, A., ii, 802.

Jackson, Charles Loring, and M. C. Boswell, action of iodine chloride on catechol, A., i, 496.

Jackson, Charles Loring, and Latham Clarke, additive compounds of arylamines with aromatic nitro-derivatives, P., 83.

curcumin, A., i, 596.

action of bromine on dimethylaniline. II., A., i, 828.

Jackson, Charles Loring, and L. D. MacLaurin, derivatives of tetrachloroo-benzoquinone, A., i, 97.

Jackson, Charles Loring, and Frederick William Russe, certain derivatives of tetrabromo-o-benzoquinone, A., i, 288.

4:6-dibromo-o-phenylenediamine, A., i, 307.

Jackson, Frederick G. See Theodore William Richards.

Jackson, Herbert, and Dudley Northall-Laurie, the behaviour of vapours of methyl alcohol and acetaldehyde with electric discharges of high frequency, T., 1190; P., 156; discussion, P., 156.

the behaviour of acetylene with electrical discharges of high frequency;

P., 155.

Jackson, H. Louis. See Richard Blair Earle.

Jackson, Richard F. See Gilbert Newton Lewis.

Jacob, Ludwig, feeding experiments with simple food-stuffs on pigeons and rats, A., ii, 561.

Jacobi, C., and Heinrich Walbaum, the limit of safety in adding sulphurous acids to foods, A., ii, 465.

Jacobs, Walter A. See Emil Fischer.

Jacobsen, Jules, the physiological action of formaldehyde, A., ii, 473.

Jacobsohn, Felix. See Arthur Rosenheim.

Jacoby, Martin. See Samuel Bondi. Jaeger, Carl.See Rudolph Tambach.

Jaeger, Frans Maurits, derivatives of phenylcarbamic acid, A., i, 15.

diphenylhydrazine, hydrazobenzene, and benzylaniline, and miscibility of the last two with azobenzene, stilbene, and dibenzyl in the solid state, A., i, 112.

isomorphous substitution of the elements fluorine, chlorine, bromine, and iodine in organic molecules, A., i, 273.

[crystallographic measurements of] derivatives of phenylcarbamic acid, A., i, 500.

new case of form-analogy and miscibility of position-isomeric benzene derivatives and the crystalline forms of the six dibromonitrobenzenes, A., i, 641.

crystallographic characters of some organic compounds, A., i, 642.

crystalline forms of the 2:4-dinitroaniline derivatives substituted in the NH₂-group, A., i, 649.

the fatty esters of cholesterol and phytosterol, and the anisotropic liquid phases of cholesterol derivatives, A., i, 742.

researches on the thermic and electric conductivity power of crystallised

conductors, A., ii, 653.

miscibility of crystallised phases, A., ii, 657.

Jaeger, Frans Maurits, and Jan Johannes Blanksma, the six isomeric tribromoxylenes, A., i, 9.

Jäger, Friedrich. See Otto Wallach.

Jaeger, P. See Richard Meyer.

Jaeger, Wilhelm [Ludwig], and Helmuth von Steinwehr, elimination of thermometer lag in calorimetry, A., ii, 216.

Jänecke, Ernst, new method of representing graphically aqueous solutions of two and three salts with the same ion, reciprocal pairs of salts, and van't Hoff's investigation on oceanic salt deposits, A., ii, 833.

Jaffé, Max, formation of creatinine in

the organism, A., ii, 783.

Jagellowitsch, W. See Alexis V Saposhnikoff.

Jahn, Stephan, ozone. II., A., ii, 225.

James, Carlton C. See Harry Drake Gibbs.

James, Thomas Campbell. See John Joseph Sudborough.

Jameson, P. E., precipitation of metallic gold, A., ii, 35.

Jamieson, George Samuel. See Treat Baldwin Johnson.

Jannasch, Paul [Ehrhardt], separation of chlorine and bromine in acid solution by hydrogen peroxide, A., ii, 894.

Jannasch, Paul, and Willy Gottschalk, use of ozone in quantitative analysis, A., ii, 577.

Jannasch, Paul, and E. Heimann, quantitative vaporisation of phosphoric acid from its salts, A., ii, 745.

Jannasch, Paul, and Fr. Zimmermann, use of hydrogen peroxide in the quantitative separation of the halogens, A., ii, 194.

Janssens, L. C., estimation of glycerol by distillation, A., ii, 808.

Jaquerod, Adrien, and François Louis Perrot, melting point of gold and expansion of gases at high temperatures. III., A., ii, 34.

Jassonneix. See Binet du Jassonneix.

Jaubert, George F., action of acetylene on iodine pentoxide, A., ii, 125. commercial preparation of calcium hydride, A., ii, 352.

Jaweloff, J., action of ammonium cyanide on ketones of the series $CO(C_nH_2^{n-})(C_nH_{2^{n+}1})$, A., i, 426.

Jean, Ferdinand, detection of cocoanut oil in butter by the silver numbers, A., ii, 403.

Karité butter, A., ii, 589.

Jeffers, Ernest Haynes. See Leonard Temple Thorne.

Jeffery, J. A. See Franklin Hiram King.

Jelinek, Johann. See Julius Stoklasa.

Jellinek, Karl, velocity of decomposition of nitric oxide and its dependence on the temperature, A., ii, 437.

Jenkins, Charles D., estimation of total sulphur in illuminating gas, A., ii,

Jescheck, Fritz. See Karl Auwers.

Jex-Blake, Arthur John. See Georges Dreyer.

Jitschy, P., presence of hydrogen cyanide in the distillates of some Belgian plants, A., ii, 882.

Joannis, [Jean] Alexandre, sodammonium and potassammonium, A., ii, 161.

Job, André, oxidations by air; problem of the comparison of velocities, A., ii, 531.

Jodlbauer, A., further investigations whether fluorescent substances act in the dark, A., ii, 462.

Jodlbauer, A., and Hermann von Tappeiner, action of light on enzymes in oxygen and in hydrogen, compared with the action of photodynamic substances, A., i, 720.

influence of light on ferments (invertase) in the absence of oxygen, A., i, 917.

action of fluorescent substances on toxins, A., ii, 462.

dependence of the action of fluorescent substances on their concentration, A., ii, 511.

Jörgensen, Gunner, new modification of the estimation of phosphoric acid by precipitation as magnesium am monium phosphate, particularly in regard to manures, A., ii, 579.

Jörgensen, Sofus Mads, constitution of platinum bases, A., i, 338.

Jörgensen, Sofus Mads, and Sören Peter Lauritz Sörensen, a new red compound isomeric with Magnus' green salt, A., ii, 289.

Johannsen, Otto. See Otto Ruff.

Johns, Carl Oscar. See Treat Baldwin Johnson.

Johnsen, Arrien, Vesuvian ash of April, 1906, A., ii, 621.

Johnson, Charles M., estimation of carbon in iron and steel by direct combustion with red lead, A., ii, 630.

Johnson, Edward S., estimation of carbon disulphide and total sulphur in commercial benzene, A., ii, 799.

- Johnson, Treat Baldwin, [with Ernest Bateman, Charles Andrew Brautlecht, and Erik Schjöth Palmer], thiocyanates and thiocarbimides. VI., A., i, 954.
- Johnson, Treat Baldwin, and George Samuel Jamieson, molecular rearrangement of unsymmetrical diacyl-\(\psi\)-thiocarbamides to isomeric symmetrical derivatives, A., i, 351.

Johnson, Treat Baldwin, and Carl Oscar Johns, pyrimidines; 2:2-diamino-6-oxypyrimidine. XII., A., i, 113.

derivatives of 5-iodopyrimidine: 5-iodocytosine, A., i, 455.

researches on furans; 2:5-dicarbethoxy-3:4-diketotetrahydrofuran, A., i, 874.

Johnson, Treat Baldwin, Carl Oscar Johns, and Frederick W. Heyl, pyrimidines: 5-nitrocytosine and its reduction to 5:6-diamino-2-oxypyrimidine. XVII., A., i, 770.

Johnson, Treat Baldwin, and Elmer V.

McCollum, certain derivatives of
benzenesulphonylaminoacetonitrile,
A., i, 156.

pyrimidines: synthesis of isobarbituric acid and of 5-hydroxycytosine, A., i, 704.

pyrimidines: action of potassium thiocyanate on imide chlorides. XV., A., i, 768.

pyrimidines: formation of purines from carbamidopyrimidines. XVI., A., i, 769.

Johnson, Treat Baldwin, and Harold A. Meade, [with Walter C. Chalker], o-, m-, and p-iodohippuric acids, A., i, 852.

Johnson, Treat Baldwin, and George A. Menge, pyrimidines. XVIII. 5-Ethylcytosine, A., i, 986.

Johnson, William A. See John Harper Long.

Johnston, H. M. See William Henry Thompson.

Johnston, John, affinity constants of amphoteric electrolytes. I. Methyl derivatives of p-aminobenzoic acid and of glycine, A., ii, 733.

of glycine, A., ii, 733.

Johnston, S. M., boiling points of aqueous solutions, A., ii, 9.

Joist, Matthias, and Walther Löb, pyrogenic behaviour of tetrachloroethylene, acetyl chloride, trichloroacetic acid, and bromoform, A., i, 130.

Jolles, Adolf [F.], volumetric estimation of pentoses, A., ii, 203. estimation of acetone, A., ii, 401.

Jones, Bernard Mouat. See Thomas Crook and Wyndham Rowland Dunstan.

Jones, Harry Clary, bearing of hydrates on the temperature-coefficients of conductivity of aqueous solutions, A., ii, 327.

Jones, Harry Clary, and Eugene C. Bingham, conductivity and viscosity of solutions of certain salts in mixtures of acetone with methyl alcohol, ethyl alcohol, and water, A., ii, 66.

Jones, Harry Clary, and Leroy Mc-Master, formation of alcoholates by certain salts in solution in methyl and ethyl alcohols, A., i, 329.

conductivity and viscosity of solutions of certain salts in water, methyl alcohol, ethyl alcohol, acetone, and binary mixtures of these solvents. V., A., ii, 737.

Jones, Harry Clary, and Charles A.
Rouiller, relative migration velocities
of the ions of silver nitrate in water,
methyl alcohol, ethyl alcohol, and
acetone, and in binary mixtures of
these solvents, together with the conductivity of such solutions, A., ii,
827.

Jones, Humphrey Owen, absence of isomerism in substituted ammonium compounds, A., i, 15.

Jones, Humphrey Owen. See also (Sir)

James Dewar and (Miss) Mary

Beatrice Thomas.

Jones, Walter, and C. R. Austrian, the ferments which participate in nuclein metabolism, A., ii, 561.

Jonescu, D., excretion of antipyriue by the human organism, A., ii, 565. precipitation and estimation of alkaloids with potassium bismuth iodide, A., ii, 637.

Jong, Anne Willem Karel de, action of bromine on cocaine, A., i, 301.

transformations of salts of pyruvic acid. IV., A., i, 623.

extraction of coca leaves, A., i, 978. occurrence of quebrachitol in the latex of *Herea brasiliensis*, A., ii, 248.

assay of the alkaloids of Javanese coca, A., ii, 315.

the alkaloids of coca, A., ii, 625.

Jongkees, W. J. A. See R. A. Weerman.

Jordan, Whitman H., Edwin Bret Hart, and A. J. Patten, physiological effects of certain phosphorus compounds on milch cows, A., ii, 472.

Jordis, Eduard [Friedrich Alexander], preparation and purification of the hydrogel of silicic acid, A., ii, 84.

Jordis, Eduard, and Wilhelm Ludewig, analysis of silicates. II., A., ii, 51:

Jorissen, Willem Paulinus, amount of chlorine in rain-water, A., ii, 486.

Jorissen, Willem Paulinus, and Wilhelm Eduard Ringer, decomposition of iodoform dissolved in chloroform by diffused daylight and by radium rays, A., i, 475.

phosphorescence of zinc sulphide, A., ii, 448.

estimation of dissolved oxygen in sea water, A., ii, 490.

action of radium rays on mixtures of hydrogen and chlorine and of hydrogen and oxygen, A., ii, 515.

conductivity of air in contact with autoxidising substances, A., ii, 518.

Joseph, Alfred Francis, reciprocal displacement of acids in heterogeneous systems, T., 823; P., 82.

Joseph, Don R. See Orville H. Brown. Jovitschitsch, Milorad Z., synthesis of derivatives of ethyl acetoacetate. II., A., i, 230.

constitution of fulminic acid, A., i, 732.

Jowett, Hooper Albert Dickinson, and Archie Cecil Osborn Hann, preparation and properties of some new tropeines, T., 357; P., 61.

Jowett, Hooper Albert Dickinson, and Frank Lee Pyman, relation between chemical constitution and physiological action in the tropeines, P., 317.

some derivatives of salicylic acid, P., 317.

Juckenack, Adolf. See Heinrich Lührig. Jüptner [von Jonstorff], Hanns (Freiherr) von, researches on vapour pressure, A., ii, 522.

chemistry of iron, A., ii, 614.

Juillard, Paul, nitrodiphenylamines, A., i, 12.

Jungfleisch, Emile [Clément], andMarcel Godchot, l-lactic acid, A., i,

the lactide of l-lactic acid, A., i, 333. Jungfleisch, Emile, and Henri Leroux, the constituents of the gutta-percha from Palaquium Treubi, A., i, 525.

K.

Kaas, Carl. See Emil Fischer.
Kaas, Karl, amount of phosphorus in egg-albumin, A., i, 776.

Kadiera, Viktor. See Emilio Noelting. Kämmerer, Hermann. See Walter Dieckmann.

Kahan, (Miss) Zelda. See (Miss) Ida Guinevere O'Donoghue.

Kahlenberg, Louis [Albert Berthold], theory of electrolytic dissociation, A., ii, 68.

nature of the process of osmosis and osmotic pressure with observations concerning dialysis, A., ii, 337.

Kahlenberg, Louis, and Roland B.
Anthony, specific inductive capacity of solutions of the cleates of the heavy

metals, A., ii, 825.
Kahn, H. Morel, solubility of carbon in calcium carbide, A., ii, 538.

Kailan, Anton, esterification of benzoic acid by means of alcoholic hydrogen chloride, A., ii, 659.

Kailan, Anton. See also Rudolf Wegscheider.

Kaiser, [Friedrich Wilhelm] Erich, crystalline form of pyrrhotite, A., ii, 455.

separating apparatus for heavy liquids, A., ii, 662.

Kaiser, Robert. See Friedrich Kehr-

Kaisin, F., crystals of s-tetrachloroisopropylformal, A., i, 5.

Kalähne, [Friedrich Wilhelm Hermann] Alfred, radiation of quinine sulphate, A., ii, 2.

Kalb, Ludwig. See Richard Willstätter. Kalberlah, F. See Gustav Embden.

Kalischeff, A., preparation and properties of β-cumenyl-α-ethylhydracrylic acid, A., i, 178.

Kalle & Co., hydroxyphenylrosindulines, A., i, 314.

polyazo-compounds, A., i, 324.

preparation of bromodialky lacetamides, A., i, 485, 634.

derivatives of 3-amino-p-cresol-5-sulphonic acid, A., i, 658.

preparation of 4-chloro-a-naphthol, A., i, 659.

production of colloidal preparations containing gold, silver, or copper, A., i, 912.

Kalmthout, P. C. J. van. See Nicolaas Schoorl.

Kamberský, O., effect of impregnating with nutritive salts on the germination of seeds, A., ii, 481.

Kanitz, Aristides, pancreas steapsin and the velocity of fat hydrolysis produced by enzymes, A., i, 328.

affinity constants of some hydrolytic products from albumin, A., ii, 603.

Kanolt, Clarence Whitney. See John Livingston Rutgers Morgan.

Kantorowicz, Hermann. See Franz Sachs.

Kantscheff, W. See Pavel Iw. Petrenko-Kritschenko.

Karaoglanoff, Z., oxidation and reduction in the electrolysis of salts of iron, A., ii, 145.

Karo, Walther. See Robert Pschorr.

Karpa, J., rigor mortis, A., ii, 374.

Kasarnowski, H. See Lothar Wöhler. Kaselitz, O. See Otto Kühling.

Kaserer, Hermann, oxidation of hydrogen and methane by micro-organisms, A., ii, 113.

oxidation of hydrogen by micro-organisms, A., ii, 697.

Kassner, Georg [Max Julius], diffusion of gases, A., ii, 273.

Kast, Hermann, freezing and melting points of glyceryl nitrate, A., i, 922.

Kastle, Joseph Hoeing, influence of chemical constitution on the lipolytic hydrolysis of esters, A., i, 548. action of ozone and other oxidising agents on lipase, A., i, 615.

stability of oxydases and their behaviour towards various reagents, A., i, 615.

behaviour of phenolphthalein in the

animal organism, A., ii, 473. test for "saccharin" and a simple method of distinguishing coumarin from vanillin, A., ii, 503.

Katayama, Tomio, degree of stimulating action of manganese and iron salts on barley, A., ii, 888.

condensed vegetable milk, A., ii, 889. vegetable cheese from the proteid of the soy bean, A., ii, 889.

Katzenellenbogen, Marjam, the influence of diffusibility and the solubility of lipoids on the rate of intestinal absorption, A., ii, 780.

Katzenstein, A. See Alfred Schitten-

Kauffmann, Hugo [Josef], constitution and colour of nitrophenols, A., i, 577. condition of benzene derivatives as deduced from the magnetic rotation, A., ii, 520.

Kauffmann, Hugo, and W. Franck, distribution of auxochromes in the

molecule, A., i, 841.

Kauffmann, Hugo, [with Adolf Grombach], fluorogen groups; a contribution to the theory of partial valencies, A., i, 283.

Kauffmann, Hugo, and Erwin de Pay, derivatives of the volatile nitroresorcinol, A., i, 168.

Kaufler, Felix, kinetics of successive reactions, A., ii, 424.

Kaufler, Felix. See also Robert Gnehm. Kaufmann, Adolf, and Herman Decker, quinoline derivatives. II. Nitration of quinoline and its mononitro-derivatives, A., i, 984.

Kaufmann, H. See Leopold Spiegel. Kaufmann, William Perot. See William Robert Lang.

Kautzsch, Karl. See Emil Abderhalden and Hans Stobbe.

Kay, Francis William, and William Henry Perkin, jun., experiments on the synthesis of the terpenes. VIII. Synthesis of the optically active modification of Δ^3 -p-menthenol(8) and $\Delta^{3,8(9)}$ -p-menthadiene, T., 839; P., 72.

experiments on the synthesis of the terpenes. Part IX. The preparation of cyclopentanone-4-carboxylic acid and of cyclohexanone-4-carboxylic acid (δ-ketohexahydro-benzoic acid), T., 1640; P., 269. e, John. See Thomas Stewart

Kaye, John. Patterson.

Kayser, Gustav. See Arthur Kötz.

Kayser, R., the acids occurring in raspberry juice, A., ii, 387.

Kehrmann, [Johann August Ludwig] Friedrich, coloured and colourless diimines, A., i, 46.

Kehrmann, Friedrich, [with Emil Bühler, Max Mattisson, and Walter Urech], oxidation products of o-aminophenols, A., i, 210.

Kehrmann, Friedrich, and Alfred Duttenhöfer, aromatic sulphine bases, A., i, 83, 949.

dimethylpyrone methiodide, A., i, 447.

methylene-azure, A., i, 460.

Kehrmann, Friedrich, and Kaiser, a new dinitrodiphenylamine, A., i, 12.

Kehrmann, Friedrich, [with K. Modebadzé and Victor Vesely], constitution of thiazine and oxazine dyes, A., i, 306.

Kehrmann, Friedrich, and H. Prager, oxidation of diaminophenols, A., i,

Kelhofer, W., gravimetric estimation of sugar by means of Fehling's solution, A., ii, 311.

Keller, O. See M. Wintgen.

Kellner, Oscar [Johann], importance of asparagine and lactic acid for the feeding of non-carnivorous animals, A., ii, 193.

the action of non-proteid nitrogenous substances on nitrogenous metabolism in animals, A., ii, 690.

Kelly, Robert Ernest. See Benjamin Moore.

Kemp, George Theoph., and E. R. Hayhurst, survival respiration of muscle, A., ii, 178.

Kempf, R., oxidation of ammonia by alkali persulphates in alkaline solution, A., ii, 19.

oxidations with silver peroxide. I. Oxidation of oxalic acid, A., ii, 24. oxidations with silver peroxide. II.

Formation of nitric acid from ammonium persulphate, A., ii, 25.

shaking apparatus fitted with a gas delivery tube and a temperature regulator, A., ii, 433.

Kennon, William Lee. See Harmon Northrop Morse.

Kenyon, Joseph. See Robert Howson Pickard.

Kessler, Alex. See ReinholdvonWalther.

Kessler, Johannes. See August Klages. Kette, Alfred, new triangle for crucibles, A., ii, 14.

Kickton, A., estimation of sugar in coloured and decolorised solutions and the estimation of lævulose and dextrose, A., ii, 255.

Kiesel, A., changes in the nitrogenous constituents of green plants in the

absence of light, A., ii, 882. Kieser, August. See Wilhelm Manchot. Kiessling, Walther, condensation of ethyl acetoacetate \mathbf{a} nd phenylcarbamide, A., i, 946.

Kietreiber, Franz, estimation of manganese in cast iron (ferro-manganese, spiegeleisen), A., ii, 494.

Kiliani, Heinrich, digitoxose, A., i, 66.

Kinder, H., sources of error in the titration of iron with permanganate, A., ii, 582.

King, Franklin Hiram, J. A. Jeffery, and A. R. Whitson, development and distribution of nitrates and total watersoluble salts in field soils, A., ii, 46.

King, Percy E. See Arthur George Green.

Walter E. King, See James Bert Garner.

Kipke, Carl. See Karl Auwers.

Kircher, Adolf. See Ernst Schmidt. Kirpal, Alfred, 3-benzoylpicolinic acid,

A., i, 694. quinolinic esters, A., i, 697.

Kirschbraun, L. See Alfred Holmes White.

Kirschner, Aage, estimation of fat in cocoa, A., ii, 502.

Kisch, Franz, post-mortem disappearance of glycogen in the muscles, A., ii, 562. Kistiakowsky, Władimir A., a rule for capillary phenomena analogous to Trouton's rule for the latent heat of evaporation, A., ii, 655.

silver titration voltameter, A., ii, 826.

Kitchin, Edward Stanhope, and William George Winterson, malacone, a silicate of zirconium, containing argon and helium, T., 1568; P., 251.

Klages, [Wilhelm] August [Hermann], alkaloidal salts of t-sec-butylbenzenesulphonic acid, A., i, 568.

hydrobenzoin, A., i, 674.

Klages, August, and Johannes Kessler, unsymmetrical diphenylethylene oxide, A., i, 498.

Klages, August, and Karl Klenk, attempts to synthesise phenylallene, A.,

Klages, August, [with Ernst Lauck and Karl Gieser], reduction of aromatic carbinols, A., i, 661.

Klages, August, and Richard Sautter, optically active benzene hydrocarbons. III., A., i, 489.

Klages, August, and Fritz Sommer, reduction of partially hydrogenated benzenes, A., i, 566. Klason, [Johan] Peter, and Tor Carlson,

thioglycollic acid, A., i, 232.

organic nitrates, A., i, 787. volumetric determination of organic hydrosulphides and thio-acids, A.,

ii, 255. Klason, Peter, and John Köhler, chemical

investigation of resin from the pine

(Pinus Abies), A., i, 100.

Klason, Peter, and Evert Norlin, preparation of chemically pure methyl and ethyl alcohols; their specific gravities, A., i, 921.

Klaus, Alfred, absorption of thorium emanation, A., ii, 416.

Kleeman, R. D., recombination of ions made by α -, β -, γ -, and X-rays, A., ii, 720.

Kleemann, Andreas, malt diastase, A., ii,

Klein, Joseph, estimation of formic acid by potassium permanganate, A., ii, 812.

Kleine, A., estimation of chromium and manganese, A., ii, 495.

new apparatus for the estimation of sulphur and carbon, A., ii, 896.

Klenk, Karl. See August Klages. Klercker, Kj. Otto af, excretion of creatine and creatinine in man, A., ii, 295.

Klever, Helmut W. See Hermann Staudinger.

Kliegl, Alfred, nitro-derivatives of tetramethyldiaminobenzophenone, A., i, 433.

Kling, Max, and Otto Engels, estimation of potassium in potassium salts and mixed manures by Neubauer's modified Finkener's method, A., ii, 580.

Kling, Max. See also A. Halenke. Klobb, [Constant] Timothée, arnidiol phenylurethane, A., i, 843.

phenylurethane, A., 1, 843.

Klostermann, W. See Karl Fries.

Kluger, Wolfgang. See Josef Herzig.

Knaff-Lenz, Erich von. See Zdenko

Hanns Skraup.

Knecht, Edmund, analysis of indigo, A., ii, 910.

Knecht, Oskar.
Kneisel, Rudolf.
See Heinrich Hörlein.
Knett, Josef, indirect proof of the presence of radium in Carlsbad hot springs, A., ii, 412.
Knigge, G. See Franz Kunckell.

Knigge, G. See Franz Kunckell.

Knight, C. W., new occurrence of pseudo-

leucite, A., ii, 682.

Knight, C. W. See also T. T. Read.

Knight, Nicholas, and F. A. Menneke,

estimation of silica, A., ii, 803. **Knoevenagel**, [Heinrich] Emil [Albert], condensation of ketones with cyanoacetic and malonic acids, A., i, 482.

Knoevenagel, Emil, and Hans Beer, condensation products of high molecular weight from acetone; acid condensation of acetone, A., i, 964.

Knoevenagel, Emil, and Leo Blach, condensation products of high molecular weight from acctone; alkaline condensation of acetone, A., i, 964.

Knoevenagel, Emil, and Oskar Samel, carvone hydrate, A., i, 296.

Knoevenagel, Emil, and Rudolf Schwartz, synthesis of a ketone isomeric with xylitone, A., i, 963.

Knoll & Co., preparation of the hydrates of unsaturated organic compounds, A., i, 522.

preparation of normal esters from santal oil, A., i, 972.

Knoop, Franz, and Hans Hoessli, synthesis of α-amino-acids, A., i, 431.

Knoop, Franz. See also Adolf Windaus. Knorr, Ludwig, preparation of s-secondary hydrazines from antipyrines, A., i, 893.

Knorr, Ludwig, and William Hicks, a new case of tautomerism, A., i, 795.

Knorr, Ludwig, and Heinrich Hörlein, morphine. VII. Conversion of thebaine into codeinone and codeine, A., i, 449.

morphine. VIII. Trihydroxyphenanthrene from hydroxycodeine, A., i, 877.

Knorr, Ludwig, and A. Köhler, s-dimethylhydrazine, A., i, 817. Knorr, Ludwig, and Paul Reth, synthesis and degradation of an octacyclic nuclear-homologue of 1:4-dimethylpiperazine dimethochloride, A., i, 457.

Knorr, Ludwig, and Wilhelm Schneider, degradation of hydroxycodeine by exhaustive methylation, A., i, 449.

Knox, Joseph, ions derived from sulphur and complex ions containing mercury, A., ii, 608.

Koch, Hermann, isolation of pure selenium from the residues of the lead chamber, A., ii, 609.

Koch, Waldemar, excretion of creatinine, A., ii, 108...

metabolism of the nervous system, A., ii, 182.

the amount of lecithin in milk, A., ii, 467.

Koch, Waldemar, and William H. Goodson, chemistry of nerve degeneration, A., ii, 183.

Koch, Waldemar, and Herbert S. Woods, estimation of lecithins, A., ii, 136.

Köck, G., importance of formaldehyde in protecting plants, A., ii, 887.

Köhler, A. See Ludwig Knorr. Köhler, Friedrich. See Ernst Mohr.

Köhler, H. See Otto Wallach. Köhler, John. See Peter Klason.

Koenig, Adolf, the diamond problem, A., ii, 610.

König, James. See Lothar Wöhler. König, [Franz] Josef, estimation of cellul-

ose, lignin, and cutin in crude fibre, A., ii, 905.

König, Josef. August Fürstenberg, and Rudolf Murdfield, the cell membrane and its constituents, A., ii, 793.

König, Josef, Julius Hasenbäumer, and C. Coppenrath, some new properties of soils, A., ii, 303.

König, Josef, Alb. Spieckermann, and H. Kuttenkeuler, decomposition of vegetable foods [by micro-organisms] in absence of air, A., ii, 298.

König, Wilhelm, formation from furfuraldehyde of colouring matters derived from pyridine, A., i, 109. constitution of the cyanine dyes, A., i, 207.

König, Wilhelm. See also Richard Stoermer and Daniel Vorländer.

Koenigs, Wilhelm, and Alfons von Bentheim, condensation of 2:4:6-trimethylpyridine with benzaldehyde, A., i, 37.

Koenigs, Wilhelm, and Karl Bernhart, a tetrahydroaldehydecollidine [2-methyl-5-ethyltetrahydropyridine], A., i, 36.

Koenigs, Wilhelm, [with Karl Bernhart and Josef Ibele], meroquinenine and the constitution of the cinchona alkaloids, A., i, 762.

Koenigsberger, Johann Georg, temperature gradients of the earth on the hypothesis of radioactive and chemical

processes, A., ii, 515.

Koenigsberger, Johann Georg, and Wolf Johannes Müller, fluid enclosures of Alpine quartz crystals, A., ii, 235.

formation of quartz and silicates, A., ii, 553.

Koepp & Co., Rudolf, preparation of oxalates from formates, A., i, 4.

Körner, Georg, so-called aromatic substances containing six atoms of carbon, A., i, 640.

Körner, Georg, and Angelo Contardi, the sixth dibromonitrobenzene, A., i, 641.

Koestler, G., chemical composition of the whey and curd during the manufacture of Emmentaler cheese, A., ii, 485.

Köthner, Franz. See Daniel Vorländer.
Kötz, [Friedrich] Arthur, Arthur Bieber,
and P. Schüler, ay-diketocarboxylic
esters of the cyclopentane and bicyclo(0:1:3)-hexane groups, A., i, 668.
Kötz, Arthur, and Ludwig Hesse,

Kötz, Arthur, and Ludwig Hesse, syntheses by means of the carboxylic esters of cyclic ketones; synthesis of menthone from methylhexanone, A., i, 88.

Kötz, Arthur, and Gustav Kayser, syntheses by means of the carboxylic esters of cyclic ketones. III. Dicyclic systems of indirectly connected sixatom rings, A., i, 676.

Kötz, Arthur, and A. Michels, syntheses by means of the carboxylic esters of cyclic ketones. II. Synthesis of mmethane-2-one and of m-methane-4-one from 1-methylcyclohexane-2-one and 1-methylcyclohexane-4-one, A., i, 666.

Kohl, Friedrich Georg, pigments of diatom-chromatophores, A., ii, 571. assimilative function of carotin and

the second assimilative maximum

at F., A., ii, 792.

Kohler, Elmer Peter, reaction between unsaturated compounds and organic magnesium compounds. VIII. Reactions with αβ-unsaturated nitriles, A., i, 427.

reaction between unsaturated compounds and organic magnesium compounds. IX. Reactions with stereoisomerides, A., i, 753. Kohler, Elmer Peter, and Gertrude Heritage, reaction between organic magnesium compounds and unsaturated compounds. VII. Complex products from cinnamic esters, A., î, 96.

Kohlhaus, W. See Gustav Schultz.

Kohlrausch, Friedrich [Wilhelm Georg], action of Becquerel rays on water, A., ii, 717.

Kohlrausch, Friedrich, and Fritz Henning, conductivity of aqueous solutions of radium bromide, A., ii, 717.

Kohlschütter, [Johannes] Volkmar, and C. Brittlebank, salts of cuprothiocarbamides, A., i, 812.

Kohlschütter, Volkmar, and Rudolf Müller, cathodic evaporation of metals in attenuated gases, A., ii, 418.

Kohn, Eduard, and Friedrich Czapek, formation of acid and alkali in artificial culture media of moulds, A., ii, 790.

Kohn, Moriz, reduction of blue ironcyanogen compounds, A., i, 562. precipitated basic carbonates of zinc and cadmium, A., ii, 754.

Kohn-Abrest, Émile, cyanogenetic principles of Phaseolus lunatus, A., ii, 625.

Kolb, Adalbert, action of hydrochloric acid on potassium chlorate, A., ii, 15. Kollock, (Miss) Lily Gavit, and Edgar

Fahs Smith, use of the rotating anode and mercury cathode in electro-analysis. II., A., ii, 194.

Komar, V., formation of a new salt of the formula $Fe'''H(SO_4)_2, 4H_2O$ or $Fe_2O_3, 4SO_3, 9H_2O$, A., ii, 170.

Kondakoff, Iwan L., chemistry of bornyl and fenchyl alcohols, A., i, 520.

Kondakoff, *Iwan L.*, and *Iwan* Schindelmeiser, Swedish turpentine oil, A., i, 686.

Konek [von Norwall], Fritz (Edler), electrical elementary analysis, A., ii, 583.

Koninck, Lucien Louis de, reaction of iron salts with sodium sulphide, A., ii, 397.

Konowaloff, Michael I., new isomeride of heptane: s-tetramethylpropane [βδ-dimethylpentane], A., i, 129.

Konschegg, Artur, constitution of the indoline base formed from the p-tolylhydrazone of methyl isopropyl ketone, A., i, 452.

Konschin, A. See Pavel Iw. Petrenko-Kritschenko.

Konto, K., reaction for indole, A., ii,

Kopp, C. See Herman Decker.

Koppel, Iwan, solubility and solution equilibrium of chrome ammonium alum, A., ii, 860.

Korányi, A. von, and J. Bence, physicochemical investigation on the action of carbon dioxide on blood, A., ii, 97.

Korn, O., estimation of phenol and thiocyanic acid in sewage, A., ii, 808.

Koss, Morduch. See Arthur Rosenheim. Kossa, Julius von, estimation of uric acid in bird's urine, A., ii, 313.

formation of nitrogen trioxide; new test for alcohol, A., ii 497.

Kossowicz, Alexander, influence of mycoderma on the reproduction and fermentation of the yeasts. I., A., ii, 699.

Kostanecki, Stanislaus von, Victor Lampe, and Josef Tambor, synthesis of morin, A., i, 301.

Kostanecki, Stanislaus von, Victor Lampe, and S. Triulzi, dyeing properties of 7:2':4'-trihydroxyflavonol, A., i, 202.

Kostanecki, Stanislaus von. See also E. Bonifazi.

Kostytschew, S. See Wladimir Palladin. Kotake, Y. See Katsuji Inouye.

Kowski, Eugen. See Wilhelm Lossen. Kozai, Yoshinao, bactericidal action of sodium phenylpropiolate, A., ii, 380.

Kózniewski, Tad., and Leon Marchlewski, Pechmann's dye [from benzoylacrylic acid]. I., A., i, 759.

Kraemer, Henry, use of metallic copper

Kraemer, Henry, use of metallic copper for the purification of drinking water, A., ii, 302.

Kränzlein, G. See Wilhelm Manchot.
Krafft, [Wilhelm Ludwig] Friedrich
[Emil], derivatives of sebacic acid,
A., i, 553.

ergot, A., i, 979.

significance of water in the formation of colloidal "bubbles" from soaps, A., ii, 276.

Krafft, Friedrich. See also Max Stoecker. Kraft, Hermann. See Carl Graebe.

Krámszky, Ludwig, composition of the dried grapes used in the preparation of Tokay wine, A., ii. 119.

estimation of tannin in wine, A., ii, 134.

Krasnosselsky, T., formation of respiration enzymes in injured bulbs of Allium Cepa, A., ii, 572.

Krasowski, N., fatty oils from the seeds of the berries of Rhamnus cathartica, A., ii, 883.

Kraus, Edward Henry, and C. W. Cook, datolite from Westfield, Massachusetts, A., ii, 684.

Kraus, Edward Henry, and W. F. Hunt, occurrence of sulphur and celestite at Maybee, Michigan, A., ii, 290.

Kraus, R. See Wilhelm Manchot.

Kraut, Karl, distribution of nickel and cobalt in nature, A., ii, 858.

Krebs, Reinhold. See Rudolf Friedrich Weinland.

Kreider, J. Lehn. See A. L. Winton.
Kreis, Hans, Kreis' reactions for the detection of stale oils, A., ii, 403.

Kreiten, Jos. See Friedrich Wüst. Krell, A. See Alexander Gutbier.

Kremann, Robert [Konrad], molecular compounds of nitro-derivatives with amines, A., i, 347.

solution equilibrium between 2:4-dinitrophenol and aniline, A., i, 834.

equilibrium of binary solutions of phenols and amines, A., ii, 266. dissociation of fused compounds, A., ii,

kinetics of the splitting-off of the acyl groups of the esters of polyhydric alcohols by hydroxyl ions in aqueous homogeneous systems, A., ii, 731.

Kremann, Robert, and R. von Hofmann, the limit of stability of additive compounds in the solid state and the divergence of the same from Kopp and Neumann's law, A., ii, 267.

Kremann, Robert, and O. Rodinis, influence of substitution in the components on the equilibrium of binary solutions. II., A., ii, 268.

Kretschmer, Franz, leptochlorites from Moravia, A., ii, 458.

Krimberg, R., extractives of muscle. IV. Occurrence of carnosine, carnitine, and methylguanidine in flesh, A., ii, 781.

extractives of muscle. V. Carnitine, A., ii, 872.

Kristellar, L. See Oscar Emmerling. Kroupa, Gustav, electrolytic estimation of mercury, using the rotating anode, A., ii, 581.

Kroupa, Gustav, Luckow, and Emile Campagne, electrolytic preparation of copper sulphate, A., ii, 449.

copper sulphate, A., ii, 449.

Krüger, Friedrich, numerical values of electrode potentials, A., ii, 5.

Krüger, Friedrich. See also Friedrich Dolezalek.

Krützfeld, Hermann. See Carl Dietrich Harries.

Krummacher, Otto, estimation of the sugar group in proteids, A., i, 391.

Krźiżan, R., estimation of tale, A., ii, 582.

Kučera, Gottlieb, ionisation produced in various gases by the secondary β- and γ-rays of radium, A., ii, 140.

Küchler, H. See Alfred Stock. Kühl, H. See Walther Borsche. Kühl, Hugo, phenol, A., i. 495. Kühl, Hugo. See also Rudolf Friedrich Weinland.

Kühling, [Friedrich Theodor] Otto, and O. Kaselitz, condensation products of N-substituted o-diamines with alloxan and its derivatives, A., i, 463.

Kühn, Bernhard, detection and estimation of very small quantities of lead in water, A., ii, 493.

Kühn, Gustav. See Carl Paal.

Kühne, Georg, band spectrum of boron, A., ii, 821.

Küllenberg, Albert. See Hans Stobbe. Külümow, Chr. See Paul N. Raikow.

Küspert, Franz, chemical lecture experiments. [Reduction of calcium carbonate; ignition of calc spar; oxidation of iron; carbon dioxide], A., ii, 661.

Küster, Friedrich Wilhelm [Albert], the explosion of a Küster apparatus, A., ii, 850.

Küster, Friedrich Wilhelm, and Fritz Abegg, hydrogen chloride generating apparatus, A., ii, 348.

Küster, William, bile pigments, A., i,

Küster, William, [with H. Galler, Karl Haas, and Otto Mezger], constitution of hæmatic acid, A., i, 337.

Küster, William, [with Karl Haas], constitution of hemopyrrole, A., i, 693.

Küttner, von, and Ulrich, new [centrifugal] method for estimating fat in milk; Wendler's method, A., ii, 313.

composition of lemon juice, A., ii, 573.

Kuhn, O. See Georg Fendler.

Kuhtz, Erich. See Robert Pschorr.

Kunckell, Franz [Eduard], [with F. Flos], action of acetyl bromide on benzyl cyanide, A., i, 848.

benzyl cyanide, A., i, 848.

Kunckell, Franz, and G. Knigge, bromoand bromonitro-derivatives of o-benzoylbenzoic acid, A., i, 180.

Kunze, Gustav, separation of acids by roots and mould Hyphæ and its signification, A., ii, 480.

Kuriloff, Basil B., the transition from crystalline to colloid substances, A., ii, 343.

theory of ammoniacal compounds, A., ii, 349.

Kurlbaum, F., and Günther Schulze, temperature of non-luminous flames coloured by metallic salts, A., ii, 798

Kurnakoff, Nicolai S., and S. Schemtschuschny, isomorphism of potassium and sodium compounds, A., ii, 443. Kusnezoff, M. I. See Alexander P. Lidoff.

Kutsch, William Adelbert. See Ernst Hermann Riesenfeld.

Kutscher, Friedrich, [oxidation of nucleic acid], A., i, 55.

meat extracts, A., ii, 562.

decomposition by oblitine by means of Bacteria. I., A., ii, 697.

Kutscher, Friedrich, and Alfred Lohmann, papain-digestion, A., i, 127. the detection of toxic bases in urine, A., ii, 471, 786, 875.

physiological action of some bases ob tained from ox-muscle, A., ii, 877.

Kuttenkeuler, H. See Josef König.

L.

Laan, Foeko Hendrik van der, bromination of toluene, A., i, 490.

Laan, Foeko Hendrik van der. See also Arnold Frederik Holleman.

Laar, Johannes Jacobus van, equation of an ideal eutectic curve in a ternary system, and the use of this equation in calculating the transition temperature of two isomerides in presence of solution, A., ii, 270. anomalous character of solubility

anomalous character of solubility curves and the relation of this to the formation of hydrates in solution, A., ii. 275.

tion, A., ii, 275.
course of melting-point curves for compounds which are partially dissociated in the liquid phase, the proportion of the products of dissociation being arbitrary, A., ii, 331.

course of melting-point curves for solid solutions (or isomorphous mixtures) in a special case, A., ii, 422.

osmotic pressure of solutions of nonelectrolytes in connection with the deviations from the laws of ideal gases, A., ii, 526.

Labbé, Donatien, sterilisation of air by means of ozone, A., ii, 479.

Laborde, A. See Pierre Curie.

Laby, T. H., and George A. Carse, relation between the velocity and the volume of the ions of certain organic acids and bases, A, ii, 420.

Lachwitz, A. See Heinrich Beckurts.

Lacombe, L. See J. Galimard.

Lacroix, [Autoine Francis] Alfred, crystals of sylvite in blocks ejected during the recent eruption of Vesuvius, A., ii, 455.

products of the recent eruption of Vesuvius, A., ii, 555.

Lacroix, [Antoine]Francis] Alfred, sodium sulphate in secondary fumaroles of Mt. Pelée, A., ii, 769.

Ladenburg, Albert, isoconiine and the synthesis of conline, A., i, 692.

Ladenburg, [Erich] Robert, and Erich Lehmann, absorption spectrum of ozone, A., ii, 509.

Ladisch, Carl. See Alfred Einhorn.

Laer, Henri van, diastatic catalysis of hydrogen peroxide applied to malt analysis, A., ii, 591.

La Franca, S., relation between proteids and electrolytes. IV. Ion-concentration and ion-toxicity in systems of proteids, metallic salts, and water, A., ii, 789.

Lagodzinski, Kasimir, 2:3-dihydroxyanthracene, A., i, 82.

1:2-anthraquinone, A., i, 98.

compounds of aniline with 1:2-anthraquinone and a new hydroxyanthraquinone, A., i, 293.

1:4-anthraquinone, A., i, 439.

Lainé, E. See Achille Müntz. Laloue, G. See Eugène Charabot.

Lampe, Victor. See Stanislaus von Kostanecki.

Lampen, Alexander, electrical resistance furnace for the measurement of high temperatures with the optical pyrometer, A., ii, 598.

Lampen, Alexander. See also Samuel

Auchmuty Tucker.

Lamplough, Francis Edward Everard, the determination of the rate of chemical change by measurement of gases evolved; preliminary notice, P., 280; discussion, P., 280.

Landin, John, radium in Sweden, A., ii,

Landolt, Hans [Heinrich], supposed alteration in the total weight of substances taking part in a chemical reaction, A., ii, 528.

Landrieu, Philippe, thermochemistry of phenylosazones and phenylhydrazones of the a-diketones and reducing sugars, A., ii, 270.

Lang, W., preparation of aldehydes and ketones from alcohols, A., i, 627.

Lang, William Robert, and William Perot Kaufmann, action of silver nitrate on disodium orthophosphate in dilute solution, A., ii, 162.

Lang, William Robert. See also Rodger

J. Manning.

Lange, W. See Walther Borsche.

Langer, G., condensations of 2-methyl-5-ethylpyridine and of 2:4-lutidine with aldehydes, A., i, 38.

Langheld, Kurt. See Carl Dietrich Harries.

Langkopf, Otto. See Gustav Heller. Langlet, Abraham, absorption spectra of the rare earths, A., ii, 713.

Langley, John Newport, reaction of cells and nerve-endings to certain poisons, A., ii, 111.

Langmuir, Irving, dissociation of watervapour and carbon dioxide at high temperatures, A., ii, 848.

Languess, Julia, and Edgar Fahs Smith, rapid electrolytic precipitation of antimony, A., ii, 253.

Langstein, Leo, and Franz Steinitz, lactase and sugar excretion in infants with gastric diseases, A., ii, 187.

Langstein, Leo. See also Hans Rietschel. Lanzenberg, A. See Gabriel Bertrand.

Lapworth, Arthur, reactions involving the addition of hydrogen cyanide to carbon compounds. Part V. Cyanodihydrocarvone, T., 945; P., 164.

derivatives of cyanodihydrocarvone and cyanocarvomenthone, T., 1819; P., 285.

Lapworth, Arthur. See also Reginald William Lane Clarke.

Laqueur, Ernst, casein as an acid and its distinction from casein altered by (paracasein); rennet action rennet, A., i, 56.

the fat-splitting ferment in the "little stomach," A., ii, 559.

action of quinine on ferments, A., ii, 870.

Larguier des Bancels, J., influence of non-electrolytes on the mutual precipitation of colloids of opposite electrical sign, A., ii, 660.

La Roche & Co. See Hoffmann La Roche & Co.

Larsen, B., composition of metallic calcium, A., ii, 25.

Larsen, B. See also Franz Russ.

Laseker, Richard, analysis of sodium peroxide, A., ii, 804.

La Spada, G. See Giorgio Errera. Latham, Peter W., synthesis of tyrosine, A., i, 85.

Laube, Eduard, benzocœroxonium compounds, A., i, 598.

Laube, Eduard. See also Herman Decker.

Lauck, Ernst. See August Klages. Laue, O. See Alexander Eibner.

Laufer, René, the utilisation of carbohydrate in cases of diabetic arthritis, A., ii, 566.

Laur, Francis, presence of gold and silver in the trias of Meurthe-et-Moselle, A., ii, 556.

Lautsch, Hermann. See Otto Wallach. Law, Herbert Drake, electrolytic oxidation, T., 1437; P., 197.

electrolytic reduction. I. Aromatic aldehydes, T., 1512; P., 237.

electrolytic reduction. II. Use of electrodes, T., 1520; P., 237.

Law, Herbert Drake. See also Alfred Chaston Chapman.

Laxa, O., action of lactic acid on casein and paracasein, A., i, 123.

Layraud, E., ketones obtained by means of n-valeric acid, A., i, 432.

Lazennec, I. See Charles Moureu.

Lazzari, A., direct manuring of cereals with different forms of calcium, A.,

Lazzarini, Guido. See Gaetano Minunni. Leach, Frederick Peacock, some new derivatives of pinene, P., 137. pinene nitrolamine, P., 304.

a ψ-semicarbazide from pinene, P., 304. Leach, (Miss) Mary F., chemistry of the

Bacillus coli communis, A., ii, 568. Leather, John Petty.

See Raymond Ross.

Leather, John Walter, amount of combined nitrogen in rain and dew, A.,

composition of Indian rain and dew, A., ii, 487. Leathes, John Beresford. See Edward

Provan Cathcart.

Le Bas, Gervaise, a relation between the volumes of the atoms of certain compounds at the melting points and their valencies; interpretation by means of the Barlow-Pope theory, P.,

Lebeau, Paul [Marie Alfred], commercial cuprosilicon, A., ii, 29.

bromine fluoride, BrF3, A., ii, 80. decomposition of mixtures of an alkali carbonate and an alkaline earth carbonate under the action of heat in a vacuum, A., ii, 85.

volatility and dissociation of alkali carbonates, A., ii, 161.

cuprosilicon, and a new method of preparing silicon soluble in hydrofluoric acid, A., ii, 168.

action of fluorine on chlorine; a new method of forming hypochlorous acid, A., ii, 739.

the existence of bromine chloride, A., ii, 843.

Le Blanc, Max [Julius Louis], electrolysis with alternating current, A., ii, 5.

can an element form both positive and negative ions? A., ii, 67. hybrid elements, A., ii, 742. XC. ii.

under the influence of light and heat, A., ii, 825. Le Clerc, J. Arthur, and Frank C. Cook, metabolism experiments with organic

Le Bon, Gustave, dissociation of matter

and inorganic phosphorus, A., ii, 870.

Lecomte, Octave, grapes from the region of Schariare, Persia, A., ii, 625.

Lecoq de Boisbaudran. See Boisbaudran.

Le Count, E. R. See Emil Abderhalden

Leduc, [Sylvestre] Anatole, latent heat of fusion of ice, A., ii, 70. density of ice, A., ii, 155.

Lee, Gabriel W. See Léon W. Collet. Lees, Frederic Herbert, and Tutin, the conversion of morphine and codeine into optical isomerides; preliminary communication, P., 253.

Leeuwen, J. Docters van, extraction apparatus, A., ii, 797.

Lefébure, Pierre. See Georges Darzens. Lefèvre, Jules, development of green plants grown without carbon di-oxide in artificial soil containing amides, A., ii, 116.

increase in the dry weight of green plants grown in light, carbon dioxide in artificial soil con-

taining amides, A., ii, 116.
amide nutrition of green plants in absence of carbon dioxide, A., ii, 245.

exchanges of gas in a green plant grown in light without carbon dioxide in artificial soil containing an amide, A., ii, 791.

Leffmann, Henry, test for sucrose in milk-sugar, A., ii, 586.

Léger, Eugène, hordenine : a new alkaloid obtained from malt germs, A., i, 204.

constitution of hordenine, A., i, 761. Legrand, Julien. See Eugène Pellas.

Lehmann, Curt, and Franz Rosenfeld, action of asparagine on nitrogenous metabolism, A., ii, 560.

Lehmann, Erich. See Robert Ladenburg.

Lehmann, Otto, colour phenomena connected with liquid crystals; [chol-

esterol compounds], A., i, 952. structure of "apparently living" crystals, A., ii, 430.

continuity of the states of aggregation; fluid crystals, A., ii, 431.

substances existing in three liquid modifications, one isotropic and two fluid-crystalline, A., ii, 836.

extension of the field of existence of fluid crystals by addition of other substances, A., ii, 837.

66

Lehnkering, P., hydrogen phosphide poisoning by ferrosilicon, A., ii, 664.

Leicester, James, action of quinones on o-diamines, o-nitroaniline, m-nitroaniline, and 2-nitro-p-toluidine; preliminary note, P., 41.

VirgilLeighton, L. See Arthur Michael.

Leipprand, Fritz. See Julius Schmidt. Leithäuser, G. See Emil Warburg.

Lemmermann, Otto, probable causes of the differences in the relations between the nutrition of leguminous and gramineous plants, A., ii, 480.

Paul [Aimé Louis], new Lemoult, derivatives of pentabasic phosphoric

acid, P(OH)₅, A., i, 80.

hydrogen phosphites of primary cyclic amines, A., i, 493.

azo-colouring matters; heat of combustion and constitutional formula, A., ii, 832.

Lendrich, K. See K. Farnsteiner.

Lenher, Victor, and Joseph Howard Mathews, nitrosylselenic acid, A., ii,

Lenz, Wilhelm, apparatus. I. Meltingpoint tube holder. II. Suction funnel with stretched filter, A., ii, 432.

Lenzner, Alfred. See Hans Stobbe. Leopold, Gerard Hildebrand. See Hendrik Willem Bakhuis Roozeboom.

Leopold, Max. See Wilhelm Lossen. Leopold, Richard. See Johannes Thiele. Lepère, Erich, the process of the decomposition of pastry, A., ii, 640. Lépine, Raphael, and Boulud, the glycur-

onic acid of the blood corpuscles, A., ii, 238.

carbon monoxide in normal blood, A., ii, 867.

the sugar of the blood, A., ii, 868.

Le Play. See Albert Charrin.
Lerch, F. von, separation of radium C
from radium B, A., ii, 514.

Le Renard, action of copper salts on the germination of Penicillium, A., ii, 880.

Le Rossignol, Robert. See Samuel Smiles.

Leroux, A. See K. Friedrich.

Leroux, Henri, decahydro-a-naphthol and A-octahydronaphthalene, A., i,

Leroux. Henri. See also Emile Jungfleisch.

Lesage, L. See Robert Fosse.

Lespieau, Robert, oxidising power of the air on a mixture of potassium iodide and arsenite at various points on Mont Blanc, A., ii, 741.

Lesser, Ernst J, catalase, A., ii, 562.

Leuchs, Hermann, glycinecarboxylic acid, A., i, 236.

decomposition of malonic ester chloride, A., i, 796.

Leuchs, Hermann, and Walter Geiger, a new synthesis of serine, A., i, 806.

Leuner, Karl. See Hans Stobbe.

Leuze, Wilhelm. See Carl Paal. Levallois, F. See Camille Chabrié.

Levene, Phoebus A., cleavage products of proteoses, A., i, 54. glycine picrate, A., i, 403.

Levene, Phoebus A., and Carl Luca Alsberg, cleavage products of vitellin, A., i, 913.

Levene, Phoebus A., and WallaceAppleton Beatty, the precipitability of amino-acids by phosphotungstic acid, A., i, 339.

occurrence of proline-glycyl anhydride in the tryptic decomposition products of gelatin, A., i, 718.

Levene, Phoebus A., and John A. Mandel, the carbohydrate group of the nucleo-proteid of the spleen. I., A., i,

Levene, Phoebus A., and George Barclay Wallace, decomposition of gelatin, A., i, 469.

Levene, Phoebus A. See also John A. Mandel.

MarioGiacomo, and Mario Levi, Voghera, electrolytic formation of thiosulphates, A., ii, 81, 348, 436.

function of the catalyst in the Deacon process for the manufacture of chlorine, A., ii, 605.

Levi, Mario Giacomo. See also Raffaelo

Levi-Malvano, Mario, hydrates of glucinum sulphate, A., ii, 165.

Levin, Max, influence of one substance on the solubility of another, A., ii, 527.

absorption of α-rays from polonium, A., ii, 595.

origin of the β -rays emitted by thorium and actinium, A., ii, 718.

Levites, S., influence of neutral salts on the peptic hydrolysis of albumin, A., ii, 692.

Lévy, Albert, and Adrien Pécoul, estimation of carbon monoxide in air by means of iodine pentoxide, A., ii, 197.

Levy, Arthur Garfield, estimation of tin in copper-tin alloys, A., ii, 55.

Levy, Leonard Angelo, and Henry Arnott Sisson, some new platinocyanides, T.,

Levy, L. H. See Harry Ward Foote. Levy, Paul, American colophony, A., i, Lévy, René J. See Georges Claude. **Levy**, *Richard*, estimation of sugar in urine, A., ii, 499.

Lewin, Louis, A. Miethe, and E. Stenger, photographic determination of the absorption bands of the colouring matters of blood, A., i, 778.

Lewin, Willy. See Franz Sachs.

Lewinsohn, Kurt, oil of myrrh, A., i,

Lewis, Gilbert Newton, potential of the oxygen electrode, A., ii, 262. silver oxide and silver suboxide, A., ii,

284.

elementary proof of the relation between the vapour pressures and the composition of a binary mixture,

A., ii, 423.

applicability of Raoult's laws to molecular weight determinations in mixed solvents and in simple solvents the vapours of dissociate, A., ii, 524. which

formation of complexes, hydration and

colour, A., ii, 657.

equilibrium in the Deacon process, A., ii, 843.

Lewis, Gilbert Newton, and Richard F. Jackson, galvanic polarisation at a mercury cathode, A., ii, 648.

Lewis, Gilbert Newton, and Plumer Wheeler, electrical conductivity of solutions in liquid iodine, A., ii, 650.

Lewis, William Henry. See Frederick Daniel Chattaway.

Lewkowitsch, Julius, Dika fat, A., ii, 131.

Surin fat, A., ii, 205.

Lewy, Martin. See Walter Herz. Ley, Heinrich, and Arthur Hantzsch, condition of pseudo-acids in aqueous solution, A., i, 790.

Ley, Heinrich, and Konrad Schaefer. silver derivatives of acid amides and

imides. II., A., ii, 327.

Ley, Heinrich, and Fritz Werner, salts of heavy metals with feeble acids and attempts to prepare colloidal metallic oxides, A., i, 561.

Liberi, G. See Federico Giolitti. Lichty, David Martin. SeeGeorg

Bredig.

Lidforss, Bengt, chemotaxis of Equisetum spermatozoids, A., ii, 44.

Lidoff, Alexander P., and M. I. Kusne-zoff, behaviour of gaseous hydrocarbons towards magnesium at a red heat, A., ii, 201.

Lieben, Adolph, congratulatory telegram

to, P., 311.

Liebermann, Carl [Theodor], xanthophanic and glaucophanic acids, A., i, 556. 1:4-anthraquinone, A., i, 594.

Liebermann, Carl, and Simon Lindenbaum, meso-phenylated derivatives of anthracene; a correction, A., i, 24.

Liebermann, Leo von, are toxins ferments ? A., ii, 42.

Liebermeister, G., the nucleo-proteid of blood-serum, A., ii, 776.

Liebrecht, Arthur, preparation of p-iodoxyanisole and p-iodoxyphenetole, A., i, 257.

Liechtenhan, Karl. See Hans Rupe. **Lieck**, Albert, action of hydrazine on m-

tolylisocoumarin, A., i, 49. phthalazines, A., i, 50.

Liesche, Otto. See Georg Lockemann. Liesegang, Raphael Ed., an apparent case of chemical action at a distance, A., ii, 218.

stratified structures, A., ii, 273. Lilienfeld, J. E., method for determining the temperature and conductivity for heat of the positive column, A.,

Lilienfeld, Léon, preparation of indoxyl and its homologues, A., i, 695.

Lillie, Ralph S., physiology of cell division. I., A., ii, 104.

coagulation of the swimming plate and contractility, A., ii, 185.

antitoxic action of anions, A., ii,

contractility and coagulation of the colloids of the Ctenophore swimming plate, A., ii, 466.

relation of ions to contractile processes. I. Action of salt solutions on ciliated epithelium, A., ii, 869.

Limmer, Fritz. See Otto Fischer.

Lincoln, Azariah T., new burette holder, A., ii, 47.

Linde, Otto, lignification, A., ii, 311. Lindemann, Ludwig, detection of acetoacetic acid in urine, A., ii, 813.

Linden, Maria (Gräfin) von, assimilation of carbon dioxide by chrysalides of Lepidoptera, A., ii, 95.

Lindenbaum, Simon. See Carl Liebermann.

Lindet, Léon [Gaston Aimé], and Louis Ammann, the soluble proteids of milk, A., ii, 562.

Ling, Arthur Robert, and Theodore Rendle, removal of arsenic from hydrochloric acid for use in the Marsh-Berzelius method, A., ii, 250.

Lipp, Andreas, and E. Zirngibl, action of formaldehyde on a-picoline (2-

methylpyridine), A., i, 381.

Lippich, Fritz, isobutylhydantoic acid and detection of small quantities of leucine, A., i, 813. urea in human urine, A., ii, 564.

Lippmann, Edmund Oskar von, carbostyril as a by-product in a molasses furnace, A., i, 38.

Lipstein, A., excretion of amino-acids in gout and leucæmia, A., ii, 109.

Litter, Hans. See Richard Möhlau. Littlebury. William Oswald. See

Littlebury, William Oswald.
Robert Howson Pickard.

Littmann, Sigismund, behaviour of selenium in the manufacture of sulphuric acid, A., ii, 531.

Lloyd, Thomas Henry, bacteriological testing of disinfectants, A., ii, 592.

Lochhead, James. See Wilhelm Cramer.

Locke, Frank Spiller, and Otto Rosenheim, survival of the excised mammalian heart, A., ii, 103.

Lockemann, Georg, and H. Füth, the detection of lactic acid in the blood, urine, and cerebro-spinal fluid of eclamptic women, A., ii, 472.

Lockemann, Georg, and Otto Liesche, phenylethylidenehydrazine, A., i, 111. Lockemann, Georg. See also H. Füth

and Hans Reckleben.

Locquin, René, preparation of methylethylpyruvic acid and its derivatives, A., i, 928.

Locquin, René. See also Louis Bouveault.

Löb, Albert, electrolytic researches with symmetrical and unsymmetrical alternating currents, A., ii, 215.

Loeb, Jacques, chemical methods by which the eggs of the mollusc Lottia gigantea can be caused to become mature, A., ii, 94.

role of oxygen in artificial parthenogenesis and development, A., ii, 371. the effects of magnesium and calcium on the rhythmical contractions of a

jelly-fish (Polyorchis), A., ii, 561.

the inhibition of the toxic action of hypertonic solutions on the sea urchin's egg by potassium cyanide and diminution of oxygen, A., ii, 694.

Loeb, Leo, blood coagulation, A., ii, 372.Löb, Walther, assimilation of carbon dioxide, A., ii, 43, 791.

physico-chemical side of organic electrochemistry, A., ii, 145.

chemical action of the silent discharge, A., ii, 324.

Löb, Walther. See also Matthias Joist. Löbering, M. See Alexander Eibner.

Löbisch, Wilhelm [Franz], compounds of nucleic acid and proteid, with special reference to those in the mammary gland and their relation to caseinogen formation, A., i, 719.

Löhnis, F., nitrogen decompositions in the soil, A., ii, 46.

Loevenhart, Arthur Solomon, action of lipase, A., i, 328.

acceleration of certain oxidation reactions by hydrogen cyanide, A., ii, 153.

Loew, [Carl Benedict] Oscar, condensation of formaldehyde, A., i, 401.

Loew, Oscar, and Keijirō Asō, some catalytic actions of platinum black, A., ii, 862.

Löwe, F., methods of refractometry, A., ii, 121.

Löwenberg, Emanuel. See Richard

Löwenstein, Leo, determinations of vapour density by Nernst's modification of Victor Meyer's method, A., ii, 271.

new method for the investigation of gaseous equilibria at high temperatures, A., ii, 272.

Loewinson-Lessing, Franz [Julievic], possible relation between the viscosity curves and the molecular volumes of silicates, A., ii, 459.

silicates, A., ii, 459.

Logeman, W. H., production of secondary rays by α-rays from polonium, A., ii, 721.

Logothetis, A. See Daniel Vorländer. Lohmann, Alfred. See Friedrich Kutscher. Loisel, Gustave, toxicity of semen and genital products, A., ii, 112.

genital products, A., ii, 112.

Lomax, E. L. See Frederic Charles

Garrett.

Lombardi, Ugo, types of diaphragms most used in electrolysis and formulæ proposed for calculating the yield, A., ii, 596.

Lombroso, Ugo, rôle of the pancreas in the digestion and absorption of carbohydrates, A., ii, 292.
London, E. S., chemistry of digestion.

III. Proteid decomposition in the digestive canal, A., ii, 464.

London, E. S. See also Emil Abderhalden.

Long, C. P. See Lee Holt Cone.

Long, John Harper, salts of casein, A., i, 391.

extraction of fat from fæces; occurrence of lecithin, A., ii, 637.

Long, John Harper, and William A. Johnson, phosphorus content of fæces fat, A., ii, 875.

Lorand, Arnold, the blood-glands as pathogenic factors in the production of diabetes and obesity, A., ii, 296.

Lorentz, Hendrik Antoon, absorption and emission lines of gaseous substances, A., ii, 209. Lorentz, Hendrik Antoon, results and problems of the theory of electrons, Ā., ii, 330.

Lorenz, Richard, and Hans Hauser, oxide theory of the hydrogen-oxygen cell, A., ii, 825.

Lorenz, Richard, and W. Ruckstuhl, double chlorides of lead and potassium, A., ii, 853.

Losanitsch, M. S. See Alfred Wohl. Lossen, Wilhelm [Clemens], [with Walther Bergau, Hans Dueck, Max Leopold, Erich Mendthal, Max Niehrenheim, Walther Schörk, and Adolf Treibich], halogenated aliphatic acids. II., A., i, 796.

Lossen, Wilhelm, [with Carl Dorno, Robert Eichloff, Oscar Gerlach, Eugen Kowski, Fritz Morschöck, and Hugo Smelkus], halogenated aliphatic acids, A., i, 59.

Lossew, K., alloys of nickel and antimony, A., ii, 361.

Lotterhos, Sichler's sinacid-butyrometer, A., ii, 131.

Lottermoser, [C. A.] Alfred, colloidal salts. II. Formation of hydrosols by the interaction of ions, A., ii, 429.

colloids, A., ii, 528.

Love, Andrew, the changes in bloodforming organs in typhus fever, A.,

Low, Wilson H., detection and estimation of boric acid [in foods], A., ii,

Lowry, Thomas Martin, studies of dynamic isomerism. Part. IV. Stereoisomeric halogen derivatives of camphor, T., 1033; P., 70.

Lowry, Thomas Martin, and Egbert H. Magson, studies of dynamic isomerism. Part V. Isomeric sulphonic derivatives of camphor, T., 1042; P., 145.

Lubarsch, Oscar, glycogen in pathological cases, A., ii, 471.

Lubimenko, W., influence of the absorption of sugars on germination, A., ii, 624.

spectroscopic study of the green pigments of ripe seeds, A., ii, 624.

direct action of light on the transformation of sugars absorbed by the young plants of Pinus Pinea, A., ii, 882.

Luckow. See Gustav Kroupa. Ludewig, Wilhelm. See Eduard Jordis.

Lüdke, H., the toxin of dysentery, A., ii, 187.

Lührig, Heinrich, examination of butter as regards its purity, A., ii, 205. composition of lemon juice, A., ii, 482.

Lührig, Heinrich, Adolf Beythien, L. Waters, Adolf Juckenack, Fritz Morschöck, and A. and M. Dominikiewicz, fruit juice statistics, A., ii, 193.

Lüthje, Hugo, proteid synthesis in the animal body, A., ii, 690.

Luft, Max, synthetical bases 4-aminoantipyrine, A., i, 118. from

Lumière, Auguste, Louis Lumière, and Henri Barbier, action of ethyl chlorocarbonate on aromatic glycines, A., i, 245.

stability of aqueous and alcoholic solutions of acetic anhydride, A., i, 791.

Lumière, Auguste, Louis Lumière, and Alphonse Seyewetz, composition of "dichromated" gelatin which has spontaneously become insoluble in the dark, A., i, 325.

the rendering insoluble of gelatin during photographic development, particularly by the use of pyrogallol developers, A., i, 614.

the rendering insoluble of gelatin by oxidation products of phenols, A, i, 915.

action of alums and aluminium salts on gelatin, A., i, 916.

the rendering insoluble of gelatin by

formaldehyde, A., i, 999. Lumière, Louis. See Auguste Lumière. Lumsden, John Scott, the liquid volume of a dissolved substance, P., 306.

Lundén, Harald, theory of amphoteric electrolytes, A., ii, 265, 828.

Lundén, Harald, and William Tate, simple toluene regulator and shaking machine for thermostats, A., ii, 831.

Lunge, Georg, and Ernst Berl, estimation of mixtures of sulphuric and nitric acids, A., ii, 49.

oxides of nitrogen and the leadchamber process, A., ii, 438.

Lunge, Georg, and R. Stierlin, estimation of sulphuric acid by means of barium chloride in the presence of interfering substances, A., ii, 124.

estimation of sulphur in roasted zinciferous pyrites and similar ores, A., ii, 195.

Lury, Justin S. de, cobaltite from Northern Ontario, A., ii, 680.

Lury, Ralph E. de, general method of calculation in kinetics: the method of areas; a method of approximate effective averages, A., ii, 729.

Lusk, Graham. See Arthur R. Mandel. Lussana, Silvio, specific heats of gases, A., ii, 70.

Luther, Robert [Thomas Diedrich], numerical values of electrode potentials, A., ii, 5.

Luther, Robert [Thomas Diedrich], ozone, A., ii, 80.

Luther, Robert, and Emanuel Goldberg, kinetics of photochemical reactions. Retardation of photochemical chlorine reactions by oxygen; relation to photochemical induction and deduction, A., ii, 641.

Luther, Robert, and F. H. MacDougall, reaction between chloric acid hydrochloric acid, A., ii, 436.

Lutz; [Jacob] Oscar, antimonyl potassium tartrate as a standard for iodimetry, A., ii, 577.

Lutzau, G. von. See Richard Meyer. Luzzatto, Riccardo, decomposition of acids of the propionic series by physiological methods, A., ii, 111.

Luzzi, Enrico. See Luigi Balbiano. Lyon, Elias Potter, centrifugalisation of Arbacia eggs, A., ii, 179.

Lyon, William, approximate estimation of commercial glucose in fruit products, A., ii, 809.

M.

See Fritz Ullmann. Maag, Rudolf. Maass, Emil, and Adolf Hildebrandt, reduction of metanicotine with sodium and absolute alcohol. II., A., i,

Mabery, Charles Frederic, and William O. Quayle, composition of petroleum; sulphur compounds and unsaturated hydrocarbons in Canadian petroleum, A., i, 394.

Macallum, Archibald Byron, and (Miss) M. L. Menten, distribution of chlorides in nerve cells and fibres, A., ii, 182.

McBain, James W., rate of migration of complex ions, A., ii, 145.

MacCallum, John Bruce, factors influencing secretion, A., ii, 376.

Douglas. See McCandlish, HenryRichardson Procter.

McClelland, John A., and F. E. Hackett, secondary radiation from compounds. III., A., ii. 413.

McClung, R. K., absorption of α -rays, A., ii, 138.

McCollum, Elmer V. See Treat Baldwin Johnson.

MacConkey, Alfred, liquefaction of gelatin by Bacillus cloace, A., ii, 113.

bacteriology of milk, A., ii, 699.

McConnan, James, and Arthur Walsh Titherley, labile isomerism among acyl derivatives of salicylamide, T., 1318; P., 238,

McCoy, Herbert Newby, relation between the radioactivity and the composition of uranium compounds, A., ii, 142.

McCoy, Herbert Newby, and W. H. Ross, relation between radioactivity and composition of thorium compounds, A., ii, 415.

McCrudden, Francis H., composition of bone in osteomalacia, A., ii, 783. effect of castration on metabolism in osteomalacia, A., ii, 876.

Macdonald, G. G., opsonic content of the serum in the course of acute

pneumonia, A., ii, 296.

MacDougall, F. H. See Robert Luther. McFarlane, John, and Arnold W. Gregory, modified evolution method for the estimation of sulphur in pigiron**, A., ii, 3**90.

estimation of carbon dioxide and carbon, A., ii, 802.

McGrath, S. J. See William Maurice

McGuire, J., the feeding of the frog's heart, <u>A</u>., ii, 39.

Felix, determination of the strength of the solutions employed in nitrogen determinations, A., ii,

estimation of citrate-soluble and total phosphoric acid in basic slag, A., ii, 50.

Machida, S., influence of calcium and magnesium salts on certain bacterial actions, A., ii, 380.

McIntosh, Douglas, basic properties of oxygen; additive compounds of the halogen acids and organic substances containing oxygen, A., i, 481.

McKee, Ralph Harper, preparation of cyanamides, A., i, 732. cKenzie. See Friedrich

McKenzie. William Semmler.

McKenzie, Alexander, studies in asymmetric synthesis. IV. The application of Grignard's reaction for asymmetric syntheses, T., 365; P., 61.

McKenzie, Alexander, and Henry Wren, studies in asymmetric synthesis. V. Asymmetric syntheses from l-bornyl

pyruvate, T., 688; P., 107. M'Lachlan, W., excretion of allantoin in thymus feeding, A., ii, 470.

R. D. MacLaurin, See Loring Jackson.

MacLean, Hugh, Fehling's test for dextrose in urine, A., ii, 255.

Macleod, John James Rickard, and H. D. Haskins, carbamates, A., ii, 377.

endogenous purine excretion in man, A., ii, 874.

McMaster, Leroy. See Harry Clary Jones.

McNally, William D. See William Jay Hale.

McNaught, James Gibson, Bacillus typhosus simulans, A., ii, 190.

McNeil, H. C., constitution of certain natural silicates, A., ii, 457.

Macri, V., analysis of iron ores and slags, A., ii, 495.

Magnanini, Gaetano, determination of the hardness of waters, A., ii, 632.

Magnus, Rudolf, action of synthetical bile acids on the pancreatic decomposition of fats, Λ., ii, 691.

Magnusson, J. P. See Hector Russell Carveth.

Magson, Egbert H. See Thomas Martin Lowry.

Maguire, Joseph A. See Julius A. Nieuwland.

Mai, Carl, and C. Rath, colorimetric estimation of small quantities of morphine, A., ii, 817.

Mai, Julius. See Harry W. Bresler.

Maier, Joh. See Richard Meyer.

Maige, respiration of flowers, A., ii, 192.

Mailhe, Alphonse, new method of preparing olefines, A., i, 129.

new syntheses of amines by means of finely-divided nickel, A., i, 560.

Mailhe, Alphonse. See also Paul Sabatier.

Maillard, Louis C., the chromogen of so-called scatole-red, A., ii, 185.

Maillard, Louis C., and Lucien Graux, existence of hydrogen carbonates in mineral waters and the supposed anomalies in the osmotic pressure values, A., ii, 218.

Maire, M. See Edmond Émile Blaise. Maitland, William, the iodine and ferric-

ferrous potentials, A., ii, 328.

Maitland, William, and Richard Abegg, iodides of thallium: their limits of existence and valency; a case of inorganic tautomerism, A., ii, 542.

Majone, Vincenzo. See Marussia Bakunin.

Maki, S., and S. Tanaka, regeneration of over-limed soil, A., ii, 892.

Makower, Walter, effect of high temperatures on radium emanation, A., ii, 259.

Malengreau, Fernand. See Emil Abderhalden.

Malenković, Basilius, nutrition of wooddestroying fungi, A., ii, 477.

Malerba, Carmelo, antipyretic action of isosuccinic acid derivatives of aniline, p-toluidine, and p-aminophenol, A., ii, 693.

Malfatti, Hans, why does the urine become cloudy on boiling? A., ii, 785.

Malitano, G., starchy substances studied by the aid of our knowledge of the colloidal state, A., i, 804.

the composition of colloidal ferric hydroxychloride in relation to the concentration of hydrochloric acid in the containing fluid, A., ii, 33.

influence of salts intimately united with albuminous material and with enzymes on proteolysis, A., ii, 100.

variations in the size of the granules of colloidal ferric hydroxychloride, A., ii, 450.

osmotic pressure of colloidal ferric hydroxychloride, A., ii, 526.

electrical conductivity of colloidal ferric chloride, A., ii, 647.

Mallet, Edouard, and Philippe A. Guye, electrolysis of alkali chlorides. III. Use of diaphragms of oxide of iron, A., ii, 649.

Mallet, Edouard. See also Louis Friderich.

Mallet, John William, stony meteorite from Coon Butte, Arizona, A., ii, 370.Malmström, R., theory of electrolytic

Malmström, R., theory of electrolytic dissociation, taking account of the electrical energy, A., ii, 67.
Maltese, Raffaele. See Giorgio Errera.

Mameli, Efisio, positions of the NO₂ and NH₂ groups in the mononitro- and anino-derivatives of piperonylaldehyde and piperonyla acid, A., i, 93.

new apparatus for the extraction of liquids, A., ii, 79.

Mameli, Efisio, [with Enrico Boi], methylenecatechol and certain of its derivatives, A., i, 743.

Mameli, Efisio. See also Giuseppe Oddo. Mammola, Giacomo. See Luigi Balbiano.

Manasse, Armand, proportion of lecithin in egg yolk, A., ii, 781.

Manchot, Wilhelm, combustion of cadmium, A., ii, 285.

autoxidation and oxidation with nitric oxide, A., ii, 842.

Manchot, Wilhelm, and August Kieser, constitution of silicides. II. Double aluminium silicides, A., ii, 83.

Manchot, Wilhelm, [and, in part, R. Kraus], constitution of chromic acid, A., ii, 364.

chromium dioxide and the constitution of chromium trioxide A., ii, 859.

Manchot, Wilhelm, and R. Noll, derivatives of triazole, A., i, 213.

Manchot, Wilhelm, and P. Richter, auto-oxidation of tervalent titanium, A., ii, 172.

oxidation of tervalent titanium. A., ii, 172.

Manchot, Wilhelm, and Chr. Zahn, [with G. Kränzlein], thio-derivatives of aromatic aldehydes and ketones and their desulphurisation, A., i, 752. Mandel, Arthur R., and Graham Lusk,

lactic acid in intermediary metabolism,

A., ii, 463.

Mandel, John A., and Phoebus A. Levene, preparation and analysis of XI. Nucleic acid nucleic acids. from the mammary glands of the cow, A., i, 125.

nucleic acids. XII. Nucleic acid of

the kidney, A., i, 468.

pyrimidine bases of the nucleic acid obtained from fishes' eggs, A., ii, 375.

Mandel, John A. See also Phocbus A. Levene.

Mandl, Alfred, and Franz Russ, shaking machine, A., ii, 154.

Manea, A., estimation of gallotannic acid in tanning materials, A., ii,

Mannich, Carl, tautomerism of cyclo-hexanone, A., i, 432.

Manning, Rodger J., and William

Robert Lang, estimation of boric acid, alone and in the presence of phosphoric acid, A., ii, 491.

Mansier, calorimetric assay of mustard, A., ii, 640.

Manuelli, Antonio, action of sulphur on solutions of metallic salts, A., ii, 607.

Manuelli, Antonio. See also Giuseppe Bruni.

Manuelli, Camillo, and Concetto Maselli, o-diamines with condensation of phthalonic acid, A., i, 308.

Manville, O., variations of state exhibited by amorphous carbon under the influence of temperature and the action of oscillations of temperature, A., ii, 439, 537.

Manwaring, Wilfred H., analytical methods of serum pathology, A., ii,

Manzella, Eugenio, estimation of moisture in natural solid fuels, A., ii, 489.

methods for determining the hydraulic value of volcanic pozzuolana, A., ii, 493.

Maquenne, Léon [Gervais Marie], ab solute desiccation of vegetable sub stances, A., ii, 129.

Maquenne, Léon, and Eugène Roux, influence of reaction on the activity of amylase, A., i, 327.

diastatic saccharification, A., i, 547. new properties of malt-extract, A., ii, 623.

Marben, E. See Hugo Simonis.

Marc, Robert, allotropic forms of selenium, A., ii, 226.

behaviour of selenium towards light and temperature, A., ii, 280, 742.

phosphorescence (cathode-luminescence) spectra of rare earths and the new elements ionium, incognitum, and victorium, A., ii, 360.

March, François. See Albin Haller.

Marchetti, Guerriero. See Angelo Angeli.

Marchlewski, [Paul] Leon [Theodore], and Lad. Matejko, bixin; the colouring matter of Bixa orleana. I., A., i, 760.

Marchlewski, Leon. See also Jozef Buraczewski and Tad. Kózniewski.

Marckwald, Willy, radioactivity uranyl double salts, A., ii, 143. polonium and radiotellurium, A., ii, 721.

Marckwald, Willy, and Richard Meth, optically-active substances which do not contain an asymmetric atom, A., i, 360.

4-methylcyclohexylidene-1-acetic acid, A., i, 584, 663.

stereoisomeric cinnamic acids, A., i,

Erlenmeyer jun.'s brucine cinnamates, A., i, 880

Marckwald, Willy, and David M. Paul, conversion of racemic compounds into optically active compounds, A., i, 958.

Marcuse, Gotthelf, the behaviour of alkaline earths in metabolic experiments with caseinogen and edestin, A., ii, 464.

Marcusson, Julius, theory of saponification, A., i, 924.

Marceuw. See Driessen Marceuw.

Marck, J., use of a layer of copper oxide

or copper oxide and asbestos 5 cm. in length, instead of the usual long layer in elementary organic analysis, A., ii, 496, 802.

Marini, C. See Nicola Parravano.

Marino, F., action of living microbes on a solution of azure-blue in methyl alcohol, A., ii, 189.

Marino, Luigi, electrolytic preparation of vanadous salts and properties of vanadous and vanadic salts, A., ii, 617.

Marino, Luigi, and G. Sericano, physicochemical nature and activity of enzymes, A., i, 125.

Marion, optical determination of gliadin

in flours, A., ii, 408.

Mark, H. See Max Siegfried.

Markovits, Th. von. See Karl Auwers. Marmu, Numa. See Alfred Daniel Hall.

Marquis, Raymond, action of iminoesters and of imino-chlorides on organomagnesium derivatives, A., i, 434.

Marriott, W. McKim, and Charles George Lewis Wolf, estimation of small quantities of iron, A., ii, 582.

Marsden, (Miss) Effic Gwendolinc. Edward Charles Cyril Balv.

Marshall, Arthur, the vapour pressures of binary mixtures. Part I. The possible types of vapour pressure curves, T., 1350; P., 154.

Marshall, Charles Robertshaw, chemical constitution and physiological action,

A., ii, 788.

physiological action of tutin, A., ii, 789.

Martin, E. G., absorption and consumption of oxygen in heart tissue, A.,

the relations of the inorganic salts of the blood to the contractions of cardiac and skeletal muscle, A., ii,

Martin, Louis de Saint. See Saint-Martin.

Martin, Max, detection of horse and feetal flesh by the glycogen estimation, A., ii, 408.

Martin, William Blair Morton. See Robert Muir.

Marx, Hans. See Franz Fischer.

Marx, Hugo, action of quinine on hæmoglobin, A., i, 546. Marx, Jos. P. See Joseph Newfield.

Mascarelli, Luigi, behaviour of benzaldehyde in presence of iodoxy-benzene and under the action of light, A., i, 962.

the two forms of mercuric iodide, A., ii, 757.

Mascart, Éleuthère [Élie Nicolas], nrays, A., ii, 141.

Maschhaupt, J. G., methods for preparing normal acids, A., ii, 797.

Maselli, Concetto. See Camillo nuelli.

Masson, [David] Orme. See Alexander C. Cumming.

Matejko, Lad. See Leon Marchlewski. Materne, O., rapid method of estimating the metals of the arsenic group, ex clusive of gold or platinum, A., ii, 807. Mathers, Frank C. See Oliver W. Brown.

Howard, Mathews, Josephrelation between electrolytic conduction. specific inductive capacity, and chemical activity of certain liquids (with a bibliography of dielectric constants), A., ii, 3, 327.

Mathews, Joseph Howard. See also Victor Lenher.

Mathewson, C. H., sodium-aluminium, sodium-magnesium, and sodium-zine alloys, A., ii, 165.

alloys of sodium with lead, cadmium, bismuth, and antimony, A., ii,

Mathewson, W. E., optical rotation and density of alcoholic solutions of gliadin, A., i, 545.

optical rotation of gliadin in certain organic solvents, A., i, 999.

Mathewson, W. E., and J. W. Calvin, estimation of hydrogen peroxide, ferrous salts, and other reducing agents, A., ii, 704.

Matignon, Camille [Arthème], samarium sulphates, A., ii, 88.

sulphates of the rare metals, A., ii,

compounds of the rare metals of the cerium group, A., ii, 232. yttrium chloride, A., ii, 673.

ytterbium chloride, A., ii, 674. neodymium chloride, A., ii, 675.

preparation of anhydrous chlorides of rare metals; praseodymium chloride; samarium chloride; lanthanum chloride, A., ii, 675.

Matignon, Camille, and E. Cazes, a new type of compound in the group of rare metals, A., ii, 169.

samarous chloride, A., ii, 675.

Matignon, Camille, and René Trannoy, oxidising catalytic agents; generalisation of the lamp without flame, A., ii, 427.

action of ammonia gas on anhydrous neodymium chloride, A., ii, 449.

Matsubara, Koichi. See Emil Fischer. Matthies, W., glow discharge in the halogens, chlorine, bromine, and iodine, A., ii, 6.

vapour pressure of sulphur, A., ii, 663.

Mattisson, Max, strychnine oxide, A., i. 304.

Mattisson, Max. See also Friedrich Kehrmann. Mauermaver. Theodor. See Alfred

Einhorn. Manguin, Charles. See Louis Jacques

Simon.

Maurain, Charles, mechanism of the production and the nature of cathodic pulverisations, A., ii, 65.

Maurenbrecher, A. D., diphenylhydr-

azones of a series of aldehydes, A., i,

Maurenbrecher, A. D., and Bernhard Tollens, carbohydrates of cocoa, A., ii, 884.

tea, A., ii, 886.

Mauricheau-Beaupré, Paul, combustion of acetylene in oxygen, A., i, 129. a qualitative test for phosphorus, A., ii, 578.

Mauthner, Ferdinand, o-o-dihydroxydiphenyl sulphide, A., i, 421.

phenothioxins and naphthathioxins, A., i, 447.

preparation of diaryl sulphides, A., i,

Mauthner, Julius, cholesterol. I. Addition of hydrogen chloride, A., i, 579. cholesterol. II. Specific rotations of cholestene and cholestane deriva-

tives, A., i, 663. Mauz, Paul. See Rudolf Hefelmann. Maximowitsch, Stephan, albumin from the blood-serum of the cow, A., i, 224.

Maxson, Ralph N., colorimetric estimation of small amounts of gold, A., ii, 496.

Maxwell, Samuel Steen, chemical stimulation of cerebrum, A., ii, 240, 871. May, Alfred. See Daniel Vorländer.

May, O., fruits of Sapindus Rarak, A., ii, 301.

Mayer, Adolf [Eduard], example of how analysis of soil may be of use, A., ii, 249. Mayer, André, complexes of pure albumin, A., i, 998. Mayer, Fritz. See Martin Freund.

Mayer, Heinrich G. See Gustav Heller. Mayer, O. von. See Hartwig Franzen.

Mayer, Otto, detection of acetoacetic acid in urine, A., ii, 501.

estimation of lead, A., ii, 581.

Mayer, Paul, lecithin-sugar and jecorin and the physico-chemical behaviour of sugar in the blood, A., i, 915.

fission of lipoid substances by lipase and the optical antipodes of natural

lecithin, A., i, 918.

Mayr, Emil, influence of normal salts on the staining and fixation of nervous tissues, A., ii, 182. Mayr, Ernst. See Josef Brandl.

Mayrhofer, Adolf. See Josef Herzig.

Mazzara, Girolamo, and Alessandro Borgo, action of sulphuryl chloride on indole; chloro- and dichloroindoles, A., i, 304.

action of sulphuryl chloride on pyrazole,

A., i, 702.

Mazzucchelli, Arrigo, and Cesare Barbero, electrolytic potential of certain peroxides, A., ii, 647.

Meade, Harold A. See Treat Baldwin Johnson.

Medinger, Paul, derivatives of catechol methylene ether, A., i, 421.

Medri, L., estimation of certain oxidising substances by means of hydrazine sulphate, A., ii, 628.

Meek, Walter J., influence of osmotic pressure on the irritability of skeletal

muscle, A., ii, 872.

Meerburg, Pieter Adriaan, and H. Filippo, microchemical reaction for copper in presence of lead and bismuth, A., ii, 52.

Meerum Terwogt, Peter Catharinus Elize, the system : bromine and iodine, A., ii, 15.

Mees, Charles_Edward Kenneth. See Samuel Edward Sheppard.

Mehler, Hans. See Alexander Gutbier. Mehling, M. F. See Arthur Wesley Browne.

Mehring, Heinrich. See RichardAnschütz.

Mehrtens, Gustav. See Max Busch and Carl Paal.

Meier, Hugo. See Johann Feigl.

Meigen, [Ernst] Wilhelm [Gustav], 5-

bromo-6-aminoquinoline, A., i, 382. Meigen, Wilhelm, and E. Nottebohm, action of sodium hypobromite on primary aromatic amines, A., i, 319.

Meillère, G. [Jean], inositol, A., ii, 811.

Meinertz, Joseph, jecorin, A., i, 124.

Meisenheimer, Jakob, and Friedrich Heim, estimation of nitric and nitrous acids, A., ii, 49, 125.

Meisenheimer, Jakob, and Egbert Patzig, reduction of aromatic o- and pdinitro-compounds, A., i, 642.

direct introduction of amino-groups into the nucleus of aromatic nitrocompounds, A., i, 652.

Meisenheimer, Jakob, and M. Schwarz, aliphatic polynitro-compounds, A., i,

618. Meisenheimer, Jakob. See also Eduard Buchner.

Meister, Lucius, & Brüning. See Farbwerke vorm. Meister, Lucius, Brüning.

Meldola, Raphael, presidential address, T., 745; P., 93.

the living organism as a chemical agency; a review of some of the problems of photosynthesis by growing plants, T., 749; P., 98.

notes on derivatives of α-N-alkylated naphthylamine, T., 1434; P., 245.

Meldola, Raphael, a new trinitroacetaminophenol and its use as a synthetical agent, T., 1935; P., 303.

Meldola, Raphael, and Hugh Gordon Dale, note on 4-bromo-2-nitro-1(a)-

naphthylamine, P., 156.

Meldola, Raphael, and Frank George Coad Stephens, dinitroanisidines and their products of diazotisation (second communication), T., 923; P., 157.

Mellanby, J., globulins, A., i, 122.

Meltzer, Samuel J., and John Auer, pharmacological studies of magnesium salts. II. The toxic action of intravenous injections on the medullary centres, A., ii, 244.

physiological action of magnesium salts. III. Their narcotising effect on nerve fibres, A., ii, 473.

action of ergot on the alimentary canal, A., ii, 878.

Meltzer, Samuel J., and William Salant, toxicity of bile. II., A., ii, 297.

Mendel, Lafayette Benedict, enzymes of the embryonic alimentary canal, A., ii, 181.

Mendel, Lafayette Benedict, and Harold C. Bradley, physiology of Mollusca. III., A., ii, 782.

Mendel, Lafayette Benedict, and Oliver E. Closson, excretion of inorganic compounds. III. Rubidium, A., ii, 469.

Mendel, Lafayette Benedict, and Dudley F. Sicher, excretion of inorganic compounds. II. Barium, A., ii, 469.

Mendel, Lafayette Benedict, and Frank Pell Underhill, physiological action of phytin acid, A., ii, 789.

Mendthal, Erich. See Wilhelm Lossen.

Menge, George A. See Harry Ward

Foote and Treat Baldwin Johnson.

Menneke, F. A. See Nicholas Knight.
Menschutkin, Boris N., etherates of
haloid compounds of magnesium.
II. Action of anhydrous alcohols
on etherates of magnesium bromide;
crystalline alcoholates of magnesium
bromide, A., i, 131.

etherates of haloid compounds of magnesium. III. Action of anhydrous alcohols on etherates of magnesium iodide; crystalline alcoholates of magnesium iodide, A., i, 131.

etherates of haloid compounds of magnesium. IV. Action of water on the etherates; solubility of hydrates of magnesium bromide and iodide in water, A., i, 132.

etherates of haloid compounds of magnesium. V. Action of esters; compounds of magnesium iodide and bromide with esters, A., i, 132. Menschutkin, Boris N., etherates of magnesium bromide and iodide. II. The monoetherate of magnesium bromide, A., i, 552.

combination of magnesium bromide with certain amines, A., i, 943.

Menschutkin, Nicholas A., sen., the velocity of chemical change in the polymethylene series, T., 1532; P., 203.

influence of catalysts on the formation of anilides. II., A., i, 494.

Menten, (Miss) M. L. See Archibald Byron Macallum.

Menter, Franz. See Zdenko Hanns Skraup.

Mentzel, Curt, estimation of sulphurous acid in flesh, A., ii, 305.

Merck, [Carl] Emanuel, preparation of 4:5-diamino-2:6-dihydroxypyrimidine and its derivatives, A., i, 214.

preparation of guanine, A., i, 456. 5:5-diethylbarbituric acid, A., i

4:5-diamino-2:6-dihydroxy-3-methylpyrimidine, A., i, 536.

preparation of cyclic carbamide derivatives (pyrimidines), A., i, 537, 703.

preparation of derivatives of barbituric acid, A., i, 537.

preparation of p-dialkylaminobenzhydrylamines, A., i, 661.

preparation of pyrimidine derivatives, A., i, 705. preparation of substituted di-imino-

barbituric acids, A., i, 715. preparation of the amides of coumarin-

carboxylic acid, A., i, 853.

preparation of imino-5:5-dialkylbarbituric acids, A., i, 987.

preparation of magnesium and zine peroxides, A., ii, 853.

Merk, Bernhard, reaction between potassium persulphate and iodide and bromide in aqueous solutions, and its application in medicine, A., ii, 436.

detection of iodides in the dry way, A., ii, 489.

Mermod, Eric, and Hugo Simonis, alkylmeconines, A., i. 303.

meconines, A., i, 303.

Mermod, Eric. See also Hugo Simonis.

Merrill, George Perkins, and Wirt Tassin
new stony meteorite from Modoc
Kansas, A., ii, 371.

Merriman, Henry J. See Oswald Silberrad.

Meslin, Georges, coexistence of paramagnetism and diamagnetism in the same crystal, A., ii, 69.

Mesnil, Felix. See M. Nicolle.

Mestrezat, W., estimation of malic acid and some fixed acids in the juices of fruits, both fermented and unfermented, A., ii, 635.

Mestrezat, W. See also L. Roos.

Metcalf, C. R. See George Howard Parker.

Meth, detection of formaldehyde, A., ii,

Meth, Richard. See Willy Marchwald. Mettler, Carl, preparation of aromatic alcohols and their ethers by the electrolytic reduction of aromatic esters, A., i, 497.

electrolytic reduction of aromatic carb-

oxylic acids, A., i, 851.

Metzl, Sigmund, antimony sulphate and its double salts with alkali sulphates, A., ii, 174.

a modified method for standardising iodine solutions, A., ii, 194.

preparation of antimony oxide from antimony sulphide, A., ii, 234.

Mey, Paul, peptic digestion, A., ii, 462.

Meyer, Arthur, apparatus for the cultivation of Bacteria with high oxygen concentration and for the determination of the oxygen maxima of the Bacteria and the periods at which they are killed at higher oxygen concentrations, A., ii, 475.

Meyer, Erich, behaviour of nitrobenzene and other aromatic nitro-compounds in

the organism, A., ii, 244.

Meyer, Ernst [Sigismund Christian] von, constitution and method of formation of termolecular nitriles or cyanalkines, A., i, 411.

Meyer, Fernand, combination of ammonia with aurous chloride, bromide, and iodide, A., ii, 664.

Meyer, Georg. See Franz Himstedt.

Meyer, Hans, action of diazomethane on aldehydo-acids and aldehydes, A., i, 87.

reciprocal stereochemical influences, A., i, 107.

action of diazomethane on pyridones and hydroxypyridinecarboxylicacids, A., i, 108.

dialkylmalonic acids, A., i, 137.

formation of amides and hydrolysis of esters by amides, A., i, 358.

linking up of amino-acids, A., i, 432.

kynurine ethers, A., i, 604.

Meyer, Julius, a modification of mercurous chloride, A., ii, 29. volatility of indium oxide, A., ii, 30.

Meyer, Kurt, diffusion in jellies, A., ii, 105.

Meyer, Oskar B., the properties of the muscular tissue of the walls of bloodvessels, with special reference to the action of adrenaline, A., ii, 777.

Meyer, Richard [Emil], and Paul Bock,

isosuccinic acid, A., i, 726.

Meyer, Richard, and Ernst Hartmann, 1:3:6-trihydroxynaphthalene, A., i,

direct estimation of acetyl and benzoyl groups, A., ii, 58.

Meyer, Richard, [with P. Jaeger, G. von Lutzau, and Joh. Maier], ringformation. II., A., i, 765.
Meyer, Richard, and Hermann Pfoten-

hauer, mutual exchange of aromatic

complexes, A., i, 23.

Meyer, Richard, and Karl Tögel, Grignard's reaction, A., i, 757.

Meyer, Victor J. See Arthur Rosenheim.

Meyerhoffer, Wilhelm, reciprocal salt pairs. IV. A problem of affinity, A., ii, 12.

Mezger, Otto. See William Küster.

Michael, Arthur, preparation of pure ethyl alkylmalonates, A., i, 63. [Claisen's cinnamic acid synthesis],

A., i, 85.

constitution of tribenzoylenebenzene, A., i, 518.

principle of partition (" Vertheilungsprincip"), A., i, 550.

application of the principle of partition. I. Course of the addition of water to $\Delta \beta$ -hexinene, A., i, 559.

application of the principle of partition. VI. Action of hydrogen chloride on propylene oxide and propenyl alcohol, A., i, 781.

constitution of carbon suboxide, A., ii,

Michael, Arthur, and Wightman Wells Garner, cinnamylideneacetic acid [styrylacrylic acid] and some of its transformation products, 274.

magnesium permanganate as an oxidising agent, A., ii, 229.

Michael, Arthur, and Robert Nelson Hartman, application of the principle of partition. II. Constitution of the hexyl alcohol prepared from mannitol hexylene, A., i, 551.

Michael, Arthur, and Virgil L. Leighton, application of the principle of partition. IV. Addition of hypochlorous acid to isobutylene, A., i, 551.

application of the principle of partition. VII. Action of hydrogen chloride on isobutylene oxide, A., i, 781.

Michael, Arthur, [with Arthur Murphy, jun.], isomerism and tautomerism, A., i. 179.

Michael, Arthur, and Harold John Turner, application of the principle of partition. III. Action of chlorine on hexane, A., i, 550.

Michael, Arthur, and Francis Daniel
Wilson, course of the decomposition of
mixed aliphatic ethers by hydrogen

iodide, A., i, 620.

Michaelis, [Carl Arnold] August, and H. Schlecht, benzeneazo-derivatives of antipyrine and thiopyrine, A., i, 614.

Michaelis, August, and Adalbert Zilg, action of phosphorus oxychloride on bispyrazolone derivatives of aldehydes and ketones, A., i, 216.

Michaelis, Franz. See Franz Sachs.

Michaelis, Leonor, certain properties of dye-bases and dye-acids, A., i, 444. ultra-microscope and its application to chemistry, A., ii, 431.

Michalski, Lad., action of alkaloids on

cockroaches, A., ii, 695.

Micheels, H., and P. de Heen, influence of electrodes on germinating seeds, A., ii, 115.

comparison of the actions of aluminium, zinc, and carbon electrodes on germination, A., ii, 115.

action of colloidal solutions of tin on germinating seeds, A., ii, 115.

action of aluminium salts on germination, A., ii, 191.

action of ozone on germinating seeds, A., ii, 791.

stimulating action of manganese on

germination, A., ii, 791.

Michel, Friedrich, preparation of s-tetrachloroethane and hexachloroethane, A., i, 550.

Michelet, E., and John Sebelien, analyses of natural humus, A., ii, 388.

Michels, A. See Arthur Kötz.

Micklethwait, (Miss) Frances Mary Gore. See Gilbert Thomas Morgan. Micko, Karl, hydrolysis of meat extract,

A., i, 778.

Mieli, Aldo, chemical kinetics. I. Hydrolysis of ethyl citrate, A., ii, 602.

Miers, Henry Alexander, and (Miss) Florence Isaac, the refractive indices of crystallising solutions, with especial reference to the passage from the metastable to the labile condition, T., 413; P., 9; discussion, P., 10.

Miethe, A. See Louis Lewin.
Mihr, F. See Rudolf Schenck.

Milbauer, Jaroslav, action of certain gases on potassium thiocyanate at high temperatures, A., i, 405.

Millar, Edmund Theodore. See Adrian John Brown.

Miller, Edmund Howd. See Frederick van Dyke-Cruser and John F. Thompson.

Miller, Edward Holl. See Henry Droop Richmond.

Miller, Norman Harry John, amounts of nitrogen as ammonia and as nitric acid, and of chlorine in the rain-water collected at Rothamsted, A., ii, 486.

Miller, Norman Harry John. See also

Alfred Daniel Hall.

Millosevich, Federico, minerals from Val d'Aosta, A., ii, 368.

mineralogy of Sardinia; bournonite from Sarrabus, A., ii, 456.

Mills, James E., molecular attraction. V. An application of the theory to ten additional substances, A., ii, 216.

Minguin, Jules. See Albin Haller. Minkowski, Oskar, pancreatic diabetes,

A., ii, 186.

Minunni, Gaetano, and Roberto Ciusa, hydroxylamine derivatives of ketones of the type CO(CH:CHR)₂, A., i, 95. oxidation of aromatic aldoximes with amyl nitrite, A., i, 187.

Minunni, Gaetano, and Guido Lazzarini, pyrazole derivatives, A., i, 385.

1-phenyl-3-hydroxyphenyl-5-methylpyrazole-4-carboxylic acid and its lactone, A., i, 388.

Minunni, Gaetano, [in part with G. Vassallo, Roberto Ciusa, and Guido Lazzarini], new general method of synthesising pyrazole derivatives, A., i, 114.

Mirande, Marcel, an instance of the formation of anthocyanin under the influence of the bite of an insect (Eurrhipara urticata), A., ii, 884.

Mitchell, Herbert Victor. See John Theodore Hewitt.

Mitchell, Philip Henry, influence of autolysis on the pentose of the pancreas, A., ii, 559.

Mixter, William Gilbert, thermal constants of acetylene, A., ii, 598.

Mochizuki, Junichi, and R. Arima, formation of dextrorotatory lactic acid by the autolysis of animal organs, A., ii. 873.

Modebadzé, K. See Friedrich Kehrmann. Möhlau, [Bernhard Julius] Richard, compounds of palladic chloride with [tertiary] cyclic [bases], A., i, 304.

Möhlau, Richard, and Hans Litter, constitution of murexide and of purpuric acid, A., i, 611.

action of primary amines on alloxantin, A., i, 612.

Möller, W. See Ludwig Schucht.

Mönkemeyer, K., formation of mixed crystals from fused mixtures of lead, silver, thallium, and copper haloids, A., ii, 604.

Mohr, Ernst [Wilhelm Max], benzoylphenylcarbamide, A., i, 252.

Hofmann's reaction. 11. and III., A., i, 252, 357.

Mohr, Ernst, and Friedrich Köhler, linking of amino-acids, A., i, 359.

Mohr, L, the relation between the fat and carbohydrates of the body in phosphorus poisoning, A., ii, 474. the amount of amino-acids in normal

human urine, A., ii, 693.

Mohr, Otto, trustworthiness of the calculation of heating values of fuels from

analyses, A., ii, 334.

Moir, James, thiocarbamide as a solvent for gold, T., 1345; P., 105, 164. the constitution of cœrulignone (cedriret); preliminary note, P., 110. the so-called "benzidine chromate"

and allied substances, P., 258. new derivatives of diphenol (4:4'-dihydroxydiphenyl), P., 259. the determination of halogen, P.,

Moissan, [Ferdinand Frédéric] Henri, distillation of copper, A., ii, 28.

distillation of gold; gold-copper and gold-tin alloys; a new preparation of the purple of Cassius, A., ii, 92.

boiling of osmium, ruthenium, platinum, palladium, iridium,

rhodium, A., ii, 175.

boiling and distillation of nickel, iron, manganese, chromium, molybdenum, tungsten, and uranium, A., ii, 232. distillation of titanium, and the temperature of the sun, A., ii, 366.

preparation of pure gases, A., ii, 531. melting points and boiling points of the fluorides of phosphorus, silicon, and boron, A., ii, 535.

Moissan, Henri, and Olto Hönigschmid, preparation of thorium, A., ii, 678.

Moitessier, Joseph, action of sodium fluoride on methæmoglobins obtained from globin and hæmatin, A., i, 779.

Mol, D., ester anhydrides of dibasic acids, A., i, 4.

Molinari, Ettore, and E. Soncini, constitution of oleic acid and the action of ozone on fats, A., i, 792.

Molisch, Hans, brown pigment of phæophyceæ and diatoms, A., ii, 118.

Molitoris, Hans, behaviour of strychnine in birds, A., ii, 111.

Moll, Leopold, artificial change of albumin into globulin, A., i, 53.

Moll van Charante, Jacob, formation of salicylic acid from sodium phenoxide, A., i, 665.

Mollard, J. See $L\acute{e}o$ Vignon.

Molliard, structure of plants developed in presence of light, without carbon dioxide and with organic substances, A., ii, 117.

Monath, J. See Paul Pfeiffer.

Mond, Robert Ludwig, and Meyer Wilderman, a new and improved chronograph, A., ii, 154.

Monier-Williams, Gordon Wickham, a synthesis of aldehydes by Grignard's reaction, T., 273; P., 22.

Monti, N., new reaction of aconitine, A., ii, 908.

See

Moodie, (Miss) Agnes Marion.

James Colquhoun Irvine. Moodie, William. See David Fraser Harris.

Moody, Gerald Tattersall, the rusting of iron, T., 720; P., 101; discussion, P., 102.

Moody, Seth E., the hydrolysis of salts of iron, chromium, tin, cobalt, nickel, and zinc in the presence of iodides and iodates,

the hydrolysis of ammonium salts in presence of iodides and iodates, A., ii, 851.

Moog, Robert. See H. Guillemard.

Moor, Wm. Ovid, the amount of urea in normal human urine, A., ii, 693.

Moore, Benjamin, William Alexander, Robert Ernest Kelly, and Herbert Eldon Roaf, acidity of the gastric contents [in cancer], A., ii, 565.

Moore, Benjamin, Edward S. Edie, and John Hill Abram, treatment of diabetes by extract of duodenum, A., ii,

186, 787.

Moore, Benjamin, and Herbert Eldon Roaf, physical and chemical properties of solutions of chloroform and other anæsthetics; chemistry of anæsthesia. II., A., ii, 187.

Moore, Benjamin, Herbert Eldon Roaf, and Edward Whitley, effect of alkalis and acids and of alkaline and acid salts on growth and cell division in the fertilised eggs of Echinus esculentus, A., ii, 180.

Moore, Benjamin, and Fred. Perera Wilson, hæmalkalimetry, A., ii, 565.

Moore, B. E., spectroscopic researches on copper and cobalt solutions, A., ii, 510.

Moore, Forris J., piperonal and hydrogen chloride: a two-component threephase system, A., i, 855.

Moore, Forris J., and A. M. Cederholm, benzoyl-p-bromophenylcarbamide: a by-product in the preparation of benzoylbromoamide, A., i, 831.

Richard B., and Herman Schlundt, new methods of separating uranium X from uranium, A., ii, 721.

Moore, Richard B. See also Herman Schlundt.

Morawitz, P., post-mortem changes in the blood, A., ii, 291.

Moré, Arnold. See Arnold Reissert.

Moreau, Georges [Gaston Émile], mobility of ions of salt vapours, A., ii,

recombination of the ions of salt vapours, A., ii, 217.

ionisation of saline vapours, A., ii,

Morel, Albert, combination of aminoacids derived from proteids, A., i, 730. orel, Albert. See also J. Galimard Morel, Albert. See also and Louis Hugounenq.

Morgan, Edith. See Arthur Hantzsch. Morgan, Gilbert Thomas, and Arthur Clayton, influence of substitution on the formation of diazonmines and Part V. aminoazo-compounds. Dimethyl-4:6-diamino-m-xylene, 1054; P., 174.

Morgan, Gilbert Thomas, and (Miss) Frances Mary Gore Micklethwait, the diazo-derivatives of 1:5- and 1:8benzenesulphonylnaphthylenediamines, T., 4.

the residual affinity of coumarin as shown by the formation of oxonium salts, T., 863; P., 131; discussion, P., 131.

the diazo-derivatives of the mixed aliphatic aromatic ω-benzenesulphonylaminobenzylamines, T., 1158; P., 174.

azimino-compounds from aromatic para-diamines, A., i, 911.

Morgan, Thomas Gilbert, and (Miss) Frances Mary Gore Micklethwait, [with Edward Gordon Couzens], the action of nitrous acid on the arylsulphonylmetadiamines, T., 1289; P., 239.

Morgan, Gilbert Thomas, and William Ord Wootton, contribution to the study of stable diazo-compounds; preliminary note, P., 23.

Morgan, John Livingston Rutgers, and Clarence Whitney Kanolt, combination of a solvent with the ions, A., ii, 420.

Morgen, August, Carl Beger, and Gustav Fingerling, action of single foods on milk production, A., ii, 563.

Morschöck, Fritz. See Wilhelm Lossen and Heinrich Lührig.

Morse, Harmon Northrop, Joseph Christie Whitney Frazer, E. J. Hoffman, and William Lee Kennon, redetermination of the osmotic pressure and depression of the freezing point of sucrose solutions, A., ii, 601.

Morse, Harmon Northrop, Joseph Christie Whitney Frazer, and B. S. Hopkins, osmotic pressure and depression of the freezing point of solutions of dextrose.

I., A., ii, 600.

Morse, Harmon Northrop, and C. W. Gray, electrical method for the simultaneous estimation of hydrogen, carbon, and sulphur in organic compounds, A., ii, 399.

Mosengeil, K. von, phosphorescence of nitrogen and sodium, A., ii, 714.

Moser, L., volumetric estimation of lead as iodate, A., ii, 198.

gravimetric estimation of bismuth as phosphate and its separation from cadmium and copper, A., ii, 199.

action of hydrogen peroxide on bismuth salts, A., ii, 618.

Mossler, Gustav, estimation of small quantities of sodium sulphate in magnesium sulphate, A., ii, 395.

Mosso, Angelo, physiology of smooth muscle, A., ii, 466.

Mott, Frederick Walker, and William Dobinson Halliburton, the suprarenal capsules in cases of nervous and other diseases, A., ii, 184.

Mott, Frederick Walker. See also Leonard Erskine Hill.

Mouneyrat, Antoine, detection estimation of minute quantities of iron, A., ii, 495.

iron in living tissues, A., ii, 582.

Moureu, Charles, molecular refraction and dispersion of acetylenic compounds, A., ii, 1.

determination of rare gases in natural gaseous mixtures, A., ii, 126.

the gases of thermal springs; determination of the rare gases; general presence of argon and helium, A., ii, 442.

Moureu, Charles, and Robert Biquard, presence of neon in the gases of thermal springs, A., ii, 685.

Moureu, Charles, and I. Lazennec, acetylenic amides and nitriles, A., i, 148.

condensation of acetylenic nitriles with alcohols; general method of synthesising B-substituted derivatives of β -alkyloxyacrylonitriles, A., i, 240.

Moureu, Charles, and I. Lazennec, condensation of acetylenic nitriles with phenols; general method of synthesis of β -substituted β -phenoxyacrylonitriles, A., i, 276.

condensation of acetylenic amides with phenols; general method of synthesis of β -substituted derivatives of β phenoxyacrylamides, A., i, 432.

researches on pyrazolones; new methods of synthesis of pyrazolones, A., i, 702. condensation of acetylenic nitriles with amines; general method of synthesis of β -substituted derivatives of β amino-substituted acrylonitriles, A., i, 956.

condensation products of acetylenic esters and amines, A., i, 956.

Mouton, Henri. See A. Cotton and C. Delezenne.

Moye, Albert, plaster of Paris, A., ii, 447.

Mügge, [Johannes] Otto [Conrad], hemihedrism of sylvite, A., ii, 454.

crystalline form and deformation of bischofite and related chlorides of cobalt and nickel, A., ii, 620.

Mühlhausen, Gottfried. See Theodor Zincke.

Müller, Arthur, thorium hydroxi hydrosol, A., ii, 762. Müller, Carl. See Julius von Braun. thorium hydroxide

Miller, [Max] Erich, and Paul Bahntje, action of organic colloids on the electrolytic deposition of copper, A., ii, 330.

Müller, Erich, and Romuald Nowakowski, preparation of colloidal solutions of selenium and sulphur by electrical pulverisation, A., ii, 18.

cathodic behaviour of sulphur, selenium, and tellurium, A., ii, 145.

Muller, Erich, and Alfred Scheller, abnormal anodic polarisation produced by fluorine, chlorine, and bromine ions, A., ii, 64.

Müller, Erich, and Max Soller, lead peroxide as anode in the electrolytic oxidation of chromium sulphate to chromic acid, A., ii, 66.

Müller, Erich, and Fritz Spitzer, electrolytic oxidation of ammonia and its dependence on the material of the anode, A., ii, 158.

anodic oxide formation and passivity, A., ii, 724.

Müller, Erich. See also Consortium für Elektrochemische Industrie.

Müller, Ernst (Berlin). See Otto Diels. Müller, Ernst (Heidelberg). See Samuel Bondi and Theodor Curtius.

Müller, F. See Rudolf Hefelmann.

Müller, F. (Berlin). See Alfred Stock. Müller, Fritz. See Eduard Vongerichten.

Müller, Hermann. See Fritz Fichter. Müller, Hermann A., \(\beta\)-benzylidene-

glutaric acid, A., i, 960.

Müller, Max, proteid sparing action of asparagine, A., ii, 465.

Müller, Rudolf. See Volkmar Kohlschütter and Fritz Straus.

Müller, Wilhelm. See Alexander Nau-

Müller, Wolf Johannes, passivity of metals, A., ii, 76.

Müller, Wolf Johannes. See also Johann Georg Koenigsberger.

Muntz, [Charles] Achille, and E. Lainé, intensive nitrification, A., ii, 114.

rôle of organic matter in nitrification, A., ii, 298. utilisation of peat holes for the inten-

sive production of nitrates, A., ii, 476.

Müther, Aloys. See Conrad von Seelhorst.

Muir, Robert, and Carl H. Browning, anti-immune substances and plementoids; the action of plement as agglutinin, A., ii, 98.

Muir, Robert, and Alexander Robert Ferguson, hæmolytic receptors of the

red corpuscles, A., ii, 96.

Muir, Robert, and William Blair Morton Martin, deviation of complement by a serum and its anti-serum, and its relation to the precipitin test, A., ii, 688.

Mulder, A., synthesis of secondary mixed amines by Hinsberg's method, A., i,

synthesis of alkyl derivatives of 2:4dinitroaniline and of two isopropyl-2:4:6-trinitroanilines, A., i, 491. oxidation of 2:4-dinitroanilines with

chromic anhydride, A., i, 492. hexanitrodiphenylamines, A., i, 493.

Mulert, B., 3-ethylcinchonic acid and 2-hydroxy-3-ethylcinchonic acid, A., i. 534.

Muller, Joseph Auguste, heat of formation of carbonylferrocyanic acid, A., ii, 525.

Munblit, N. See Leopold Spiegel.

Mundici, Curio Manio. See Mario Betti.

Munson, Lewis Storms, examination of writing inks, A., ii, 405.

Munson, Lewis Storms, and Percy H. Walker, reducing sugar methods, A., ii, 634.

Muntz, Edith. See William Alexander Osborne.

Murdfield, Rudolf. See Josef König.

Murmann, Ernst, titration of zine with potassium ferrocyanide, A., ii, 396. estimation of the atomic weight of copper, A., ii, 613.

Murphy, Arthur, jun. See Arthur

Michael. Murphy, F. T. See Walter Bradford Cannon.

Murray, Charles, influence of calcium salts on the heat-coagulation of fibrinogen and other proteids, A., ii, 291.

Muset. See Louis Henry.

Mylius, Franz [Benno], and Erich Groschuff, α- and β-silicic acids, A., ii, 160.

Mylo, B. See Franz Sachs.

N.

Nagaoka, Muncshigi, stimulating action of manganese on rice, A., ii, 888.

Nakamura, Tcikichi, improvement of a soil relatively deficient in magnesia, A., ii, 389.

Namikawa, S., fresh-water algæ as human food, Λ., ii, 884.

effect of various potassium manures on the growth of Colocasia antiquorum, A., ii, 891.

lime factor for flax and spinach, A., ii, 892.

Nance, John Trengove, the rusting of iron, P., 143; discussion, P., 144.

Narbutt, J. von, fusion, boiling-point, and vapour composition curves (760 mm. pressure) in the binary systems ortho-+para-, ortho-+meta-, para-+ meta-bromonitrobenzene; fusion curves for mixtures of diphenylamine and phenanthrene, A., ii, 147.

Nardacci, Angelo. See Luigi Balbiano. Nasini, Raffaelo, and Mario Giacomo Levi, radioactivity of the springs of Fiuggi, near Anticoli, A., ii, 324.

Nathan, Leopold, and Willy Fuchs, relations of oxygen and of movement of the nutrient solution to the increase and fermentative activity of yeast, A., ii, 697.

Nathan, Leopold, Arthur Schmid, and Willy Fuchs, influence of metals on fermenting liquids, A., ii, 569.

Naumann, Alexander, and Wilhelm Müller, estimation of hydrolysis by distillation, A., ii, 732.

Naumann, Alexander, and Adolf Rücker, earlier methods for the estimation of hydrolysis, A., ii, 732.

hydrolysis of ammonium salts, A., ii,

851.

Naylor, Jonathan. See William Henry Perkin, jun.

XC. 11.

Negreanu, Demetre, variation of temperature of fusion with pressure; relationship between absolute temperature of fusion and pressure, A., ii, 422.

Archibald A., dinaphthylene dioxide, A., i, 356.

Neilson, Charles Hugh, catalysis and enzyme action, Λ ., i, 125. inversion of starch by platinum black, A., i, 235.

Neilson, Charles Hugh, and Oliver P. Terry, adaptation of the salivary secretion to diet, A., ii, 238.

Neimann, Ernst. See Carl Neuberg. Nelson, John M. See John White.

Nemser, M. H., digestion in animals. IV. Fate of calomel given by the mouth, A., ii, 778.

Neogi, Pañchānan. See Prafulla Chandra Rây.

Neresheimer, Heinrich. See Carl Dietrich Harries.

Neresheimer, J. See Oscar Piloty.

Nernst, [Hermann] Walther, formation of hydrogen peroxide at high temperatures, A., ii, 17. formation of nitric oxide at high tem-

peratures, A., ii, 437.

calculation of chemical equilibria from thermal measurements, Λ ., ii, 727. Nernst, Walther, and H. von Warten-

berg, dissociation of water vapour. II., A., ii, 729.

Nestler, Anton, fruit of Capsicum annuum [chilies], Λ ., ii, 640. Nettel, Rudolf. See Hans Stobbe.

Neubauer, E. See Hermann Fühner.

Neubauer, Hugo, simplified method for determining potassium, sodium, calcium, magnesium, and phosphoric acid in hydrochloric acid soil extracts, A., ii, 52.

lupins, A., ii, 625.

Neuberg, Carl, hydrogenation of cholesterol, A., i, 356.

origin of optically active fatty acids in nature, A., i, 923.

tryptophan, A., i, 1000.

reaction of cholesterol with δ-methyl furfuraldehyde, A., ii, 497. cancer, A., ii, 875.

Neuberg, Carl, and Erich Ascher, optically active aB-diaminopropionic and α - and β -thioglyceric acids, A., i, 937.

Neuberg, Carl, and Max Federer, synthesis of hydroxy- and diamino-acids. III. αα-Diaminoazelaic acid, αβ-diaminobutyric acid, and β-amino-α-

hydroxybutyric acid, A., i, 805.

Neuberg, Carl, and Ernst Neimann, gelatinous inorganic salts of the alkaline earth metals, A., ii, 753.

Neuberg, Carl, and Hermann Strauss, the composition of the "residual nitrogen" in blood and serous fluids, A., ii, 461.

Neuberg, Carl. See also Julius Wohlgemuth.

Neugebauer, Franz, analysis of dognacskaite, A., ii, 767.

Neumann, Bernhard, electrolytic precipitation of gold from cyanide solutions, A., ii, 764.

Neumann, Franz, use of cobaltic oxide in the combustion of coals, A., ii, 399. Neustadtl, L. See Anton Skrabal.

Neville, Allen, the resolution of 2:3-dihydro-3-methylindene-2-carboxylic acid into its optically active isomerides, T., 383; P., 64.

optically active dihydrophthalic acid, T., 1744; P., 274.

Neville, Allen. See also Robert Howson

Pickard. Newfield, Joseph, and Jos. P. Marx, the

nitrometer, A., ii, 628.

Newman, H. H., respiration of heart,

with special reference to the heart of Limulus, A., ii, 237.

Nicloux, Maurice, estimation of small quantities of chloroform; its estimation: (I) in air, (II) in blood or in an aqueous liquid, A., ii, 202.

estimation of alcohol in chloroform,

A., ii, 584.

elimination of chloroform by the urine, A., ii, 622.

Nicolau, Th., crystals of sulphur from the deposits of Miera and Valea-Sărei (Roumania), A., ii, 618.

Nicolle, M., and Felix Mesnil, treatment of trypanosomiasis by benzidine colours, A., ii, 787.

Niederschulte, G. See Eilhard Wiedemann.

WilhelmNiehrenheim, Max.See Lossen.

Nielsen, Carl. See Alfred Stock.

Niementowski, Stefan [Dominik (Ritter)] von, condensation of anthranilic acid with ethyl benzoylacetate, A., i, 38. hydroxyquinacridineand phloroquinyl, A., i, 209.

o-azoacetaniline, A., i, 319.

Nierenstein, Maximilian, constitution of tannins, A., i, 446.

phloroglucinol, A., i, 497.

quinine tannate, A., i, 529. quebracho tannin. II., A., i, 761. qualitative analysis of tannins, A., ii, 911.

Nieter, A., detection of typhoid bacilli in drinking water by precipitation with ferric oxychloride, A., ii, 383.

Nieuwland, C. H. See Leopold van Itallie.

Nieuwland, Julius A., and Joseph A. Maguire, reactions of acetylene with acidified solutions of mercury and silver salts, A., i, 721.

Walther. Nithack, See WilhelmTraube.

Noda, T., and Emil Warburg, decomposition of carbon dioxide by the point discharge, A., ii, 144.

Noeggerath, C. T. See W. Falta.

Noelting, [Domingo] Emilio, constitution of fluorescein, A., i, 23.

Noelting, Emilio, and Martin Battegay, substitution of negative groups by the hydroxyl group in orthosubstituted diazonium salts, A., i, 221.

Noelting, Emilio, and Karl Dziewonski, rhodamines. II., A., i, 874.

Noelting, Emilio, and Charles Gachot, 2-aminoisophthalic acid, A., i, 181.

Noelting, Emilio, and Paul Gerlinger, influence of nuclear substituents on the shade of malachite-green, A., i, 607.

o-hydroxytriphenylmethane tives, A., i, 610.

Noelting, Emilio, and Viktor Kadiera, phenylacetic acid; ketone dyes; trihydroxydeoxybenzoin and its derivatives, A., i, 593.

Noelting, Emilio, and E. O. Sommerhoff, molecular compounds of nitro-

compounds with amines, A., i, 157.

Noelting, Emilio, and E. Witte, dyeing properties of the condensation products of quinaldine with aldehydes, A., i, 886.

Noelting, Emilio, and W. Wortmann, diaminoanthraquinones, A., i, 291.

Noerdlinger, H. See Chemische Fabrik Flörsheim.

Nöther, Paul. See Joh. Howitz. See Hans Stobbe. Noetzel, Max.

Nolf, Pierre, coagulation of blood, A., ii. 460.

Noll, Hermann, modification of Winkler's process for the estimation of [dissolved] oxygen in water, A., ii, 48.

Noll, R. See Wilhelm Manchot. Nordmeyer, Paul. See Carl Forch.

Norlin, Evert. See Peter Klason.

Norman, George Marshall. See John Cannell Cain.

Normann, Wilhelm, copper alkali cellulose, A., i, 560.

Norris, James Flack, action of bromine on trimethylamine, A., i, 6.

Northall-Laurie, Dudley. See Herbert Jackson.

Norton, F. A., crude gluten, A., i, 324.

Nostitz, von, estimation of sulphur in sulphides, A., ii, 798.

Nottebohm, E. See Wilhelm Meigen.

Novak, Franz, alloys of cadmium and zinc containing lead, A., i, 26.

Nowakowski, Romuald. See Erich Müller.

Nowicki, Romuald, improvement in gas analysis; estimation of small quantities of carbon monoxide, A., ii, 395.

Noyes, Arthur Amos, a system of qualitative analysis, including nearly all the metallic elements, A., ii, 803.

Noyes, William Albert, and Howard Waters Doughty, derivatives of trimethylparaconic and camphoronic acids, A., i, 4.

Noyes, William Albert, and René de Mortemer Taveau, camphoric acid. XV. Certain derivatives of aminolauronic acid, A., i, 397.

Nyberg, B. See Roland Scholl.

0.

Oakley, Robert O'F. See Albert Ernest Dunstan.

Obermayer, Fritz, and Ernst Peter Pick, action of precipitins, A., ii, 98.

changes of refractive properties of glucosides and proteids produced by ferments, acids, and bacteria, A., i, 100.

precipitins produced by chemicallyallied proteids, A., ii, 559.

Occhialini, A. See Angelo Battelli.

Oddo, Giuseppe, and Amedeo Colombano, products extracted from Solanum sodomaeum. II., A., i, 527.

solanine extracted from Solanum sodomaeum, A., i, 980.

Oddo, Giuseppe, and Efisio Mameli, αββ-trichloroethyl ether, A., i, 134, 619.

Oddo, Giuseppe, and Ernesto Puxeddu, derivatives of 5-azoeugenol and the constitution of the so-called o-hydroxyazocompounds, A., i, 991.

O'Donoghue, (Miss) Ida Guinevere, and (Miss) Zelda Kahan, thiocarbonic acid and some of its salts, T., 1812; P., 273.

Oechsner de Coninek, William [François], solubility of various salts in ethylene glycol, A., i, 2.

action of light on a solution of uranyl sulphate in ethylene glycol, A., i, 2. crotonic and isocrotonic acids, A., i, 4. pyruvic acid, A., i, 137.

mode of formation of polyhydric alcohols, A., i, 477.

selenium dioxide, A., ii, 280.

Oechsner de Coninck, William, and Chauvenet, action of dextrose on selenious acid, A., ii, 81.

selenium obtained with organic reducing agents, A., ii, 279.

action of organic reducing agents on selenious acid, A., ii, 436.

Oefele, Felix (Baron) von, the amount of cholic acid in human fæces, A., ii, 471.

[estimation of] cholic acid occurring in human fæces, A., ii, 501.

the amount of sulphur-containing substances in human fæces, A., ii, 565.

Oehler, K., preparation of 4-chloro-2nitroanisole, A., i, 256.

preparation of 1:2-dichloro-4-nitrobenzene, A., i, 642.

Oesterle, Otto A., aloxanthin, A., i,

attempts to prepare aloe-emodin, A., i, 973.

Offer, Th. R., a new group of nitrogenous carbohydrates, A., i, 811.

Ofner, Rudolf, action of secondary asymmetric hydrazines on sugar. III., A., i, 385.

Oglialoro, Agostino, sand emitted from Vesuvius, A., ii, 621.

Ohl, Herman. See Ernst Hermann Riesenfeld.

Ohly, Julius, preparation of ammonium vanadate and sodium uranate, A., ii, 762.

Ohmann, O., behaviour on impact of chemical elements, especially of light metals, A., ii, 228.

lecture experiments with electrolytically-prepared calcium, A., ii, 446.

Olie, J., jun., equilibrium and transformations of the isomeric hydrates of chromium chloride, A., ii, 859.
Olivari, F. See Enrico Rimini.

Oliviero, transformation of cinnamic acid into styrene by moulds, A., ii, 623.

Olszewski, Karl, determination of the critical point of hydrogen, A., ii, 7. attempt to liquefy helium, A., ii, 22.

Omeliansky, V., production of methane in biological processes, A., ii, 188.

Oordt, Gabriel van, transformation of glucinum hydroxide into a form sparingly soluble or insoluble in alkalis or acids, Λ., ii, 447.

Opolski, St., influence of light and heat on the chlorination and bromination of homologues of thiophen. II., A., i 33

Oppenheimer, Carl, the rôle of elementary nitrogen in animal metabolism, A., ii, 869.

Orchardson, Jan Quiller, and Charles Weizmann, some derivatives of naphthoylbenzoic acid and of naphthacene-

quinone, T., 115.
Orloff, E. I., complex mercury cobalt and mercury nickel thiocyanates, A.,

i, 406.

new synthesis of benzyleneimide, A., i, 4ž0.

Orloff, N. A., analysis of platinum metals, A., ii, 632. preparation of pure cerium compounds.

A., ii, 675.

Ormerod, *Ernest*, note on the preparation of ethyl acetonedicarboxylate, P.,

the interaction of nitroformazyl, carbon disulphide, and potassium hydroxide; a contribution to the chemistry of the thiobiazolones and the xanthates, P., 206.

Ortoleva, Giovanni, new compound obtained by the action of iodine on benzaldehydephenylhydrazone in pyr-

orton, Kennedy Joseph Previté, Joseph Edward Coates, [and, in part, (Miss) Frances Burdett], influence of light on diazo-reactions. Part I., P., 308.

Osann, W. See Paul Pfeiffer.

Osborne, Thomas Burr, and Samuel Hopkins Clapp, proteids of wheat. III., A., ii, 887.

Osborne, Thomas Burr, and Ralph Davis Gilbert, yield of glutamic acid from

various proteids, A., i, 324. Osborne, Thomas Burr, and Isaac Foust Harris, proteids of wheat. II., A., ii, 887.

Osborne, William Alexander, intracolloidal cellular salts,

Osborne, William Alexander, and Edith Muntz, action of carbon dioxide on the respiration of fish, A., ii, 776.

Osmond, Floris, and G. Cartaud, crystallography of iron, A., ii, 545. **Ost**, [Friedrich] Hermann [Theodor],

cellulose acetates, A., i, 560.

Osten, Hans. See Robert Behrend. Osterburg, J. See Daniel Vorländer.

Osterhout, W. J. V., toxicity of sodium chloride and its prevention by other salts, A., ii, 383.

Osterwalder, A., fruit wine yeasts, A., ii, 298.

Ostwald, [Carl Wilhelm] Wolfgang, swelling of gelatin in salt solutions, A., i, 469.

toxicity of sea-water for fresh-water

animals, A., ii, 112.

Ottolenghi, D., ergosterol, A., ii, 202. new colour reaction of the cholesterols, A., ii, 311.

Ouvrard, Léon [Victor René], calcium bromoborates, A., ii, 86.

compounds of the halides and borates of strontium or barium, A., ii, 164.

borostannates of the alkaline earths: reproduction of nordenskioldite, A., ii, 669.

P.

Paal, Carl [Ludwig], colloidal sodium chloride, A., ii, 351

Paal, Carl, and Franz Hörnstein, syntheses with d-gluconic acid, A., i, 400, 802.

Paal, Carl, and Gustav Kühn, organosols and gels of sodium chloride, A., ii,

organosols and gels of sodium bromide, A., ii, 749.

Paal, Carl, and Wilhelm Leuze, red and modifications of colloidal copper, A., ii, 356. colloidal copper oxide, A., ii, 358.

Paal, Carl, and Gustav Mehrtens, gravimetric estimation of potassium nitrate in meat, A., ii, 898.

Paal, Carl, and Erich Weidenkaff, Grignard's reaction with aminoacids, A., i, 236.

unsymmetrical diphenylethylene oxide and diphenylethylene glycol, A., i, 583.

synthetical experiments with d-galactonic acid, A., i, 802.

Packard, Wales H., resistance to lack of oxygen and a method of increasing it, A., ii, 95.

Padoa, Maurice, products of hydrogenation of pyrrole by means of reduced nickel, A., i, 530.

Padoa, Maurice, and A. Carughi, transformation of quinoline into 2-methylindole, A., i, 765.

Padoa, Maurice. See also Giuseppe Bruni and Oreste Carrasco.

Padova, Robert, condensation with anthranol, A., i, 741.

Padova, Robert. See also Albin Haller. Pahl, C. N., pyrophosphates of barium, strontium, and lead, A., ii, 87.

Pairault. See Henri Pellet.

Pajetta, Raffaello, solubility of certain benzoates in water: strontiumbenzoate, A., i, 952.

estimation of potassium [by Tarugi's method], A., ii, 804.

behaviour of potassium persulphate with certain salt solutions, A., ii, 850.

Pakalneet, A. See Mieczyslaw Centnerszwer.

Paladino, Raffaele, chemical composition of chestnut flour, and study of two sugars contained therein, A., ii, 624.

Palazzo, Francesco Carlo, action of hydroxylamine on ethyl dimethylpyrone-

dicarboxylate, A., i, 701.

Palladin, Wladimir,formation different respiration enzymes depending on the stage of development of the plants, A., ii, 481.

work of respiration enzymes of plants under different conditions, A., ii,

Palladin, Wladimir, and S. Kostytschew, anaërobic respiration, alcoholic fermentation, and formation of acctone in seedlings, A., ii, 696.

Palmaer, Wilhelm, the law of the independent migration of ions, A., ii, 650.

model and experiment to demonstrate changes of concentration during electrolysis, A., ii, 650.

Palmaer, Wilhelm. See also Tycho Ericson-Aurén.

Palmer, Erik Schjöth. See Treat Baldwin Johnson.

Palmer, F. W. Morton, hydrochloric acid and cancer, A., ii, 786.

Panchaud, Adalbert, [volumetric] essay of cinchona barks, A., ii, 909.

Kazimierz.See Stanislaus Bondzyński.

Panormoff, Alexei A., properties of columbin, an albumin from white of pigeons' eggs, A., i, 223.

properties of albumins found in the white of ducks' eggs, A., i, 224.

Pantanelli, Enrico, influence of colloids on the secretion and action of invertase, A., ii, 477.

pro-invertase and reversibility of the invertase in Mucor, A., ii, 623.

Panzer, Theodor, Latschinoff's cholocamphoric acid, A., i, 775.

the "protagon" of the kidneys, A., ii, 783.

Paolini, Vincenzo. See Luigi Balbiano. **Papasotiriou**, J., action of bacteria on pepsin, A., ii, 691.

Pappadà, Nicola, nature of coagulation, A., ii, 840.

Parker, George Howard, and C. R. Metcalf, reactions of earthworms to salts, A., ii, 784.

Parlati, L. See Marussia Bakunin. Parravano, Nicola, and C. Marini, hypophosphoric acid, A., ii, 744, 848.

Parravano, Nicola. See also Italo Bellucci.

Parsons, Charles Lathrop, and Wm. O. Robinson, equilibrium in the system, glucinum oxide, oxalic anhydride, and water, A., i, 479.

Parthey, M. See Roland Scholl.

Pascucci, Olinto, action of ricin on lecithin, A., ii, 96.

Passerini, Napoleone, distribution of manganese in the different parts of Lupinus albus, A., ii, 117.

simple modification of a Soxhlet condenser for recovering the solvent, A., ii, 842.

a new calcimeter, A., ii, 902. Patein, Gustave [Constant], dextrose in

hydrocele fluid, A., ii, 294. proteids of blood serum, A., ii, 622. unification of the methods of estimating lactose in milk, A., ii, 904.

Pater, C. J. See William Jay Hale. Patten, A. J. See Whitman H. Jordan. Patten, John Birt, and Percy Goldthwait Stiles, influence of neutral salts on salivary digestion, A., ii, 777.

Patterson, Thomas Stewart, supposed relationship between molecular size and rotatory power in solutions, A., ii, 61.

theory of optical activity, A., ii, 715. Patterson, Thomas Stewart, and John Frew, menthyl benzenesulphonate and

naphthalene-β-sulphonate, menthyl T., 332; P., 19.

Patterson, Thomas Stewart, and John Kaye, studies in optical superposition. Part II., T., 1884; P., 274.

Patzig, Egbert. See Jakob heimer.

Paul, David M. See Willy Marckwald.

Paul, H., injurious effect of calcium carbonate on bog moss, A., ii, 575.

Paul, Ludwig, constitution of guaiacolmonosulphonic acids and of a mononitroguaiacol, A., i, 843.

Pauli, Wolfgang, the electrical charge of proteid and its significance, A., i, 545. physical conditions of colloids. V. The electrical charge of proteids, A., ii, 180.

Pauly, Anton, microscopical characters of sarcolite, A., ii, 457.

a new mineral of the zeolite group, A., ii, 773.

Pavesi, Vittorio, comparative studies on three species of Papaver, A., ii, 483.

Pawlewski, Bronislaw von, synthesis of derivatives of ketoquinazoline, A., i, 542.

Pawloff, P., conditions of growth of crystals of different forms in a fluid medium, A., ii, 552.

Pay, Erwin de. See Hugo Kauffmann. Pécheux, Hector, decomposition of an aqueous solution of copper sulphate by aluminium alloys, A., ii, 286.

determination of the melting points of lead-aluminium and bismuthaluminium alloys by means of thermo-electric pyrometers, A., ii,

Peckholt, Theodor, medicinal and useful plants of Brazil, A., ii, 484, 701, 794.

Pécoul. Adrien. See Albert Lévy.

Pekelharing, Cornelis Adrianus, C. J. C. van Hoogenhuyze, and H. Verploegh, excretion of creatinine in man, A., ii, 40.

Pélabon, Henri [Joseph Léonard Ferdinand], mixtures of antimony and tellurium and of antimony and selenium; cryoscopic constant of antimony, A., ii, 173.

tin sulphides, selenides, and tellurides,

A., ii, 454.

silver sulphide, selenide, and telluride, A., ii, 667.

Pellas, Eugène, and Julien Legrand, purification of water by the simultaneous action of permanganates and the electric current, A., ii, 606.

Pellet, Henri [Jean Baptiste], copper solutions [for sugar estimations],

A., ii, 585.

new source of error in the estimation of sugar in beet, A., ii, 586.

estimation of sugars and starch in

chocolates, A., ii, 586.

sources of error in the "citrate process" for the estimation of phosphoric acid in mineral phosphates, A., ii, 801.

Pellet, Henri, and Ch. Fribourg, influence of the presence of titanium on the estimation of aluminium in presence of iron and phosphoric acid, A., ii, 54.

Pellet, Henri, and L. Pellet, influence of the lead precipitate on the polaris-

ation of sugar, A., ii, 400.

Pellet, Henri, L. Pellet, and Pairault, removal of dextrose from cane and other molasses by fermentation, A., ii, 383.

Pellet, L. See Henri Pellet.

Pellini, Giovanni, isomorphism of tellur-

ium and selenium, A., ii, 609. Pellini, Giovanni, and Giovanni Vio, isomorphism of selenium and tellurium, A., ii, 663.

mbrey, Marcus Seymour, Arthur Philip Beddard, and H. French, Pembrey, Cheyne-Stokes breathing, A., ii, 237.

Penfield, Samuel Lewis, and W. M. Bradley, filter tubes for collection of precipitates, A., ii, 488.

Penfield, Samuel Lewis, and William

Ebenezer Ford, stibiotantalite, A., ii,

Pépin, Camille, preparation and distinctive properties of empyreumatic oil of juniper (Oleum cadi), A., ii,

reactions of empyreumatic oil of juniper (Oleum cadi), Α.,

Pérard, J., action of magnesium phenyl bromide ondialkylaminobenzoylbenzoic esters, A., i, 755.

Peratoner, Alberto [Antonio], and E. **Azzarello**, etherification of $\overline{4}$ -pyridones with diazo-derivatives of aliphatic hydrocarbons, A., i, 381.

Perkin, Arthur George, some oxidation products of the hydroxybenzoic acids. Part II., T., 251; P., 41.

a reaction of ellagic and flavellagic acids, P., 114.

an oxidation product of indigotin, P., 198.

indigo-yellow, P., 199.

Perkin, Arthur George, and Alec Bowring Steven, a product of the action of isoamyl nitrite on pyrogallol, T., 802; P., 113.

Perkin, Arthur George. See also Arthur George Green.

Perkin, Frederick Mollivo. See J. Archibald Goode.

Perkin, (Sir) William Henry, densities, magnetic rotations, and refractive powers of laurolene, dihydrolaurolene, isolaurolene, and dihydroisolaurolene, T., 33.

an improved apparatus for measuring magnetic rotations and obtaining a sodium light, T., 608; P., 100; discussion, P., 101.

densities, magnetic rotations, and refractive powers of $d-\Delta^{3,8(9)}$ -p-menthadiene, ethyl dl- Δ^1 -tetrahydro-ptoluaté, dl- Δ^3 -p-menthenol(8), dl- $\Delta^{3,8(9)}$ -p-menthadiene, terpineol, and dipentene, T., 849.

congratulatory address to, P., 247.

Perkin, William Henry, jun., experiments on the synthesis of the terpenes. Part VII. A synthesis of tertiary menthol (p-menthanol-4) and of inactive menthene (Δ^3 -p-menthene), T., 832.

William Henry, jun., and Perkin, William Jackson Pope, 1-methylcyclohexylidene-4-acetic acid, P., 107.

Perkin, William Henry, jun., and Robert Robinson, brazilin and hæmatoxylin. Part VIII., P., 160.

some derivatives of benzophenone; synthesis of substances occurring in coto-bark; preliminary notice. P.,

Perkin, William Henry, jun., and John Lionel Simonsen, the action of tribromopropane on the sodium derivative of ethyl malonate, P., 133.

Perkin, William Henry, jun., George Tattersall, synthesis of car-

vestrene; preliminary notice, P., 268.

Perkin, William Henry, jun., and
Jocelyn Field Thorpe, experiments on the synthesis of camphoric acid. Part IV. The action of sodium and methyl iodide on ethyl dimethyl-CO2Et CH2 butanetricarboxylate, ·CH(CO₂Et)CMe₂·CH₂·CO₂Et, 778.

experiments on the synthesis of camphoric acid. Part V. A synthesis of camphoric acid, T., 795.

Perkin, William Henry, jun., and Charles Weizmann, [with Norman Allen Creeth, Victor John Harding, Walter Norman Haworth, Jonathan Naylor, and Henry Llewellyn Smith], some derivatives of catechol, pyrogallol, benzophenone, and of substances allied to the natural colouring matters, T., 1649; P., 269.

Perkin, William Henry, jun. See also Paul Engels and Francis William Kav.

Perman, Edgar Philip, new form of absorption tube, A., ii, 390.

Perman, Edgar Philip, and John H. Davies, some physical constants of ammonia: a study of the effect of change of temperature and pressure on an easily condensible gas, A., ii, 743.

Perman, Edgar Philip. See also John H. Davies.

See Daniel Vorländer. **P**erold, A. J.

Perotti, Renato, oligonitrophilous and mesonitrophilous bacteria in the soil of the Roman Campagna, A., ii, 190.

spontaneous formation of dicyanodiamide in manures containing calcium cyanamide, A., ii, 304.

Perrier, Gustave, presence of formaldehyde in certain food-stuffs, A., ii,

See Adrien Perrot, Francois Louis. Jaquerod.

See Bernard Farnborough Perry, F. Howard.

Pescheck, Ernst, modification of Foerster's fat extraction apparatus, A., ii, 813.

Pescitelli, Luigi. See Ezio Comanducoi. Peters, W. See Alfred Werner.

Peters, Walter, reactions at low temperatures. I. Cyanides, A., i, 817.

Petersen, Emil, calculations in volumetric analysis, A., ii, 194.

reactivity of certain acids in alcoholic solutions, A., ii, 657.

Petersen, Julius [Christian], electrolysis of the alkali salts of organic acids. IV., A., i, 331.

qualitative detection of gold and platinum in inorganic analysis, A., ii,

Petit, Paul [Émile], liquefying and saceharifying actions on starch, A., i,

Petrenko, G. I., silver-zinc alloys, A., ii, 284.

alloys of silver with thallium, bismuth, and antimony, A., 11, 667.

Petrenko-Kritschenko, Pavel Iw., and W. Kantscheff, velocity of formation of oximes, A., ii, 341.

Petrenko-Kritschenko, Pavel Iw., and A. Konschin, readiness of formation of cyclic compounds, A., i, 57.

Petrenko-Kritschenko, Pavel Iw., and N. Zoneff, condensation of acetonedicarboxylic esters with benzaldehyde in the presence of ammonia, A., i, 452.

Petry, Eugen, action of the rennet ferment on casein, A., i, 469.

Pfeiffer, Paul, [with S. Basci, Th. Gassmann, M. Haimann, and Armin Trieschmann], co-ordination-isomerism and polymerism among the chromium salts, A., ii, 614

Pfeiffer, Paul, and J. Monath, nitro-

stilbene, A., i, 413.

Pfeiffer, Paul, and W. Osann, tetrathiocyanodipyridinechromium A., i, 602.

Pfeiffer, Paul, and V. Pimmer, compounds of copper salts with pyridine and quinoline, A., i, 104.

Pfeiffer, Paul, [and M. Tapuach], hydrate isomerism with chromium salts, A., i, 532.

antimonichlorides of dichloro-salts, A., i, 628.

Pfeiffer, Paul, [with M. Tapuach and W. Osann], a new class of salt-forming metallic hydroxides, A., i, 531.

Pfeiffer, Paul, [with Armin Trieschmann], configuration of stereoisomeric chromium salts, A., i, 71.

Pfeiffer, [Franz WilhelmTheodor[Christian], Albert Einecke, Wilhelm Schneider, and A. Hieper, assimilation of potassium and sodium by plants, A., ii, 385.

Pfeiffer, Theodor. See also AlbertEinecke.

Pfeiffer, V. O., allowing of copper with pure iron and iron-carbon alloys, A., ii, 358.

Pfeiffer, Wilhelm, uric acid metabolism, A., ii, 109.

Pflüger, Eduard [Friedrich Wilhelm], pancreatic diabetes, A., ii, 186.

nutrition with proteid and glycogen analysis, A., ii, 240.

can sugar be detected with certainty in the urine by the fermentation test ? A., ii, 255.

estimation of glycogen, A., ii, 812.

Pfotenhauer, Hermann. See Richard Meyer.

Phelps, Earle B., estimation of small quantities of copper in [drinking] waters, A., ii, 396.

Philipp, Herbert. See R. von Foregger. Philipp, Karl. See Frédéric Reverdin.

Philips, M., estimation of silicon in presence of silica, A., ii, 125.

Phillips, Henry Ablett. See Oswald Silberrad.

Phillips, P. See E. F. Burton.

Piccini, Augusto, [construction of the periodic system], A., ii, 78.

Piccinini, Galcazzo, new acid of the tetrahydropyridine series (2-oxy-1:6:6trimethyl- Δ^3 -tetrahydropyridine-4carboxylic acid), A., i, 983.

Piccinini, Galeazzo, and A. Delpiano, cyanoacetylchloroanilines and corresponding oxamic acids, A., i,

Piccinini, Guido, ammonia in the expired air and blood, A., ii, 460.

Piccinini, P., therapeutic application of quinine formate, A., ii, 693.

Pick, Ernst Peter. See Fritz Obermayer.

Pick, Hans. See Richard Abegg.

Pickard, Robert Howson, and Joseph Kenyon, contributions to the chemistry of oxygen compounds. I. The compounds of tertiary phosphine oxides with acids and salts, T., 262; P., 42.

Pickard, Robert Howson, and William Oswald Littlebury, studies on optically active carbimides. III. The resolution of a-phenyl-a'-4-hydroxyphenylethane by means of *l*-menthylcarbimide, T., 467; P., 71; discussion, P., 71.

Pickard, Robert Howson, and William Oswald Littlebury, studies on optically active carbimides. IV. The resolution of ac-tetrahydro-2-naphthol by means of l-menthylcarbimide, T., 1254; P., 238.

Pickard. RobertHowson.WilliamOswald Littlebury, and Allen Neville, studies on optically active carbinides. Part II. The reactions between lmenthylcarbimide and alcohols, T., 93.

Pickard, Robert Howson, and Joseph Yates, optically active reduced Part II. The naphthoic acids. resolution of the tetrahydronaph-thoic acids, T., 1101; P., 202.

optically active reduced naphthoic acids. Part III. The relative catalytic effect of bases on the compounds of \(\Delta^2\)-dihydro-1-naphthoic acid, T., 1284; P., 244.

Pictet, Amé, alkaloids of tobacco, A., i, 979.

origin of alkaloids in plants, A., ii, 884.

Amé, and A. Bon, acetic Pictet, arsenious anhydride, A., i, 3.

Picton, Norman. See John Joseph Sudborough.

Pieraerts, $J_{\cdot,\cdot}$ hydrolysis of raffinose by means of citric acid, A., i. 729.

optical estimation of mixtures of sucrose and raffinose, A., ii, 811.

Pierron, Paul, aromatic azocyanamides, A., i, 772.

Pieszczek, Ernst, blue rock salt, A., ii, 863.

Piettre, M., and Antony Vila, nature of blood pigments, A., i, 55.

crystallised hæmatin, A., i, 55. the nucleus of birds' red corpuscles, A., ii, 373.

Piettre, M. See also Antony Vila.

Pieverling, von, Hydrargyrum oxycyanatum, A., i, 341.

Pike, F. H. See Charles Claude Guthrie.

Piloty, Oscar, and J. Neresheimer, amino- and diazo-malonic esters, A., i, 146.

Piltschikow, Nicolai D., Moser rays,

A., ii, 414.
Pimmer, V. See Paul Pfeiffer.
Piolti, Giuseppe, breunnerite Avigliana, A., ii, 864. Pirinsky, A. See Iwan I. Bewad.

Piutti, Arnaldo [Teofilo Pictro], action of alkali hydroxides and alkyloxides on unsaturated imides, A., i, 657.

- Piutti, Arnaldo, and G. Bentivoglio, use of carbon tetrachloride in investigating the colouring matters prohibited in food by the sanitary law, A., ii, 590.
- Plancher, Giuseppe, phenylhydrazine as a reducing agent in organic chemistry, A., i, 111.
- Plancher, Giuseppe. See also Oreste Carrasco.
- Plato, Wilhelm, solidification of inorganic salts and salt mixtures. I. Solidification of pure salts and the accompanying thermal effects, A., ii, 521.
- Plaut, Max, and Heinrich Reese, behaviour of amino-acid administered to animals, A., ii, 110.
- animals, A., ii, 110. Plimmer, Robert Henry Aders, adaptation of the pancreas to lactose, A., ii, 239.
- Plimmer, Robert Henry Aders, and William Maddock Bayliss, separation of the phosphorus from caseinogen by enzymes and alkali, A., i, 325.

Plotnikoff, Joh., reaction velocities at low temperatures, A., ii, 12.

- Plotnikoff, Wladimir A., electrical conductivity of solutions of compounds of dimethylpyrone with trichloroacetic acid in chloroform and benzene, A., ii, 144.
 - compounds of dimethylpyrone with trichloroacetic acid; electrical conductivity of solutions in ethyl bromide, chloroform, and benzene, A., ii, 419.
- Plüddemann, W. See Lothar Wöhler.
 Pochettino, Alfredo, photoelectric behaviour of anthracene, A., ii, 417, 722.

Pötter, Heinz. See Hermann Grossmann.

Pogerski, E. See C. Delezenne. Pogorželsky, S. A., reaction of iodine

with isobutylene, A., i, 129. di-isobutenyl tetrabromide [αβεζ-tetrabromo-βε-dimethylhexane], A., i, 131.

Pohl, Heinrich. See Josef Houben.

Pohl, Julius, organ-proteid, A., ii, 106.
Pohl, Robert, action of the silent electric discharge on ammonia and oxygen, A., ii, 437.

Pohl, Robert. See also Bernard Walter.

Pollak, Jacques, elaterin, A., i, 973. Pollak, Jacques. See also Josef Herzig. Poni, Petru, bromine derivatives of

tetramethylmethane, A., i, 1. presence of ψ -cumene in Roumanian petroleum, A., i, 9.

apparatus for fractional distillation under constant pressure, A., ii, 14.

- Ponzio, Giacomo, laboratory notes. [Diisobutyl ketone; isonitrosobenzylacetone; isobutyryl- and isovalerylphenylhydrazines; erucic acid], A., i, 66.
 - behaviour of acetoxime and of dioximes towards sodium hypochlorite; properties of carbon tetrabromidé, A., i, 482.
 - constitutional formula of 1:2-dinitrosonaphthalene, A., i, 491.
 - action of nitregen tetroxide on benzaldoxime, A., i, 593.
 - new method of preparing the so-called primary dinitrohydrocarbons, A., i, 735.
- Ponzio, Giacomo, and G. Busti, action of sodium hypochlorite on aldoximes, A., i, 855.
- Pool, (Miss) B. See Frederick Thomas Trouton.
- Pope, William Jackson. See William Barlow and William Henry Perkin, jun.
- Popoff, S. P., two new mineral phosphates from Russia, A., ii, 236.
- Popovici, Joan. See Robert Pschorr. Porai-Koschitz, Alexander. See Hans
- Rupe.
 Porcher, Charles, calculation of the proportion of lactese hydrolysed in a solution of this sugar submitted to the action of lactase; measurement of the activity of lactase, A., ii, 57.

Posner, Edward R., and William John Gies, protagon, A., i, 54.

- Posner, Theodor, unsaturated compounds. II. The addition of free hydroxylamine to cinnamic acid; constitution and derivatives of β-hydroxylamino-β-phenylpropionic acid, A., i, 955.
- Pottevin, Henri, reversible enzyme action; formation and decomposition of esters by pancreatic enzymes, A., i, 917.
- Power, Frederick Belding, and Frank Tutin, the constituents of the essential oil from the fruit of Pittosporum undulatum, T., 1083; P., 170.
 - examination of Aethusa Cynapium, A., ii, 192.
 - chemical and physiological examination of the fruit of *Chailletia toxi*caria (a West African poison), A., ii, 794.
 - examination of Eriodictyon, A., ii, 885.
- examination of Grindelia, A., ii, 885. Praetorius, Artur, hydrolysis of methyl benzenesulphonate. II., A., i, 736.

Praetorius, Walter. See ArthurHantzsch.

Prager, H. See Friedrich Kehrmann. Pratt, T. M. See Henry V. Arny.

Precht, Heinrich, oxidation of ferrous chloride by water with evolution of hydrogen, A., ii, 91.

Pregl, Fritz. See Emil Abderhalden.

Preiss, J. See Anton Skrabal.

Prenntzell, Wilhelm. See TheodorZincke.

Prianischnikoff, Dmitri N., root secretions, A., ii, 45.

felspar and mica as potassium [manures], A., ii, 47. relative value of different phosphates,

A., ii, 796.

Price, Thomas Slater, Caro's permono-

sulphuric acid, T., 53. Price, Thomas Stater,

and Douglas Frank Twiss, the electrolytic preparation of dialkyl disulphides; preliminary note, P., 260.

Prideaux, Edmund Brydges Rudhall, some reactions and new compounds of fluorine, T., 316; P., 19.

production of ozone by electrolysis of alkali fluorides, A., ii, 741.

Priestley, J. H. See Francis Lawry Usher.

Pring, John Norman, and Robert Salmon Hutton, the direct union of carbon and hydrogen at high temperatures, T., 1591; P., 260.

Pringsheim, Hans, formation of fusel oil in fermentation by means of "Aceton-

dauerhefe," A., ii, 880. Prior, Eugen, relation of the amount of nitrogen to the character of barley,

A., ii, 135.

relations between the amounts of nitrogen and the character of Austrian barleys to the yield of extract and to the friability of the malt, A., ii, 135.

Prior, George Thurland, dundasite from North Wales, A., ii, 456.

Prior, George Thurland. See also George

Frederic Herbert Smith.

Procter, Henry Richardson, and Hugh Garner Bennett, barium and calcium salts of gallic, protocatechuic, and digallic acids, A., ii, 405.

Procter, Henry Richardson, and W. E. Holmes, the oxidation of oils, A., i,

Procter, Henry Richardson, and Douglas McCandlish, estimation of ammonia in used lime liquors, A., ii, 392.

Prud'homme, Maurice, reduction products of hydroxyanthraquinones, A., i, 193.

Prud'homme, Maurice, conversion of aromatic ketones into the corresponding imides, A., i, 866.

Przibylla, Karl. See Wilhelm Feit. Pschorr, Robert [Franz], 9-ethylphen-

anthrene, A., i, 820. Pschorr, Robert, and Wilhelm Haas, resolution of thebaine by benzoyl

chloride, A., i, 204. Pschorr, Robert, [with Robert Hofmann,

Joan Popovici, Fritz Quade, Max Schütz, and Hans Tappen], syntheses and properties of some new phen-

anthrene derivatives, A., i, 848.

Pschorr, Robert, [and Walther Karo], constitution of apomorphine, A., i,

preparation and hydrogenation of 1methyl-\(\beta\)-naphthindole, 886.

Pschorr, Robert, [with Erich Kuhtz, Heinrich Roth, and Hermann Vogtherr], halogen derivatives of morphine and codeine, and their degradation, A., i, 877.

Pschorr, Robert, Heinrich Roth, and Fohann Tannhäuser, transformation of a-methylmorphimethine into the β-compound by heat; crystallographic behaviour of the two isomerides, A., i, 204.

See K. Friedrich. Puchta.

Puckner, William August, detection of formaldehyde in witch hazel, A., ii,

estimation of caffeine in the presence of acetanilide, A., ii, 60.

Pütz, P. See Friedrich Wüst. Purdie, Thomas, and Robert Evstafieff Rose, the alkylation of l-arabinose, T., 1204; P., 201.

Purdie, Thomas, and Charles Robert Young, the alkylation of rhamnose, T., 1194; P., 201.

Purvis, John Edward, influence of very strong electromagnetic fields on the spark spectra of (1) vanadium, and (2) platinum and iridium, A., ii, 421. ushin, Nicolai A., and R.

Pushin, Trechzinsky, quantitative electrolytic separation of tin from nickel and cobalt and of copper from antimony, A., ii, 199.

Puxeddu, Ernesto, isomerism among the hydroxyazo-compounds: 5-azoisoeugenols, A., i, 774.

reductions with phenylhydrazine. I. New method of preparing 5-amino-

salicylic acid, A., i, 957.

reduction of azo-derivatives of aromatic hydroxy-acids by phenylhydrazine, A., i, 995.

Puxeddu, Ernesto, and Matteo Comella, nitroisoeugenol, A., i, 950.

Puxeddu, Ernesto. See also Giuseppe Oddo.

Pyman, Frank Lec. See Hooper Albert Dickinson Jowett.

Q.

Quade, Fritz. See Robert Pschorr. Quasebart, C., iron and calcium, A., ii, -229.

William 0. See CharlesQuayle, Frederic Mabery.

Quennessen, L., the attack of platinum by sulphuric acid, A., ii, 551.

R.

Rabe, Otto, oxides of thallium, A., ii, 285, 672.

Rabe, Paul [Carl Ludwig], and David Spence, tautomerism. III. Apparent case of desmotropy, A., i, 89.

Raciborski, M., oxidising and reducing properties of living cells. I. Oxidising power of the absorbent surfaces of the roots of flowering plants, A., ii, 45.

oxidising and reducing properties of the living cell. II. Extracellular oxydases, A., ii, 700.

oxidising and reducing properties of the living cell. III. The iodide reaction of Aspergillus niger, A., ii, 700.

Radulescu, Dan, a characteristic colour reaction for morphine, A., ii, 638.

Rahn, Otto, mould fungus which de-

composes paraffin, A., ii, 479. Raikow, Paul N., and Chr. Külümow, action of Nessler's solution on antipyrine, pyramidone, antifebrin, and

exalgin, A., i, 112.

Raikow, Paul N., and P. Tischkow, behaviour of esters of organic acids when heated with orthophosphoric acid, A., i, 83.

Raikow, Paul N., and (Frl.) E. Urkewitsch, detection and estimation of nitrotoluene in nitrobenzene and of toluene in benzene, A., ii, 310.

Rakusin, M. A., amount of cholesterol in fats and mineral oils and their probable genetic relationships, A., i, 951.

Ramberg, Ludwig, antimony derivatives of thioglycollic acid, A., i,

platinous salts of certain organic acids containing sulphur, A., i, 791.

active components of a-bromopropionic acid, A., i, 923.

Ramsay, (Sir) William, and James Spencer, chemical and Frederick electrical changes induced by ultraviolet light, A., ii, 715.

Ramsbottom, John Edwin. See Samuel Chadwick.

Rana Bahadur. See Bahadur.

Randall, D. L., behaviour of ferric chloride in the zinc "reductor," A., ii, 308.

Ranfaldi, Francesco, crystallographic study of new organic compounds, A., i, 664.

crystallography of certain double salts of hydrazine, A., ii, 664.

Rapoport, Leo, glycolysis, A., ii, 40.

Raschig, Fritz, estimation of nitrous acid, A., ii, 50.

new hydroxylaminesulphonic acids, A., ii, 159.

estimation of sulphur in pyrites, A., ii, 305.

estimation of [combined] sulphuric acid in drinking water, A., ii, 306.

Raske, Karl. See Emil Fischer. Rastelli, A. See Angiolo Funaro. Rath, C. See Carl Mai.

Ratz, Florian, nicotine and its specific rotation. I., A., i, 103. nitroacetamide, A., i, 238.

Rau, Hans, observations on canal rays, A., ii, 642.

Rawson, Christopher, analysis of indigo, A., ii, 820.

Rây, Prafulla Chandra, [with Atul Chandra Ganguli], Fischer's salt and its decomposition by heat, T., 551; P., 40.

Rây, Prafulla Chandra, and Pañchānan Neogi, the interaction of the alkyl sulphates with the nitrites of the alkali metals and metals of the alkaline earths, T., 1900; P., 259.

Read, T. T., and C. W. Knight, re-

formation of soda-leucite, A., ii, 683.

Rebenstorff, H., hydrometer with a centigram scale, A., ii, 423.

simplified measurement and reduction of gases, A., ii, 487.

acidimetry by measurement of hydrogen, A., ii, 893.

estimation of carbon dioxide, A., ii, 901.

Rech, Wilhelm, absorption spectra of neodymium and praseodymium chloride, A., ii, 410.

Rechenberg, C. von, and W. Weisswange, distillation of liquids which are mutually insoluble, A., ii, 72.

Reckleben, Hans, and Georg Lockemann, reactions and estimation of arsenic hydride, A., ii, 251.

Reese, Heinrich. See Gustav Embden and Max Plaut.

Reformatsky, Sergius N., the capacity of methoxyl and ethoxyl groups for replacement by [alkyl] radicles; synthesis of polybasic acids, A., i, 136.

Regel, Karl, estimation of potassium by means of chloroplatinic acid in presence of sulphates, A., ii, 631.

Regensburger, P. See C. Bleisch.

Reich, Julius A., preparation of alkali hydroxides by means of alkali silicofluorides, A., ii, 228.

Reichard, C., new test for nickel, A., ii,

phenanthrene reaction. II., A., ii,

new reaction of terpineol, A., ii, 503. a characteristic reaction for borax, A., ii, 579.

new tests for cocaine, A., ii, 589, 817. a reaction for morphine, A., ii, 637. two new colour reactions for nitric

acid, A., ii, 704.

new reaction of tin, A., ii, 806.

alkaloid reactions; berberine, A., ii,

alkaloid reactions; quinoidine, A., ii,

glucoside reactions; arbutin, A., ii,

alkaloid reactions [codeine], A., ii, 909. alkaloid reactions [thebaine], A., ii, 909.

Reichel, H., and Karl Spiro, action of rennin. I., A., i, 127.

ferment action and ferment loss. II., A., i, 127.

Reif, Jean, action of organo-magnesium compounds on crotonaldehyde, A., i, 394.

Reijst, J. J., cocoanut oil, A., ii, 403. Reijst, J. J. See also H. P. Wijsman.

Reinders, Willem, chemical equilibrium between silver amalgams and a solution of silver and mercury nitrates, A., ii, 219.

Reiser, rapid steam generator, A., ii,

Reismann, Wilhelm. See Josef Herzig. **Reiss**, *Emil*, excretion of optically active amino-acids in the urine, A., ii, 785.

Reissert, [Carl] Arnold, and Arnold Moré, sulphur derivatives of the anilides of malonic, succinic, and phenylacetic acids and their transformation products, A., i, 826.

Reiter, Hans Heribert, silicate fusions,

A., ii, 865.

Reitmair, Otto, amount of proteid in barley and potassium manuring, A., ii, 484,

Reitz, Hans Hermann. See Martin Freund.

Reizenstein, Fritz, and Julius Rothschild, influence of methyl groups on the shade of dyes containing two triphenylmethane groups joined by a glutaconic aldehyde group, A., i, 316.

action of pyridine on 1:5-dichloro-2:4dinitrobenzene, A., i, 454.

Remeaud, Octave, composition of tamarind pulp, A., ii, 483.

Rendle, Theodore. See Arthur Robert Ling.

Rengade, Etienne, direct oxidation of cæsium; some properties of cæsium peroxide, A., ii, 444.

action of oxygen on rubidiumammonium, A., ii, 539.

cæsium oxide, A., ii, 850.

action of oxygen on cesium-ammonium, A., ii, 851.

Renouf, (Miss) Nora. See Arthur William Crossley.

Renshaw, Roemer Rex. See Marston Taylor Bogert.

Rentschler, \bar{O} . See Heinrich Frerichs. Renz, Carl, preparation of titanium tetrachloride and of tin tetrachloride, A., ii, 173.

Report of the Committee of the British Association on the study of hydroaromatic substances, 941.

on the transformation of aromatic nitroamines and allied substances, and its relation to substitution in benzene derivatives, A., i, 943.

on wave-length tables of the spectra of the elements and compounds, A., ii, 821.

Report of the Council, T., 735; P.,

Report of the International Committee on atomic weights, P., 2.

Report on graduated vessels at the Sixth International Congress for Applied Chemistry at Rome, 1906, A., ii,

Repossi, Emilio, minerals from the granite of S. Fedelino (Lake Como), A., ii, 621.

Requier, Paul, the presence of sucrose in scammony root; the presence of sucrose in the fresh scammony root, A., ii, 45.

Resch, Franz, preservation of standard-

ised liquids, A., ii, 576.

Resenscheck, F. See Karl A. Hofmann.

Retschinsky. See Eluard Riecke.

Rettger, Leo P., studies on putrefaction, A., ii, 791.

Reverdin, Frédéric, and Arthur Bucky, nitration of p-acetylaminophenoxyacetic acid, of diacetyl-p-aminophenol, and of p-acetanisidine, Λ ., i, $7\overline{4}8$.

Reverdin, Frédéric, and Ernst Delétra, nitration of benzoyl- and dibenzoylp-aminophenol, A., i, 165.

methyl amino-p-dimethylaminobenzo-

ate, A., i, 273.

Reverdin, Frédéric, and Karl Philipp, nitrohalogen derivatives of anisole, A.,

Rex, A., solubility in water of the halogen derivatives of hydrocarbons, A., ii, 342.

Reychler, Albert, trithioformaldehyde and a new method of preparing trimethylsulphonium iodide, A., i, 5.

preparation of triphenylmethane by the action of chloroform or benzylidene chloride on magnesium phenyl bromide, A., i, 821.

retarding or paralysing action exerted by chloroform, &c., on the reactions

yielding organo-magnesium com-pounds, A., ii, 836. Reynolds, James Emerson, silicon re-searches. Part X. Silicon thiocyanate, its properties and constitution, T., 397 ; P., 17.

Reynolds, William Colebrook, and Robert Sutcliffe, separation of strychnine and brucine; influence of nitrous acid in oxidation by nitric acid, A., ii, 638.

Rey-Pailhade, Joseph de, distinction between serum-albumin and myoalbumin, A., i, 998.

philothionic hydrogen, A., i, 999. Rhead, Ezra Lobb, estimation of copper by titanium trichloride, T., 1491; P.,

244.

Rich, (Miss) Elizabeth Mary, and Morris William Travers, the constitution of ammonium amalgam, T., 872; P.,

Richards, A. H., existence of bromous acid, A., ii, 155.

Richards, Joseph William, electrochemical calculations, A., ii, 417.

Richards, Theodore William, revision of the atomic weight of strontium. 11. Analysis of strontium chloride, A., ii, 26.

use of the nephelometer, A., ii, 493. Richards, Theodore William, and Frederick G. Jackson, new method for the standardisation of thermometers below 0°, A., ii, 726.

Theodore William, Richards, Arthur Stähler, new determination of the atomic weight of potassium, A., ii, 848.

Richards, Theodore William, and Roger Clark Wells, transition temperature of sodium bromide; a new fixed point in thermometry, A., ii, 727.

Richardson, Clifford. See WilliamFrancis Hillebrand.

Richmond, Henry Droop, composition of milk, A., ii, 588. analysis of dried milk, A., ii, 636.

Richmond, Henry Droop, and Edward Holl Miller, the "aldehyde figure"

of milk, A., ii, 634.

the method of analysis of milk used in the Government laboratory for samples referred under the Sale of Food and Drugs Acts, A., ii, 813.

Richter, Paul, guaiacum resin, A., i, 442.

Richter, Paul. See also WilhelmManchot.

Richter, Rudolf. See Paul Bohrisch.

Riebel, P. See Richard Stoermer.

Riecke, [Carl Victor] Eduard, [with Retschinsky Otto Wigger], andrelative absorption of the rays of radium and polonium, A., ii, 63.

Riedel, J. D., morphine alkyl bromides, A., i, 530.

the alkyl bromides of the alkyl ethers of morphine, A., i, 530.

preparation of amino-alcohols, A., i, 631.

[apomorphine salts], A., i, 692.

843.

soluble double salts of 3:7-dimethyl-1-ethylxanthine, A., i, 716. preparation of mercury cholates, A., i,

800. preparation of aminoalkyl esters, A., i,

Riedel, Robert, influence of one substance on the solubility of another, A., ii,

Riegler, Emanuel, new reactions for acetoacetic acid, A., ii, 710.

Riehl, Max, does the lung tissue invert lactose ? A., ii, 782.

Ries, Julius, loss of function and recovery of the central nervous system in frog, A., ii, 40.

Riesenfeld, Ernst Hermann, [with William Adelbert Kutsch and Herman Ohl], triamminechromium tetroxide, A., ii, 92.

Riesenfeld, Ernst Hermann, and Hans Emil Wohlers, new burner for spec-

troscopic use, A., ii, 593.

detection of the metals of the alkaline earths by spectrum analysis in the course of qualitative analysis, A., ii, 804.

Riesenfeld, Hans, electrolytic-gas voltameters with nickel electrodes and the formation of nickel peroxide, A., ii, 723.

Rietschel, Hans, and Leo Langstein, occurrence of amino-acids in the urine of children, A., ii, 785.

Riggs, Robert Baird. See Heywood Scudder.

Rimini, Enrico, iodometric estimation of hydrazine salts and their use in volumetric analysis, A., ii, 897.

Rimini, Enrico, and F. Olivari, β -nitroisoapioles, A., i, 759.

Rimpel, Ch. See Friedrich Wilhelm Semmler.

Ringer, Wilhelm Eduard, changes in the composition of sea water on freezing, A., ii, 556.

Wilhelm Eduard. Ringer, See also Willem Paulinus Jorissen.

Rinne, Fritz, metallic iron found at

Magdeburg in 1831, A., ii, 867.
Ritchie, W. T., the wax of tubercle bacilli in relation to their acid resistance, A., ii, 190.

Rivier, Henri, phenyl chlorothiocarbonates, A., i, 947.

Roaf, Herbert Eldon, action of acids and alkalis and of acid, neutral, and alkaline salts on tadpoles, A., ii, 243.

the digestive gland in Mollusca and decapod Crustacea, A., ii, 779.

osmotic effect of various salt solutions on cell volume, A., ii, 784.

Roaf, Herbert Eldon. See also Benjamin Moore.

Robertson, A., and A. J. Wynne, poisoning as the result of eating the seeds of *Phaseolus lunatus*, A., ii,

Robertson, Philip Wilfred, studies on comparative cryoscopy. Part IV. The hydrocarbons and their halogen derivatives in phenol solution, T., 567; P., 82.

Robertson, T. Brailsford, reactions of infusoria to chemical and osmotic stimuli, A., ii, 105.

ion-proteid compounds. I. Influence of electrolytes on the heart's frequency, A., ii, 179.

ion-proteid compounds. II. Influence of electrolytes on staining of tissues by erythrosine [tetraiodofluorescein] and methyl-green, A., ii, 376.

influence of temperature on heart beat, A., ii, 465.

ion-proteid compounds. III. Influence of electrolytes on the toxicity of alkaloids, A., ii, 567.

Robertson, T. Brailsford, conditions of equilibrium of an associating amphoteric electrolyte in the presence of any number of non-amphoteric electrolytes, A., ii, 828.

extension of the theoretical applicability of Guldberg and Waage's mass

law, A., ii, 833.

Robin, Lucien, estimation of sucrose, reducing sugars, and [added] starch in chocolates, A., ii, 499.

Robinson, Charles J., combustion of halogen compounds in presence of copper oxide, A., ii, 496.

Robinson, Charles J. See also John Bishop Tingle.

Robinson, Henry Haliburton, the gum of Cochlospermum Gossypium, T., 1496; P., 242.

Robinson, Robert. See William Henry Perkin, jun.

Robinson, (Miss) Rona, 3-hydroxyphthalic and 3-methoxyphthalic acids and their derivatives, P., 323.

Robinson, Wm. O. See Charles Lathrop Parsons.

Robitsek, Alfred. See Richard Anschütz. Robyn, A. See Robert Fosse.

Roccati, Alessandro, rhodonite from Chiaves and from other localities of the Valli di Lanzo, A., ii, 459. Rodano, G. A. See Celso Ulpiani.

Rodella, Antonio, importance of strictly anaërobic putrefactive bacilli for the ripening of cheese, A., ii, 297.

Rodié, J., volatile oil of Juniperus phoenicea, A., i, 971.

Rodinis, O. See Robert Kremann.

Roebuck, J. R., rate of the reaction between arsenious acid and iodine in acid solution; rate of the reverse reaction; and the equilibrium between them. (II.) A., ii, 76.

Roederer, G., action of ammonia on strontium; strontium-ammonium, A., ii, 752.

Roederer, G. See alsoAntoine Guntz.

Römer, Fritz. See Otto Fischer.

Römer. Hermann.See HermannWilfarth.

Roemer, Hermann. See Alfred Thiel. Röntgen, Paul, the nature of copper matte, A., ii, 672.

Rösing, Georg. See Georg Schroeter. Roessler. See Deutsche Gold- & Silber-

Scheide Anstalt. Roever, Carl. See Karl Auwers.

Roger, H., adulteration of linseed cakes, A., ii, 404.

Rogers, Allen, extraction apparatus, A., ii, 277.

Rogerson, Harold, and Jocelyn Field Thorpe, a mode of formation of aconitic acid and citrazinic acid, and of their alkyl derivatives, with remarks on the constitution of aconitic acid, T., 631; P., 87.

glutaconic and aconitic acids, P., 146. **Rohde**, Erwin, action of chloral hydrate on the heart, A., ii, 110.

See Gustav Schultz. Rohde, Georg.

Rohde, Otto, formation of solid surfaces in solutions of dyes: photo-electric effects in the case of these and of metallic sulphides, A., ii, 342.

Rohland, Paul [Waldemar], hydration of Portland cement, A., ii, 285.

relation between temperature and depth of colour of certain inorganic substances, A., ii, 409.

abnormal changes of melting point,

A., ii, 422. cause of the catalytic effect of hydrogen and hydroxyl ions on hydrolytic reactions, A., ii, 733.

Rohm, Karl, estimation of water-soluble phosphoric acid and total phosphoric acid in superphosphates, A., ii, 490.

Romburgh, Pieter van, action of ammonia and amines on allyl formate, A., i, 2.

presence of lupeol in some kinds of gutta-percha, A., i, 20.

triformin (glyceryl triformate), A., i, 725.

Romburgh, Pieter van, and N. H. Cohen, occurrence of \(\beta\)-amyrin acetate in some varieties of gutta-percha, A., i, 197.

Romburgh, Pieter van, [with W. van Dorssen], action of ammonia and amines on formic esters of glycols and glycerol. II., A., i, 3.

the simplest hydrocarbon with two conjugated systems of double bonds; αγε-hexatriene, A., i, 130.

the reduction of acraldehyde and some derivatives of s-divinyl glycol (78dihydroxy-ac-hexadiene), A., i, 141. derivatives of aye-hexatriene, A., i, 722.

Romeo, Giovanni, empirical formula and properties of solanin, A., i, 300.

Rona, Peter. See and Josef Herzig. See Emil Abderhalden

Roncagliolo, selenium-iron Cesare,alums, A., ii, 232.

Ronchèse, A., volumetric estimation of uric acid by means of iodine solution, A., ii, 401.

Roos, L., and W. Mestrezat, estimation of the volatile acidity of wine, A., ii, 256.

Roozeboom, Hendrik Willem Bakhuis, boiling points of saturated solutions in binary systems in which a compound occurs, A., ii, 217.

Roozeboom, Hendrik Willem Bakhuis, [with Gerard Hildebrand Leopold], three-phase lines in chloral alcoholate and aniline hydrochloride, A., ii,

Rosanoff, M. A., principle of optical superposition, A., ii, 320.

Rose, Robert Evstafieff. See James Colquhoun Irvine and Thomas Purdie.

Rosenfeld, Franz. See Curt Lehmann. Rosenhain, Walter, calorimetry of vola-

tile liquids, A., ii, 269.

Rosenheim, Arthur, dihydrate of molybdic acid, A., ii, 762.

Rosenheim, Arthur, and Felix Jacobsohn, action of liquid ammonia on certain metallic anhydrides [acidic oxides], A., ii, 760.

Rosenheim, Arthur, and Morduch Koss, halogen compounds of molybdenum and tungsten. II., A., i, 603.

Rosenheim, Arthur, and Victor J. Meyer, absorption spectra of solutions of isomeric complex cobalt salts, A., i, 406.

compounds of thiocarbamide with salts of bivalent metals, A., i, 407.

Rosenheim, Arthur, and Wilhelm Stadler, compounds of thiocarbamide and of xanthamide with salts of univalent copper, A., i, 407.

Rosenheim, Arthur, Wilhelm Stadler, and Felix Jacobsohn, the molecular weight of hypophosphoric acid, A., ii,

Rosenheim, Arthur, and Walter Vogelsang, [with Morduch Koss], simple and complex salts of bismuth, A., i,

Rosenheim, Otto, detection of choline in physiological fluids, A., ii, 133. preparation of cholesterol from brain,

A., ii, 240. colour reaction of formaldehyde with

proteids and its relation to the Adamkiewicz reaction, A., ii, 508.

Rosenheim, Otto. See also Frank Spiller Locke.

Rosenkrantz, R. W. albumin, A., i, 998. W., ash-free egg

Rosenlew, Erik, preparation of adipic acid, A., i, 558.

Rosenmund, Karl. See Otto Diels.

Rosenthaler, Leopold, the saponin of the white soapwort, A., i, 32.

rise of temperature when chloroform and ethyl ether are mixed, A., i, 330.

Rosenthaler, Leopold, alkaline aqueous mercuri-iodide as a reagent for hydroxyl groups, A., i, 921.

estimation of arsenic acid, A., ii, 801. behaviour of Nessler's reagent towards some glucosides [saponin] and carbohydrates, A., ii, 911.

Ross, Raymond, and John Petty Leather, composition and valuation of oils used for gas-making purposes, A., ii, 815.

Ross, W. H., hydroxylamine and its salts, A., ii, 19. chemical action of ultra-violet light,

A., ii, 512. Ross, W. H. See also Herbert Newby

McCoy. Rosset, Georges. See Adolphe Besson.

Rossi, Luciano, action of ammonia on itaconic and pyrocinchonic anhydrides, A., i, 138. action of ethyl acetylsuccinate and

diacetylsuccinate on phenetidine,

detection of indican in urine by means

of alkali persulphates, A., ii, 910.
Roth, A. W. See Hugo Henkel.
Roth, Heinrich. See Robert Pschorr.

Roth, Paul. See Ludwig Knorr. Rothacker, P_{\bullet} See ReinholdvonWalther.

Rothe, Rudolf [Ernst]. See Friedrich Hoffmann.

Rothe, W., H. Wangnick, and Albert Stutzer, comparative experiments on the natural and artificial digestion of

proteids, A., ii, 691.

Rothe, W. See also Albert Stutzer. Rothmund, [Ludwig] Victor, action of acetone on alkali sulphites, A., i,

Rothschild, Julius. See Fritz Reizen-

Rotter, Godfrey. See Oswald Silberrad. Rouiller, Charles A. See Harry Clary Jones.

Roux, Eugène, retrogradation and composition of natural starches other than potato starch, A., i, 235.

Roux, Eugène. See also Léon Maquenne. Roy, Charles Smart. See Oswald Silberrad.

Rubens, Heinrich, emissive power and temperature of Auer mantles containing different quantities of cerium, A., ii, 509.

Rubner, Max, energy-metabolism in certain bacteria; spontaneous heatformation in cow's milk and the lactic acid fermentation, A., ii, 568.

bacterial growth and concentration of nutrition (nitrogen and sulphur metabolism), A., ii, 568.

Ruckstuhl, W. See Richard Lorenz.

Rudge, W. A. Douglas, action of radium and other salts on gelatin, A., ii, 412.

Rudolph, Christian, preparation of salicylic acid from o-cresol, and a new method of preparing aurin, A., i, 361.

Rudorf, [Carl Casimir] George, the periodic system and the methodical classification of the elements, A., ii, 530.

Rücker, Adolf. See Alexander Naumann.

Rüdiger, Max. See Johannes Thiele. Rügheimer, Leopold, action of primary amines on aldehydes, A., i, 418.

Ruer, Rudolf, lead oxychlorides, A., ii,

modifications of lead oxide, A., ii, 755. Rüst, Ernst, testing formaldehyde pastilles, A., ii, 312.

Ruff, Otto, and Emil Geisel, the socalled metalammonium compounds, A., ii, 228.

Ruff, Otto, and Hugo Graf, [and, in part, Heller], arsenic pentafluoride, A., ii,

Ruff, Olto, and Otto Johannsen, preparation of metallic lithium, A., ii, 282.

Ruff, Otto, and Kurt Stäuber, nitrosyl fluoride, A., ii, 20.

Ruhemann, Siegfried, the action of phenylpropiolyl chloride on ketonic compounds. Part II., T., 682; P., 89.

the ethyl esters of acetonyloxalic and benzoylpyruvic (acetophenoneoxalic) acids and the action of ethyl oxalate on acetanilide and its homologues, T., 1236; P., 197.

tetrazoline. Part IV., T., 1268; P., 238.

xanthoxalanil and its analogues, T., 1847; P., 284.

glutaconic and aconitic acids, P., 137. dithioxanthoxalanil; preliminary note, P., 324.

tetrazoline; reply to R. Stollé, A., i,

Rule, Alexander, some new derivatives of dicyclopentadiene, T., 1339; P., 235.

Runkel, Karl. See Richard Anschütz. Rupe, Hans, carvone, A., i, 681.

Rupe, Hans, and Karl Dorschky, [with Walter Hotz], carvone. III. The semicarbazones of carvone, A., i, 595.

Rupe, Hans, and Karl Liechtenhan, carvone. II. Action of magnesium methyl iodide on carvone, A., i, 374.

Rupe, Hans, and Alexander Porai-Koschitz, methinammonium compounds, A., i, 754.

Rupe, Hans, and O. Siebel, methine-ammonium dyes. III. A., i, 858.

Rupe, Hans, and Ludwig Veit, condensation products of gallacetophenone, A., i, 435.

Rupp, Erwin, modification of Beckmann's boiling-point apparatus, A., ii, 147.

volumetric estimation of lead as iodate, A., ii, 198.

mercuric oxycyanide, A., i, 340.

two new forms of apparatus in organic analysis, A., ii, 802.

volumetric estimation of mercury, A., ii, 902.

titration with permanganate in alkaline solution; [estimation of formic and nitrous acids], A., ii, 907.

Rupp, Erwin, and M. Horn, volumetric estimation of iodides in the presence of chlorine and bromine ions, A., ii, 895.

Ruppin, Ernst, electrical conductivity of sea water, A., ii, 492.

Russ, Franz, decomposition of formaldehyde by the silent discharge, A., i,

influence of the material of the vessel and of light on the formation of ozone by the silent discharge, A., ii, 606.

Russ, Franz, and B. Larsen, estimation of formaldehyde, A., ii, 816.

Russ, Franz. See also Alfred Mandl. Russe, Frederick William. See Charles Loring Jackson.

Russell, Bert, and William John Gies, composition of nasal mucous membrane, A., ii, 184.

Russo, Michele. See Otto von Fürth.

Rutherford, Ernest, some properties of the α-rays from radium, A., ii, 139.

retardation of the α-particle from radium in passing through matter, A., ii, 642.

mass and velocity of the α-particles expelled from radium and actinium, A., ii, 719.

Rutherford, Ernest, and Bertram Borden Boltwood, relative proportion of radium and uranium in radioactive minerals, A., ii, 593.

Rutherford, Ernest, and Oskar Hahn, mass of the α-particles from thorium, A., ii, 719.

Rutter, T. F., electrolytic preparation and properties of vanadous and vanadic salts, A., ii, 366.

Ryan, Hugh, and George Ebrill, action of emulsin on β-glucosides, A., i, 918.

Ryss, A., and A. Bogomolny, electrolytic deposition of iron from aqueous solutions of its chloride and sulphate, A., ii, 856.

Rzentkowski, Casimir von, basicity of human blood in health and disease, A., ii, 686.

s.

Sabanéeff, Alexander P., literature of the colloids, A., ii, 841.

Sabat, Bronislas, influence of radium radiations on the conductivity of electrolytes, A., ii, 643.

Sabatier, Paul, and Alphonse Mailhe, synthesis of three secondary dimethylcyclohexanols, A., i, 253.

synthesis of tertiary alcohols derived from 1-methyl-4-cyclohexanone, A., i, 254.

use of metallic oxides as catalytic oxidising agents, A., i, 549.

Sachs, Arthur, kleinite, a hexagonal mercury oxychloride from Texas, A., ii, 176.

composition of kleinite, A., ii, 369. crystalline form of cabrerite, A., ii, 369.

Sachs, Franz, preparation of aminonaphthols, A., i, 949.

Sachs, Franz, [and, in part, E. Appenzeller, Viktor Herold, B. Mylo, Kurt Schädel, and Theodor Sutter], a new method of preparing aromatic amines, A., i, 829.

Sachs, Franz, and Siegfried Hilpert, nitrostilbenes, A., i, 241.

Sachs, Franz, and Hermann Kantorowicz, para-substituted o-nitrobenz-aldehydes, A., i, 908.

Sachs, Franz, and Willy Lewin, [p-dimethylaminobenzylideneacetone]; a correction, A., i, 966.

Sachs, Franz, and Franz Michaelis, dialkylaminobenzaldehydes. IV., A., i, 575.

Sachs, Fritz, nuclease, A., i, 126.

Sachs, Hans, complementoids, A., ii, 462.

Sack, Johannes, fat of the palm fruit of Surinam, A., ii, 386.

wax of the bark of Jatropha Curcas, A., ii, 386.

products containing tannin, A., ii, 386.

Sackur, Otto, anodic solution of hydrogen and its passivity, A., ii, 261.

Sadikoff, Wl. S., animal gelatins. IV. A., i, 224.

animal gelatins. V. Preparation of gelatins, A., i, 777.

Sahlbom, (Miss) Naima, and Friedrich IVilly Hinrichsen, radioactivity of thermal springs in Aachen, A., ii,

titration of hydrofluosilicic acid, A., ii, 798.

Sahlbom, (Miss) Naima. See also Friedrich Willy Hinrichsen.

Sahmen, R., mixed crystals of manganese sulphate and zinc sulphate between 0° and 39°, A., ii, 169. copper-cadmium alloys, A., ii, 543.

Saiki, Tadasu, enzymatic action of

radishes, A., ii, 796.

digestibility and utilisation of some polysaccharides derived from lichens and marine algæ, A., ii, 870.

Saint-Martin, Louis Gigaut de, modification of the Orsat apparatus, A., ii, 304.

William. See Samuel J. Salant, Meltzer.

Salecker, P., and Albert Stutzer, diminution of the digestibility of proteids, A., ii, 691.

Salkowski, Heinrich [Hermann], [with Bernhard Sendhoff], estimation of bismuth and separation from the heavy metals as phosphate, A., ii, 55.

Salm, Eduard, colorimetric measurement

of affinity, A., ii, 218.

Salomon, Alfred, apparatus for testing saturation and boiler-gases, A., ii, 580.

Salomon, Harry. See Gustav Embden. Salomone, Giovanni, manganese and the development of plants. I., A., ii, 792.

Saltet, R. H., the action of carbon dioxide on the frog's heart, A., ii, 39.

Salvadori, Roberto [Oreste Maria], determination of the calorific value of lignite and peat with the Lewis-Thomson calorimeter, A., ii, 900.

Samel, Oskar. See Emil Knoevenagel. Sammet, [George] Viktor, chemical and electrical study of the equilibria $6H' + 5I' + IO_3' = 3I_2 + 3H_2O$ and $6H + 5Br' + Br\ddot{O}_3' = 3Br_2 + 3H_2O$, A., ii, 153.

Sammis, John Langley, relation chemical activity to electrolytic con-

ductivity, A., ii, 835.

Samuely, Franz, amino-acids in normal and pathological urine, A., ii, 470.

Samuely, Franz. See also Emil Abderhalden.

Sand, Henry Julius Salomon, the rapid electro-analysis of metals; preliminary note, P., 43.

Sand, Julius, hydrolysis of dichromates and polymolybdates, A., ii, 528.

Sand, Julius, and O. Burger, oxidation of chromous salts, A., i, 487.

reduction of molybdic acid in thiocyanic acid solution, A., i, 487.

Sanders, James McConnell, pipitzahoic acid, P., 134.

an improved Beckmann apparatus for molecular weight determinations, P., 165.

Sandilands, John Edward, epidemic diarrhœa, A., ii, 109.

Sani, Giovanni, action of benzylamine on ethyl a-crotonate, A., i, 653.

Santi, Luigi, new salt of quinine, A.,

Saposhnikoff, Alexis V., and W. Jagellowitsch, decomposition of nitrocellulose at temperatures below that of ignition, A., i, 68.

Sasse, Otto, volumetric estimation of lead, Λ ., ii, 581.

Sassu, Matei. See Herman Decker.

Satta, Giuseppe, formation of acetone [in the body], A., ii, 105.

Saunier, estimation of volatile acidity in wines, A., ii, 812.

Saurel, Paul [Louis], the displacement of the equilibrium of univariant and of bivariant systems, A., ii, 339.

Sautermeister, Constantin. See Carl Bülow.

Sauton. See Auguste Trillat.

Sautter, Richard. Sce August Klages. Savage, William George, streptococci

and leucocytes in milk, A., ii, 298. Savarè, B., iodometric estimation of levulic acid, A., ii, 907.

Sawamura, Shin, micro-organisms of

natto, A., ii, 880. Sawjaloff, W. W., identity of pepsin and chymosin (rennin), A., ii, 98. muscular work and proteid metabolism, A., ii, 561.

Saxl, Paul, the relative proportions of the proteids of muscle in physiological and pathological conditions, A., ii,

Scarpa, Oscarre, magnetic and optical investigations on certain magnetic colloids, A., ii, 829.

Schade, H., fermentation of sugar without enzymes, A., i, 931.

Schädel, Kurt. See Franz Sachs.

Schäfer, Ernst, estimation of arsenic, antimony, and sulphur in ores by heating in a current of chlorine or of carbon dioxide charged with bromine, A., ii, 394.

Schäfer, H., and Bernhard Tollens, formation of bases from acetophenone, formaldeliyde, and ammonium chloride, A., i, 574.

Schaefer, Konrad. See Heinrich Ley. Schäfer, Kurt. See Alfred Wohl. Schall, Richard. See Julius Schmidt. Schaller, Waldemar T., chalybite and

barytes from Maryland, A., ii, 369.

Schapiro, A., influence of chloroform on the growth of young animals, A., ii, 180.

Scharfenberg, Wilhelm. See Arthur Stähler.

Scharff, E. See Rudolf Schenck. Schaub, F. See Julius Tröger.

Schaum, [Ferdinand] Karl [Franz], definition of radioactivity, A., ii, 411.

Scheel, Karl [Friedrich Franz Christian], formulæ for the vapour pressure of water, ice, and dilute sulphuric acid at low temperatures, Λ., ii, 422.

Schellens, W., behaviour of vegetable and animal textile fibres with solutions of metallic salts, A., i, 69.

Scheller, Alfred. See Erich Müller.
Schemtschuschny, S. F., alloys of zinc and antimony, A., ii, 448, 549.
silver-magnesium alloys, A., ii, 539.
Schemtschuschny, S. F. See also Nico-

lai S. Kurnakoff.

Schenck, [Friedrich] Rudolf, reduction of ferrous oxide and the three modifications of carbon, A., ii, 363.

Schenck, Rudolf, F. Mihr, and H. Banthien, cause of the conductivity of air which has been in contact with phosphorus, A., ii, 326.

Schenck, Rudolf, and E. Scharff, detection of small amounts of yellow phos-

phorus, A., ii, 392.

Schenck zu Schweinsberg, E. (Freiherr). See Richard Stoermer.

Schenk, Carl, transformations of the quaternary ammonium hydroxides of acridylpropionic acid, Λ., i, 698.

Schenk, Carl. See also Herman Decker. Schenk, M., autodigestion of some yeast species (top fermentation yeasts, distillery and film yeasts), Λ ., ii, 190.

Schenke, Vincent, estimation of phosphoric acid by the citrate method, Λ., ii, 392.

Schering, E. See Chemische Fabrik auf Aktien.

Scheuble, Rudolf. See Bertrand Bibus. Scheuer, Otto. See Wilhelm Vaubel.

Scheunert, Arthur, digestion of cellulose in, and ferments of, the cocum, A., ii. 463.

Scheunert, Arthur, and Walther Grimmer, digestion in the horse when fed on maize, A., ii, 239.

the enzymes contained in food and their rôle in digestion, A., ii, 462.

Schidrowitz, Philip, and Frederick Kaye, estimation of higher alcohols in spirits. II., A., ii, 584.

Schiff, Hugo, estimation of halogens in organic substances, Λ ., ii, 797.

Schiller, Josef, ratio of iron and magnesium in olivine and rhombic pyroxene, A., ii, 770.

Schiller, Nicolai N., significance of the discontinuity of dP/dT in the application of the phase rule, A., ii, 218.

reciprocal behaviour of solute and solvent, A., ii, 220.

Schimetschek, Leopold, condensation of dibenzyl ketone with p-nitro, p-hydroxy-, p-chloro-, and o-nitro-benzaldehydes, A., i, 368.

Schimmel & Co., preparation of protocatechuic aldehyde from piperonaldehyde or its chloride, A., i. 513. ethereal oils. A., i. 524.

othereal oils, A., i, 524.

Schindelmeiser, Ivan [Robert]. See Ivan L. Kondakoff.

Ivan L. Kondakoff.
Schindler, Erich. See Otto Fischer.

Schittenhelm, Alfred, nuclein-metabolism and the ferments concerned in man and animals, A., ii, 102, 779.

Schittenhelm, Alfred, and Ernst Bendix, purine substances of the urine of ox, horse, and pig, A., ii, 564.

Schittenhelm, Alfred, and A. Katzenstein, administration of i-alanine to a normal dog, A., ii, 379.

Schittenhelm, Alfred. See also Emil Abderhalden.

Schlaepfer, Carl. See Fritz Fichter. Schlecht, H. See August Michaelis.

Schliebs, Georg, application of compressed air in superphosphate analysis, A., ii, 579.

Schlesing, [Jean Jacques] Théophile, chemical study of sea waters, A., ii, 176.

Schlesing, [Alphonse] Théophile, jun., nitrates and nitrites as manures, A., ii, 121.

Schloesser, W., and C. Grimm, measurement of standard and other solutions by means of chemical measures, Λ., ii, 892.

Schloss, Ernst, the detection and physiological relations of glyoxylic acid, A., ii, 785.

Schlosser, R. C. See Charles Couchet.
Schlotterbeck, Julius Otto, and Walter H. Blome, [the alkaloids of] Bocconia cordata, A., i, 36.

Schlundt, Herman, and Richard B. Moore, chemical separation of radioactive types of matter in thorium compounds, A., ii, 2. Schlundt, Herman. See also Richard B. Moore.

Schmatolla, Otto, tests for the purity of [commercial] glycerol, A., ii, 585.

Schmid, Alfred, and Herman Decker, [with Theodor Hock], methyl derivatives of 5-phenylacridine, A., i, 305.

Schmid, Arthur. See Leopold Nathan. Schmid, Carl. See Carl Bülow.

Schmidlin, Jules, chemical and thermochemical researches on the constitution of the rosanilines, A., i, 211.

Julius, magnesium compound of organic triplenylmethyl chloride; preparation of triphenylmethane and triphenylacetic acid, A.,

Schmidt, Albert, reaction between nitroquinaldines and aldehydes, A., i, 39.

Schmidt, Bodo, bactericidal and antiseptic influence of stable 3 per cent. hydrogen peroxide, A., ii, 698. Schmidt, Ernst [Albert], conversion of

ephedrine into ψ -ephedrine, A., i,

hydrogen aurichloride, A., ii, 862. [Schmidt, Ernst], and Hermann Emde, ("styrylamine" cinnamylamine bases and their relation to ephedrine and ψ -ephedrine, A., i, 945. ephedrine and ψ -ephedrine, A., i, 978.

Schmidt, Ernst, [with Rudolf Gaze], scopolamine and scopoline, A., i, 103.

detection of methylated spirit in tinctures, &c., A., ii, 57.

Schmidt, Ernst, [with Adolf Kircher], alkaloids from species of Datura which induce mydriasis, A., i, 379.

Schmidt, Ernst, [and W. Schwabe], xanthine bases, A., i, 449.

Schmidt, Eugen, method of distinguishing fermentation vinegar from "vinegar essence," A., ii, 401.

Schmidt, Fr. See Gustav Embden.

Schmidt, Gustav, the absorption of methylene-blue by the intestinal epithelium, A., ii, 694.

Schmidt, Julius, and Karl Bauer, phenanthrene derivatives. XVIII. Conversion of phenanthrene fluorene compounds, A., i, 25.

action of nitric acid on fluorenone, and derivatives of the nitro-compounds thus obtained, A., i, 27.

action of bromine on fluorene and on fluorenone, A., i, 28.

Schmidt, Julius, and Fritz Leipprand, phenanthrene derivatives. Conversion of 4:5-dinitrophenanthraquinone into 4:5-aminohydroxyphenanthraquinone, A., i, 25.

Schmidt, Julius, and Richard Schall, hydroxydiphenic acids, A., i, 23.

Schmidt, Otto, [a new method of formation of diazo-compounds and a general method for determining the constitution of azo-dyes], A., i, 52.

sulphonation of thioaniline, A., i, 243.

action of formaldehyde on as-dimethylp-phenylenediaminethiosulphonic acid and a new method of preparing benzothiazoles, A., i, 711.

compounds of thiosulphuric acid with

aldehydes, A., i, 711.

artificial production of camphor from turpentine oil, A., i, 868.

Schmidt, Otto, and Rudolf Böcker, oxidation of ammonia, A., ii, 349. Schmidt, Richard, and Karl Weilinger,

new ethereal oils, A., i, 299. Schmidt, Rudolf, spectrum of a new gas

contained in the atmosphere, A., ii, 821.

Schmidt & Cie., W., new gas generating apparatus, A., ii, 433.

Schmidt-Nielsen, Sigval, the supposed identity of pepsin and rennin, A., i, 720.

enzymes in relation to concentrated electric light, A., i, 780.

Schmitz, B., estimation of phosphoric acid as magnesium pyrophosphate, A., ii, 705.

Schmitz, Ernst. See Otto Wallach. See Richard Anschütz. Schmitz, Fritz. Schmitz, Wilhelm. See Emil Fischer. Schneider, Kurt. See Emil Fromm.

Schneider, Otto, secondary minerals from Otavi, German S.W. Africa: a new cadmium mineral, A., ii, 620.

Schneider, Ph. See Ferdinand Wohltmann.

Schneider, Wilhelm.See Ludwig Knorr and Theodor Pfeiffer.

Schöler, G. See Alfred Werner.

Schönewald, Albert. WilhelmSee Traube.

Schönthan, H. von. See Alfred Stock. Schörk, Walther. See Wilhelm Lossen. Scholl, Roland, [with Karl Holdermann], constitution of nitroimines and action of phenylcarbimide on methylnitroamine, A., i, 767.

Scholl, Roland, and B. Nyberg, ethyl mercuri-aci-nitroacetate anhydride,

A., i, 563.

ofα-nitro-β-phenyl-αconversion methylcarbamide into s-nitrophenylmethylcarbamide, A., i, 656.

Scholl, Roland, and M. Parthey, action of ammonia on alizarin, A., i, 439.

Scholtz, Max [Erwin], sparteine alkylhaloids, A., i, 379.

iodometric estimation of sulphates,

A., ii, 195.

Scholtz, Max, and Richard Abegg, equilibria between potassium chromate and barium sulphate and carbonate, A., ii, 602.

Scholz, W., metabolism in cretins, A., ii, 102.

Scholze, A., 2-methyl-6-pyrophthalone, A., i, 33.

Schoorl, Nicolaas, and L. M. van den Berg, decomposition of chloroform under the influence of light and air, A., i, 57.

decomposition of bromoform under the influence of light and air, A., i, 474.

comparison of the decomposition of chloroform, bromoform, and iodoform under the influence of light, A., i, 474.

decomposition of chloral hydrate by exposure to light and air, A., i, 48i.

influence of incandescent gas light on certain pharmaceutical preparations, A., ii, 411.

Schoorl, Nicolaas, and P. C. J. van Kalmthout, colour reactions of important sugars, A., ii, 204.

Schorndorff, P. See Alfred Werner.

Schrefeld, O., apparatus and methods for the investigation of raw sugar, fuels, and beet seeds, A., ii, 130.

Schreinemakers, Frans Antoon Hubert, lithium chromates, A., ii, 24. alkali chromates, A., ii, 287.

mixed crystals in ternary systems, A., ii, 342.

Schreinemakers, Frans Antoon Hubert, and D. H. Cocheret, equilibrium in the system ammonium sulphate, lithium sulphate, and water, A., ii, 424.

Schreinemakers, Frans Antoon Hubert, and A. Filippo, rubidium chromates, A., ii, 445.

Schreinemakers, Frans Antoon Hubert, and A. J. C. de Waal, the system: water, lithium sulphate, and aluminium sulphate, A., ii, 855.

Schreiner, Oswald, and George H. Failyer, absorption of phosphates by soils, A., ii, 485.

absorption of potassium by soils, A., ii, 575.

Schrenk, Alfred. See Karl Auwers. Schreuer, Max, the effect of abundant proteid food on metabolism, A., ii, 101.

Schroeder, August, foreign fats and oils, A., ii, 131.

Schroeder, Ernst. See Richard Anschütz.

Schröder, Iwan, apparatus for lecture demonstration in physical chemistry, A., ii, 727.

Schroeter, Georg, formation of methronic acid, A., i, 598.

Schroeter, Georg, [with Georg Rösing], acylation of anilinesulphonic acids, A., i, 415.

Schröter, Otto. See Karl Auwers.

Schröter, W. See Robert Gnehm.

Schrott-Fiechtl, Hans, comparison of the estimation of fat in milk by Gottlieb's and Gerber's methods and by Wollny's refractometer, A., ii, 204.

Schryver, Samuel Barnett, chemical dynamics of animal nutrition, A., ii, 292.

Schryver, Samuel Barnett. See also John Molyneux Hamill.

Schuch, Julius, formaldehyde and its reactions, A., ii, 500.

Schucht, F., marsh soils, A., ii, 46.

Schucht, Ludwig, titration of phosphoric acid, A., ii, 899.

Schucht, Ludwig, and W. Möller, analysis of hydrofluosilicic acid, A., ii, 901.

Schück, Bernhard. See Hermann Grossmann.

Schükareff, A. N., the gaseous-liquid state. II., A., ii, 271.

Schükareff, A. N., and Marie Tschuprowa, the gaseous-liquid state. III., A., ii, 271.

Schüler, P. See Arthur Kötz.

Schütz, Julius. See Otto von Fürth. Schütz, Max. See Robert Pschorr.

Schulten, Auguste Benjamin (Baron) de, isomorphism of northupite and tychite, A., ii, 769.

Schultz, Gustav [Theodor August Otto], aminophenolsulphonic and aminocresolsulphonic acids, A., i, 837.

Schultz, Gustav, and J. Erber, derivatives of the aminoalizarins, A., i, 968.

Schultz, Gustav, and W. Kohlhaus, constitution of Griess' benzidinedisulphonic acid, A., i, 818.

Schultz, Gustav, Georg Rohde, and Gustav Herzog, transformations of hydrocyanocarbodiphenylimide, A., i, 890.

Schultz, W. H., effect of chloral hydrate on heart muscle, A., ii, 686.

Schultze, B., migration in the leaves of Acer Negundo, A., ii, 192.

Schulze, Carl, effect of sterilising soil on the development of plants A., ii, 796. Schulze, Ernst [August], specific rotation of glutamine, A., i, 813.

nutritive value of the non-proteid nitrogen compounds in foods, A., ii, 248.

composition and metabolism of seedlings, A., ii, 571.

Schulze, Ernst, and Nicola Castoro, is homogenetisic acid formed in seedlings by the decomposition of tyrosine? A., ii, 793.

amount of tyrosine in seedlings of Lupinus albus, A., ii, 795.

Schulze, Ernst, and Ernst Winterstein, behaviour of cholesterol to light. II., A., i, 843.

A., 1, 843.
 Schulze, Günther. See F. Kurlbaum.
 Schulze, Heinrich, aconitine and aconine from Aconitum Napellus, A., i, 599.

Schumacher, A. See Alfred Thiel. Schumacher, F. J. See Walther Dilthey. Schumacher, Th., and E. Feder, estima-

tion of sulphurous acid in foods and sulphur in coal-gas, A., ii, 124. Schumm, Otto, and C. Westphal, Adler's

Schumm, Otto, and C. Westphal, Adler's benzidine test for blood-pigment, A., ii, 207.

Schumoff-Simanowski, (Madame) C., and (Madame) Nadine Sieber, the behaviour of lecithin to the lipolytic ferments, A., ii, 871.

Schupp, Gustav. See Alfred Einhorn. Schupp, L. See Hermann Finger.

Schwab, Julius. See Fritz Fichter. Schwabe, W. See Ernst Schmidt.

Schwalbe, Arthur. See Hans Theodor
Bucherer

Schwalbe, Carl, reduction of aromatic sulpho-acids to mercaptans by alkali hydrosulphides, A., i, 841.

Schwantke, Arthur, pseudomorphs of osteolite after calcite: crystallised staffelite, A., ii, 35.

Schwartz, Rudolf. See Emil Knoevenagel.

Schwarz, Julius, 6:6'-dinitroindigotin, A., i, 90.

Schwarz, M. See Jakob Meisenheimer. Schweitzer, H. See Alfred Wohl.

Scott, F. H., metabolism and action of nerve-cells, A., ii, 239.

fatigue of nerves, A., ii, 240.

Scott, G. H., classification of blood-corpuscles, A., ii, 95.

Scott, L., iodospongin; preliminary note, A., i, 999.

Scudder, Heywood, and Robert Baird Riggs, detection of methyl alcohol, A., ii, 808.

Sebelien, John, experiments with new nitrogenous manures, A., ii, 575.

Sebelien, John. See also E. Michelet.

Seelhorst, Conrad von, effect of straw manure on the crops, A., ii, 702.

Seelhorst, Conrad von, and Aloys Müther, calcium cyanamide, A., ii, 47.

Segin, Adalbert, the influence of the addition of acetic acid or alcohol to milk in the estimation of the total solids, A., ii, 314.

Seibert, H., estimation of ash [of coal] in electrically heated organic combustion furnaces, A., ii, 802.

Seidell, Atherton, estimation of mercury and iodine in antiseptic soaps, A., ii, 252.

Seidell, Atherton. See also Frank Kenneth Cameron.

Seil, Harvey Ambrose. See Marston Taylor Bogert.

Seiler, E. See Karl A. Hofmann.

Seillière, Gaston, diastatic hydrolysis of xylan, A., ii, 101.

Seitz, Wilhelm, the liver as a storehouse for proteids, A., ii, 241.

Seixas Palma, José de. See Emil Fromm.

Seligman, Richard, and F. J. Willott, estimation of zine in zinc-aluminium alloys, A., ii, 197.

Seligmann, E., reductases of cow's milk, A., ii, 467.

Sellier, J., anti-rennin in the serum of fishes and invertebrates, A., ii, 292.

Semmler, Friedrich Wilhelm, composition of the ethereal oil of the carline thistle (Carlina acaulis, L.), A., i, 297.

action of sodamide on cyclic ketones; derivatives of fenchone and of camphenilone, and their constitution, A., i, 681.

preparation of γ -, δ -, ϵ -, &c., glycols and their derivatives from the corresponding lacences, A., i, 784.

preparation of a base, C₁₀H₁₇ON, from pulegone, A., i, 969.

Semmler, Friedrich Wilhelm, and Mc-Kenzie, buchu-camphor (diosphenol), C₁₀H₁₆O₂, A., i, 373.

Semmler, Friedrich Wilhelm, and Ch. Rimpel, synthesis of $\Delta^{8(9)}$ -menthene and of active $\Delta^{3\cdot 3(9)}$ -menthadiene, Λ ., i, 682.

Semper, Leopold. See Heinrich Wieland. Sendhoff, Bernhard. See Heinrich Salkowski.

Senier, Alfred, and Percy Corlett Austin, dinaphthacridines, T., 1387; P., 240.Senter, George, catalysis by ferments,

A., ii, 220.

Serger, H., quantity of iron contained

in spinach, A., ii, 574. Sericano, G. See Luigi Marino. Seubert, Karl [Friedrich Otto], and J. Carstens, chromic acid as an oxidising

agent. I., A., ii, 617. everin, Emile [C.], 3:6-dibromo-2'-Severin, dimethylaminobenzovlbenzoic acid, the corresponding diethyl compound, and their derivatives, A., i, 508.

Severin, Emile, and Dragomir Hurmuzescu, radioactivity of the soil and mineral waters of Slanic (Roumania),

A., ii, 593.

Seyewetz, Alphonse, and Bloch, preparation of aromatic sulphonamates by reduction of nitro-derivatives with sodium hyposulphite, A., i, 490.

estimation of hyposulphurous acid in hyposulphites and their compounds with formaldehyde, A., ii, 578.

Sevewetz, Alphonse. See also Auguste Lumière.

Shaffer, Philip. See Bertram Henry Buxton.

Shaw, Roscoe H., examination of bleached flour, A., ii, 712.

Shepheard, Frederick George. See William Augustus Tilden.

Shepherd, Earnest Stanley, and E. Blough, constitution of the copper-tin alloys, A., ii, 861.

Shepherd, Earnest Stanley. See also Arthur Louis Day.

Sheppard, Samuel Edward, the theory of alkaline development, with notes on the affinities of certain reducing agents, T., 530; P., 64.

Sheppard, Samuel Edward, and Charles Edward Kenneth Mees, the molecular condition in solution of ferrous oxalate;

a correction, P., 105.

Sherman, Henry Clapp, and R. H. Williams, osazone test for dextrose and lævulose as influenced by dilution and by the presence of other sugars, A., ii, 498.

Sherman, Henry Clapp. See also William G. Tice and R. H. Williams.

Shimizu, Sumu. See Kōtarō Honda. Shores, Jeff H. See Richard Anschütz.

Shreve, R. Norris. See Latham Clarke. Shrimpton, Albert G., condensation products of a-naphthol and benzophenone chloride, A., i, 659.

Shukoff, Iwan. See Richard Abegg. Shutt, Frank Thomas, and H. W. Charlton, a compound of cyanamide as a nitrogenous fertiliser, A., ii, 891.

Volhard method for the estimation of chlorine in potable waters, A., ii,

Sibbern-Sibbers, Fr. See Richard Stoermer.

Siboni, Giuseppe, iron citrafes, A., i, 65. Sicher, Dudley F. See Lafayotte Benedict Mendel.

Sick, Konrad, lactic acid formation in cancer of the stomach, A., ii, 565.

Sidersky, D., new method for the estimation of reducing sugars, A., ii, 203.

Siebel, O. See Hans Rupe.

Sieben, Julius. See Richard Anschütz. Sieber, (Madame) Nadine. See (Madame) C. Schumoff-Simanowski.

Siebert, Carl. See Daniel Vorländer. Siebert, K. See Theodor Zincke.

Siebert, Werner. See Alfred Stock.

Sieden, Fritz. See Adolph Emmerling. Siedentopf, H., ultramicroscopic examination of the colours of rock salt, A., ii,

Siegfeld, Moritz, occurrence of cholesterol and legithin in milk and its influence on the estimation of fat in milk by Gottlieb's method, A., ii, 204.

Siegfried, Max [August], isolation of amino-acids, A., i, 144.

union of carbon dioxide with amphoteric amino-substances. II., A., i,

kyrines, Λ ., i, 777.

Siegfried, Max, and H. Mark, jecorin,

A., i, 325.

Siegl, K., experiment to show the fluorescent action of the secondary

rays caused by radium, A., ii, 260. Sielisch, Johannes. See Otto Diels. Siemens, A., phosphorus and the sulphides

of phosphorus, A., ii, 306.

red phosphorus, A., ii, 847. Siemens & Halske, Aktien Gesellschaft, filaments for incandescent electric lamps, A., ii, 213.

See Augustin Siemiradzki, B. von. Bistrzycki.

Sikes, Alfred Walter, phosphorus and calcium of human milk, A., ii, 874. estimation of proteid in human milk, A., ii, 912.

Silber, Paul G. See Giacomo Luigi Ciamician.

Silberrad, Oswald, and Robert Crosbie Farmer, the decomposition of nitrocellulose, T., 1182; P., 171.

the hydrolysis of "nitrocellulose" and "nitroglycerine," T., 1759; P., 270.

Silberrad, Oswald, [with Walter Hamis Glover and Charles Smart Roy], the relationship of colour and fluorescence to constitution. Part I. The condensation products of mellitic and pyromellitic acids with resorcinol, T., 1787; P., 251.

- Silberrad, Oswald, Henry Ablett Phillips, and Henry J. Merriman, direct estimation of nitroglycerol in cordite, &c., A., ii, 633.
- Silberrad, Oswald, and Godfrey Rotter, the action of ammonia and amines on diazobenzene picrate, T., 167; P., 13; discussion, P., 13.

Silberrad, Oswald, and Charles Smart Roy, gradual decomposition of ethyl diazoacetate, T., 179; P., 15.

- Silberrad, Oswald, and William Slessor Simpson, note on gunpowder and bullets, made about 1641, recently discovered in Durham Castle, P., 172.
- Silberrad, Oswald, and Bertram James Smart, the preparation of p-bistriazobenzene, T., 170; P., 14; discussion, P., 14.

studies on nitrogen iodide. III. The action of methyl and benzyl iodides, T., 172; P., 15.

removal of nitrous acid from concentrated nitric and sulphuric acids,
A. ii. 226.

A., ii, 226. Simon, Louis Jacques, a new type of balanced reactions, A., i, 404.

influence of the juxtaposition of ketonic and acid groups in the same molecule, A., i, 404.
ureides. I. Action of urethane on

ureides. I. Action of urethane on pyruvic acid and its derivatives, A., i, 733.

Simon, Louis Jacques, and G. Chavanne, characteristic reaction of ethyl gly-oxylate; action of ammonia on the ester and its derivatives, A., i, 396

action of urethane and of carbamide on ethyl glyoxylate; new synthesis of allantoin, A., i, 636.

Simon, Louis Jacques, and Charles Mauguin, syntheses in the quinoline group; phenylnaphthaquinolinedicarboxylic acid and its derivatives, A., i, 887.

syntheses in the quinoline group; ethyl dihydrophenylnaphthaquinolinedicarboxylate and its derivatives, A., i, 888.

Simon, Oscar, cetraric acid, A., i, 961.

Simonis, Hugo, E. Marben, and Eric Mermod, action of Grignard's reagent on o- or γ-aldehydo-acids, A., i, 32.

Simonis, Hugo. See also Eric Mermod. Simonis, Max. See Conrad Willgerodt. Simonsen, John Lionel, a synthesis of terebie, terpenylic, and homoterpenylic acids, P., 307.

Simonsen, John Lionel. See also William Henry Perkin, jun.

Simpson, William Slessor. See Oswald Silberrad.

Simrock, Karl, estimation of sugar in urine by a modification of Trommer's method, A., ii, 810.

Sinnatt, Frank Sturdy, determination of nitrates, P., 255.

Sirk, Heinrich. See Zdenko Hanns Skraup.

Sisley, Paul. See Philippe Barbier.

Sisson, Henry Arnott. See Leonard Angelo Levy.

Sjögren, [Sten Anders] Hjalmar, A. E. Nordenskiöld's investigations on the radioactivity of certain Swedish and Norwegian minerals, A., ii, 64. crystalline pyrochroite from Långban, A., ii, 553.

Skinner, Clarence A., comparative observations on the evolution of gas from the cathode in helium and argon, A., ii, 824.

Skinner, W. W., method for determining "black alkali" in irrigating waters and soil extracts, A., ii, 251. copper salts in irrigating waters, A., ii, 302.

Skrabal, Anton, and Paul Artmann, precipitation of barium as sulphate, and its separation from calcium, A., ii, 804.

Skrabal, Anton, and L. Neustadtl, separation of barium from strontium and calcium by precipitation as chromate, A., ii, 126.

Skrabal, Anton, and J. Preiss, mechanism of the reduction of potassium permanganate; kinetics of the reaction between potassium permanganate and formic acid, A., ii, 658.

Skraup, Zdenko Hanns, amount of glycine and alanine from casein, A., i, 123.

deaminoglutin, A., i, 913.

Skraup, Zdenko Hanns, [and, in part, Ernst Geinsperger, Erich von Knaffl-Lenz, Franz Menter, and Heinrich Sirk], starch, glycogen, and cellulose, A., i, 67.

Skraup, Zdenko Hanns, and Fritz Heckel, gelatin. II., A., i, 124.

Skraup, Zdenko Hanns, and Philipp Hoernes, deaminocasein, A., i, 913.

Skraup, Zdenko Hanns, and Reinhold
Witt, peptones from casein, A., i, 916.
Skraup, Zdenko Hanns, and Rudolf

Zwerger, kyrines, A., i, 123.
Slator, Arthur, studies in fermentation.
I. The chemical dynamics of alcoholic

fermentation by yeast, T., 128. Slawiński, Kazimir, action of hypochlorous acid on camphene, A., i, 28.

Slomnesco, N., action of xanthine leucomaines [ptomaines] on copper, A., i, 449.

Slowtzoff, B., absorption of lecithin in the intestine, A., ii, 101.

the action of lecithin on animal metabolism, A., ii, 779.

Sluiter, Carel Herman, nitrosophenol or quinoneoxime, A., i, 255.

action of sulphuric acid on copper, A.,

Sluiter. Carel Herman. See also Arthur Hantzsch and Arnold FrederikHolleman.

Small, Fritz H., collaborative work on tannin analysis, A., ii, 404.

Smart, Bertram James. See Oswald Silberrad.

Smedley, (Miss) Ida, action of sodium on aa-dichloropropylene, P., 158.

Smeliansky, Chana, influence of added substances on the rennin coagulation of

cows' milk, A., ii, 874. Smelkus, Hugo. See Wilhelm Lossen. Smieciuszewski, Bronislav. See Leo Alberti.

Smiles, Samuel, and Robert Le Rossignol, aromatic sulphonium bases, T., 696; P., 24, 87.

the action of sulphur dioxide and aluminium chloride on aromatic

compounds, P., 158. Smirnoff, F. W., the separation of liquids into layers, A., ii, 839.

Smith, Alexander, and Will isBoitHolmes, amorphous sulphur. Nature of amorphous sulphur and the influence of foreign substances on the behaviour of supercooled fused sulphur, A., ii, 157.

Smith, Charles Harold. See Warrington Yorke.

Smith, Clarence, steric hindrance in the naphthalene series, T., 1505; P., 236. Smith, Edgar Fahs. See (Miss) Lily

Gavit Kollock and Julia Langness.

Smith, (Miss) Elizabeth. See Andrew Jamieson Walker.

Smith, George Frederic Herbert, with analysis by George Thurland Prior, paratacamite, a new copper hydroxychloride, A., ii, 455.

Smith, George McPhail, constitution of amalgams, A., ii, 673.

Smith, Henry Llewellyn. See William Henry Perkin, jun.

Smith, Joseph Kent, vanadium as a steelmaking element, A., ii, 398.

Smith, M. B. See Lucius Moody Tol-

Smith, Norman, the slow combustion of carbon disulphide, T., 142.

Smith, Norman, slow oxidations in the presence of moisture, T., 473; P., 39.

Smith, Watson, jun., estimation of the carbonyl group in aldehydes, ketones, &c.; modification of the Strache method, A., ii, 312.

Smits, Andreas, relative vapour tensions of the three modifications of carbon, A., ii, 71.

introduction of the conception of the solubility of metal ions with electromotive equilibrium, A., ii, 518.

Smoluchowski, Marie, the mean path traversed by gaseous molecules and its relation to the theory of diffusion, A.,

Smyth, Charles Henry, jun., abstraction of oxygen from the atmosphere by iron, A., ii, 35.

Snowdon, Ralph C., electrolytic precipitation of lead from acetate solutions, A., ii, 755.

Société Chimique des Usines du Rhône, preparation of phenols and their substitution products, A., i, 657.

Soden, [Eberhardt Hildebrand Wilhelm Ludwig] Hugo von, and Walter Treff, pure nerol, A., i, 295.

identity of natural and artificial nerols, A., i, 522.

Söderbaum, Henrik Gustaf, factors which affect the manurial value of the phosphoric acid of bone meal, A., ii, 121.

Söhngen, N. L., methane as carbon-food and source of energy for Bacteria, A., ii, 42.

Sörensen, Sören Peter Lauritz, and A. C. Andersen, sodium carbonate and sodium oxalate for standardising purposes, A., ii, 389.

Sörensen, Sören Peter Lauritz. See also Sofus Mads Jörgensen.

Sokoloff, Nicolai W., heat of combustion of beeswax and the application of calorimetric methods to the solution of certain analytical problems, A., ii,

Sokolowsky, S., action of zinc on a mixture of ethyl orthoformate and ethyl bromopropionate; synthesis of s-trimethylisobutanetricarboxylic acid, A., i, 138.

Soldaini, Arturo, solanine and other constituents of the berries of Solanum sodomaeum from Sicily, A., i, 527.

Soller, Max. See Erich Müller.

Sollmann, Torald, revival of the excised mammalian heart by perfusion with oil, A., ii, 103.

action of poisons on adult and embryonic funduli, A., ii, 475.

Soltsien, Paul, the sesamé oil reaction, A., ii, 502.

detection of nitric acid, A., ii, 898.

Somermeier, E. E., estimation of volatile combustible matters in coals and lignites, A., ii, 802.

Sommer, Fritz. See August Klages. Sommer, Rudolf, preparation of the anhydrides of organic acids, A., i, 791.

Sommerhoff, E. O., behaviour of trinitrobenzene derivatives with cyclic amines, A., i, 658.

Sommerhoff, E. O. See also Emilio Noelting.

Soncini, E. See Ettore Molinari.

Sondag, W. See Arthur Binz.

Sonstadt, Edward, the attractive force of crystals for like molecules in saturated solutions, T., 339.

Soxhlet, Franz (Ritter) von, the coagulation which occurs on boiling faintly acid milk, A., ii, 467.

Spaeth, Eduard, detection of sugar in mace and cinnamon, A., ii, 500.

Spence, David. See Paul Rabe.
Spence & Co., Peter, preparation of a
basic aluminium sulphate, A., ii, 614. Spencer, James Frederick. See (Sir)

William Ramsay. Spens. Will, relation between the osmotic pressure and the vapour pres-

sure in a concentrated solution, A., ii, 273.**Sperling**, Friedrich, isonitroso-reaction

of antipyrine (phenyldimethylpyrazolone) and its most important derivatives, A., ii, 406. Spieckermann, Alb. See Josef König.

Spiegel, Leopold [Julius], and H. Kaufmann, action of tert.-alkyl chlorides on p-nitrophenol salts, A., i, 833.

Spiegel, Leopold, N. Munblit, and H. Kaufmann, ethers of aminocresols and their derivatives, A., i, 837.

Spiegel, Leopold, and A. Utermann, reduction of o-p-dinitrophenylpiperidine, A., i, 882.

Spiro, Karl, nature and effects of rennet coagulation. III., A., i, 919.

Spiro, Karl. See also H. Reichel. Spitta and Imhoff, apparatus for sampling waters, A., ii, 583.

Spitzer, Fritz. See Erich Müller.

Sponnagel, Fritz. See Daniel Vorländer. Spring, Walthère [Victor], a hydrate of sulphur, A., ii, 607.

See Alfred Ein-Spröngerts, Eduard. horn.

Sproxton, Foster, the esters of triacetic lactone and triacetic acid, T., 1186; P., 202.

Staal, J. Ph., the chromogen of the socalled scatole-red contained in normal human urine, A., i, 124.

Stadler, Wilhelm. See Arthur Rosenheim.

Stadnikoff, George.See Nicolai D. Zelinsky.

Stähler, Arthur, and Wilhelm Scharfenberg, estimation of bismuth; separation from copper, cadmium, mercury, and silver, A., ii, 55.

Stähler, Arthur, and Heinz Wirthwein, vanadium sesquisulphate, 33.

Stähler, Arthur. See also Theodore

William Richards. Staehling, Ch. See Alfred Guyot.

Stäuber, Kurt. See Otto Ruff.

Stallard, George, some new o-xylene derivatives, T., 808; P., 104.

Staněk, Vladimír, choline periodide and the quantitative precipitation of choline by potassium tri-iodide, A., ii, 60.

quantitative separation of choline and betaine, A., ii, 314.

estimation of choline and betaine in plant tissues, and observations on lecithins, A., ii, 700.

Staněk, Vladimír. See also KarlAndrlík.

Stansbie, John Henry, influence of small quantities of elements in copper on its reactions with nitric acid, A., ii,

Stark, Johannes, Doppler effect in canal rays and the spectra of positive ions, A., ii, 321.

relation between translation and radiation intensity of positive ions, A., ii, 514.

band spectra, Λ ., ii, 641.

Stark, Johannes, and W. Hermann, spectrum of the light of canal rays in nitrogen and hydrogen, A., ii, 414.

Staudinger, Hermann, removal chlorine from a chlorinated fluorene derivatives, A., i, 824.

ketens. III. Diphenyleneketen, A., i. 861.

Staudinger, Hermann, and Helmut W. Klever, ketens. II. Dimethylketen, A., i, 234.

Staudinger, Hermann. See also Daniel Vorländer.

Stavorinus, D., estimation of carbon disulphide in benzene, A., ii, 580.

Steains & Co., Frederick, preparation of peroxide acids from the anhydrides of dibasic acids, A., i, 799.

Steele, Bertram Dillon. See Robert Beckett Denison.

Steensma, F. A., colour reactions of proteids, indole, and scatole with aromatic aldehydes and nitrites, A., ii, 315.

Steigelmann, Friedrich R., electrolytic preparation of lead peroxide from lead sulphide, A., ii, 854.

Stein, new automatic pipette, A., ii, 797. Stein, Albert. See Fritz Ullmann.

Steinebach, Schuster, combined suction and washing flask with three-way cock and tube reaching to the bottom, A., ii, 433.

Steinegger, R., the "aldehyde" value of milk, A., ii, 130.

Steinitz, Franz. See Leo Langstein.

Steinlen, Rudolf L., automatic safety siphon, A., ii, 531.

Steinwehr, Helmuth [Ekkehard Sigismund von. See Wilhelm Jaeger.

Stelzner, K. See Eilhard Wiedemann. Stenger, E. See Louis Lewin.

Stenquist, David, electrical conductivities of potassium chloride, bromide, and iodide in ethyl and methyl alcohols, A., ii, 827.

Stenz, A. See Reinhold von Walther. Stephens, Frank George Coad. $ar{R}aphael$ Meldola.

Stern, Hedwig, the pinacone from phenyl

ethyl ketone, A., i, 271. Stern, (Mlle.) L. See Fr. Battelli.

Steudel, Hermann, nucleic acids of the thymus. III., A., i, 125.

oxidation of nucleic acids. I., A., i, 915.

Steven, Alec Bowring. See Arthur George Perkin.

Stevens, Alviso Burdett. See Alexander Tschirch.

Stevenson, John, chemical and geological history of the atmosphere. IV., A., ii,

Stewart, Alfred Walter, and Edward Charles Cyril Baly, the relation between absorption spectra and chemical constitution. Part I. The chemical reactivity of the carbonyl group, T., 489; P., 33.

the relation between absorption spectra and chemical constitution. IV. The reactivity of the substituted

quinones, T., 618; P., 85. Stewart, Alfred Walter. Edward Charles Cyril Baly.

Stierlin, R. See Georg Lunge.

Stiles, Percy Goldthwait. See John Birt Patten.

Stillich, Otto, sulphoacetic acid, A., i,

sulphoacetic acid. II. Sulphoacetic acid and aromatic amines, A., i, 626.

Stillman, Thomas Bliss, and Peter T. Austin, analysis of gelatin dynamites, A., ii, 585.

[JohannStobbe, HermannAugustAdolph] Hans, colour of fulgides and of other unsaturated compounds, A., i,

Stobbe, Hans, and Th. Badenhausen, butadiene derivatives. XVI. Anomalies in the synthesis of fulgenic acids, A., i, 279.

Stobbe, Hans, [with Th. Badenhausen, Erich Benary, Karl Kautzsch, Alfred Lenzner, and Rudolf Nettel], butadiene compounds. XV. Colour of methoxy-derivatives of mono-, di-, and tri-phenylfulgides, A., i, 278.

Stobbe, Hans, and Richard Eckert, butadiene compounds. XI. Parallel coloured furyl- and phenyl-fulgides,

A., i, 101.

Stobbe, Hans, and Ferdinand Gollücke, indoneacetic acids. III. "Indonisation" and "anhydrisation," A., i,

Stobbe, Hans, and Albert Küllenberg, butadiene compounds. XII. Yellow nitrotriphenylfulgenic acids their red fulgides, A., i, 91. butadiene compounds. XIII. Amino-

triphenylfulgenic acid, A., i, 92.

Stobbe, Hans, [with Alfred Lenzner and Emil Wahl], butadiene compounds. IX. Yellow monoarylfulgides, A., i,

Stobbe, Hans, and Karl Leuner, butadiene compounds. X. Two cumyldimethylfulgenic acids and a third isomeride, A., i, 22.

butadiene compounds. XIV. Nitrophenyldimethylfulgenic acids and their yellow fulgides, A., i, 183.

Stobbe, Hans, and Max Noetzel, γγ-diphenyl-a-methylitaconic acid, A., i, 362.

Stock, Alfred [Eduard], [with Berthold F. Müller, H. vonHoffmann, Schönthan, and H. Küchler], action of ammonia on phosphorus penta-sulphide: thiophosphates and thiophosphoric acids, A., ii, 535. Stock, Alfred, and Carl Nielsen, simple

sensitive thermometer for low tem-

peratures, A., ii, 521. mixtures of liquid oxygen and nitrogen, A., ii, 844.

analysis of gases rich in one or more

constituents, A., ii, 894.

Stock, Alfred, and Werner Siebert, modifications of antimony, A., ii, 34. Stockem, Lorenz, alloys of calcium, A., ii, 28**5**.

Stoecker, Max, and Friedrich Krafft, oxidation of diphenyl diselenide, A., i, 568.

Stoermer, Richard [Heinrich Friedrich], and Wilhelm König, 1- and 2-aminocoumaran (coumaranamine), A., i, 200.

Stoermer, Richard, E. (Freiherr) Schenck zu Schweinsberg, Fr. Sibbern-Sibbers, and P. Riebel, synthesis of aldehydes and ketones from as-disubstituted ethylene glycols and their ethers, A., i, 581.

Stokes, Henry Newlin. See William Francis Hillebrand.

Stoklasa, Julius, chemical reactions in the eruption of Vesuvius in April, 1906, A., ii, 685.

the amount and origin of the ammonia in the products of the eruption of Vesuvius in April, 1906, A., ii, 864.

Stoklasa, Julius, Johann Jelinek, and Adolf Ernest, loss of nitrogen in soil manured with sodium nitrate, A., ii, 303.

Stoklasa, Julius, Adolf E. J. Trnka, and Eugen Vitek, chemical processes in the assimilation of elementary nitrogen by azotobacter and radiobacter, A., ii, 382.

Stollé, Robert, condensation of ethyl acetoacetate with phenylmethylpyrazolone, A., i, 48.

condensation of aldehydes with s-dihydrotetrazines, A., i, 315.

conversion of hydrazine derivatives into heterocyclic compounds. XIX. Diacidylhydrazide dichlorides, Λ., i, 453.

Stollé, Robert, and Adolf Bambach, conversion of hydrazine derivatives into heterocyclic compounds. XXII. Diacylhydrazide dichlorides of substituted benzoic acids and of α-naphthoic acid, A., i, 709.

Stollé, Robert, and Karl Thomae, conversion of hydrazine derivatives into heterocyclic compounds. XX. Dibenzoylhydrazide dichloride, A., i, 461.

Stollé, Robert, and Anton Weindel, conversion of hydrazine derivatives into heterocyclic compounds. XXI. Diacylhydrazide dichlorides of substituted benzoic acids and their reaction products, A., i, 707.

Stookey, Lyman Brumbaugh, peptone. II., A., i, 327.

proteid peptone, A., i, 327.

Storz, Ludwig. See Rudolf Friedrich
Weinland.

Straus, Fritz, and O. Ecker, dibenzylideneacetone and triphenylmethane. I., A., i, 859. Straus, Fritz, [with Rudolf Müller], acetylene linking, A., i, 77.

Strauss, Eduard, and Bernhard Gschwendner, tannins, A., i, 596.

Strauss, Eduard. See also Emil Abderhalden.

Strauss, Hermann. See Carl Neuberg. Strickler, E. See Ernst Winterstein.

Strömholm, Daniel, compounds formed by the action of ammonia or amines on mercury salts, A., i, 935.

abnormal increase of solubility with organic substances, A., ii, 75.

amorphous precipitations. I. Partial cleavage of bivalent bases on precipitation of chromic or aluminium hydroxide, A., ii, 343.

amorphous precipitations. II. Basic salts of bivalent metallic oxides, A.,

ii, 344.

Strohmer, Friedrich, and Ottokar Fallada, action of ammonium chloride on aqueous sucrose solutions, A., i, 729. composition of the seed of sugar beet, A., ii, 484.

Strunck, Ernst. See Daniel Vorländer. Strutt, Robert John, distribution of radium in the earth's crust, and the earth's internal heat, A., ii, 411, 716.

Strzyzowski, Casimir, a new metabolic product in the urine in severe cases of diabetes, A., ii, 472.

Stubbs, James A. See Albert Ernest Dunstan.

Stuchetz, Josef, action of sodium hypobromite on some amino-compounds, A., i, 812.

Stüber, W., composition of tomatoes and tomato juice, A., ii, 575.

Stutzer, Albert, action of nitrites on plants, A., ii, 570.

estimation of digestible proteids in foods, A., ii, 820.

Stutzer, Albert, H. Wangnick, and W. Rothe, further simplification of the method of estimating the pepsin-soluble nitrogen of foods, A., ii, 820.

Stutzer, Albert, and J. E. von Wolosewicz, estimation of proteid-nitrogen contained in beet-molasses, A., ii, 912.

Stutzer, Albert. See also W. Rothe and P. Salecker.

Sucheni, A., amalgam potentials, A., ii, 826.

Sudborough, John Joseph, and Thomas Campbell James, α-chlorocinnamic acids, T., 105.

Sudborough, John Joseph, and Norman Picton, influence of substituents in the trinitrobenzene molecule on the formation of additive compounds with arylamines, T., 583; P., 84. Sudborough, John Joseph, and John Thomas, the addition of bromine to cinnamic acid and its esters; preliminary notice, P., 318.

Suss, Josef Hans, conductivity measurements with organic acids, Λ ., i, 86.

Süsskind, E., application of Grignard's reaction to ethyl chloroacetate, A., i,

Suida, Wilhelm. See P. Gelmo.

Sullivan, Arthur L., and Charles Albert Crampton, crystalline appearance of calcium tartrate as a distinctive and delicate test for the presence of tartaric acid or tartrates, A., ii, 907.

Sullivan, M. X., digestion in elasmobranches, A., ii, 100.
Summerer, A. See Alfred Werner.

Sunde, Einar. See Heinrich Goldschmidt.

Suppan, Leo R. A. See Charles Edward Caspari.

Surveyor, N. F., influence of sodium nitrite on metabolism, A., ii, 560.

Sutcliffe, Robert. See William Colebrook Reynolds.

Sutherland, William, molecular constitution of aqueous solutions, A., ii, 603.

nature of electrical and chemical stimulation, A., ii, 871.

a molecular theory of the electric properties of nerve, A., ii, 871.

Sutherst, Walter Frederick, root-sap acidity, A., ii, 300.

Sutter, Theodor. See Franz Sachs.

Suzuki, Shigehiro, formation of anthocyanin in barley stems, A., ii, 884.

formation of humus, A., ii, 889.

Suzuki, Umetaro. See Emil Fischer. Svedberg, The., electrical preparation of

colloidal solutions, A., ii, 330. Swaab, E. J., distillation of ether, A., i, 922.

Frédéric, difluorochloroacetic Swarts, acid, A., i, 478.

Swinton, Alan Archibald Campbell, transit of ions in the electric arc, A., ii, 69.

Swirlowsky, Ed., action of dilute hydrochloric acid on proteids, A., i, 775.

Sy, Albert P., analysis of maple pro-

ducts, A., ii, 811. Syme, W. A. S See Salomon Farby Acree.

Symmers, Douglas, organic phosphorus in urine, A., ii, 186.

Széki, Tiberius, di-isoapiole, di-isoeugenol methyl ether, and diasarone, A., i, 660.

derivatives of asarone, A., i, 660.

Széki, Tiberius. See also Rudolf Fabinyi.

Szelinski, Bruno. See Walter Dieckmann and Alfred Einhorn.

Szilárd, Béla, electrolytic preparation of alkyloxides and alkylcarbonates, A.,

autocatalysis and decomposition in a photochemical system, A., ii, 425.

Szili, Alexander, hydroxyl-ions of feetal (placental) blood, A., ii, 867. acid intoxication, A., ii, 878.

T.

Taber, Walter C., solubility of calcium sulphate in phosphoric acid solutions, A., ii, 852.

Taber, Walter C. See also James M. Bell.

Taboury, Félix, selenium compounds, A., i, 834.

Tänzler, Paul, coefficient of internal friction of mixtures of argon and helium, A., ii, 728.

Tafel, Julius, remarkable formation of alkyl derivatives of mercury, A., i, 941.

cathode potential and electrolytic reduction in sulphuric acid solutions, A., ii, 263.

Tafel, Julius, and Heinrich Bublitz, the camphidones, A., i, 43.

Tafel, Julius, and Bruno Emmert, electrolytic reduction of succinimide, A., ii, 216.

Takahashi, Teizō, new variety of mycoderma yeast as a cause of a saké disease, A., ii, 880.

Talbot, Henry Paul. See Alpheus Grant Woodman.

Talon, (Mlle.), source of error in sugar analyses owing to formation of ethers of dextrose, A., ii, 634.

Tambach, Rudolph, and Carl Jaeger, I. Alkylnarceines and narceine.

alkylhomonarceines, A., i, 879.

Tambor, Josef. See E. Bonifazi and Stanislaus von Kostanecki.

Tammann, Gustav [Heinrich Johann Apollon], employment of thermal analysis. III., A., ii, 10.

alloys of aluminium and antimony, A., ii, 88.

nature of "liquid crystals." III., A., ii. 220.

capacity of the elements for entering into chemical combination, A., ii, 346.

Gustav.Tammann, See also W. Guertler and Wilhelm Treitschke. Tanaka, S. See S. Maki.

Tandler, Rudolf. See Felix Goldberger. Tangl, Franz, concentration of hydrogen ions in the contents of the fasting human stomach, A., ii, 871.

Tangl, Franz, and Stephan Weiser, glycerol of the blood, and its investigation by Zeisel's iodide method, A., ii, 868.

Tannhäuser, Fohann. See RobertPschorr.

Tanret, Georges [Joseph], melezitose and . turanose, A., i, 560. ergotinine, A., i, 979.

[mutarotation of sugars], A., ii, 137. Taponier, Edm., action of alkali bromides on barium carbonate, A., ii, 540.

Tappeiner [(Edler) von Tappein], [AntonJosef Franz Hermann,relation between the photochemical action of substances of the fluorescein series and their intensity of fluorescence and sensitiveness to light, A., ii, 512.

Tappeiner, Hermann von. See also A. Jodlbauer.

Tappen, Hans. See Robert Pschorr. Tapuach, M. See Paul Pfeiffer.

Tarugi Nazareno, some methods of forming hydrazines and their influence on biochemical analysis, A., ii, 136.

preparation of hydroxyloplatidiammine sulphate, A., ii, 618.

estimation of small quantities of manganese; new method of formation of glycerose, A., ii, 631.

Tarugi, Nazareno, and G. Bianchi, rapid and exact method of estimating sulphates and barium salts, A., ii, 627.

Tarugi, Nazareno, and A. Bigazzi, estimation of minimal quantities of arsenic in organic substances, A., ii, 629.

Tarugi, Nazareno, and A. Calamai, argentiferous lead mineral from Rosseto, in Elba, A., ii, 620.

Tassin, Wirt. See George Perkins Merrill.

Tate, William, connexion between the critical temperatures of gases and vapours and their absorption coefficients, and the viscosity of the solvent medium, A., ii, 838.

Tate, William. See alsoHaraldLundén.

Tatlock, Robert Rattray, and Robert Tatlock Thomson, presence and detection of cyanogen in Java, Burma, and haricot beans, A., ii, 711.

Tattersall, George. See William Henry

Perkin, jun.

Taubert, E., axial ratios of sillimanite,
A., ii, 555.

Taveau, René de Mortemer. See John J. Abel and William Albert Noyes.

Taverne, Herman Johan, sulphobenzoic acids and their nitro-derivatives obtained by the action of anhydrous nitric acid, A., i, 273.

Taylor, Alonzo Englebert, polymerisation of globulins, A., i, 467.

action of lipase, A., i, 918.

solubility of uric acid in blood serum, A., ii, 109.

Taylor, (Miss) Millicent, the constitution of acetone, T., 1258; P., 173.

Teague, Oscar, and Bertram Henry Buxton, agglutination from the physical standpoint. III. The electrical charge carried by the suspended particles, A., ii, 840.

Teague, Oscar. See also Bertram Henry Buxton.

Tebb, M. Christine, cholesterol of brain. A., ii, 241.

Telle, Fernand, volumetric [iodometric] estimation of combined sulphuric acid, A., ii, 578.

Telle, Hans, kamala and rottlerin, A., i, 973.

Ter-Gazarian, G., orthobaric densities of acetonitrile and propionitrile to the critical point, A., ii, 423.

Ter-Gazarian, G. See also Philippe A.

Terry, Oliver P., galvanotropism of volvox, A., ii, 185.

Terry, Oliver P. See also Charles Hugh Neilson.

Teruuchi. Yutaka. See Emil Abderhalden.

Thiel, Alfred, volatility of indium oxide, A., ii, 169.

movements on mercury of crystals while dissolving due to electro-capillarity, A., ii, 325.

experimental demonstration of osmosis, A., ii, 337.

Thiel, Alfred, A. Schumacher, and Hermann Roemer, acid function of aro-

matic hydroxyl, A., i, 22.

Thiel, Alfred, and A. Windelschmidt, periodical phenomena in electrolysis, A., ii, 827.

Thiele, A. See Alfred Wohl.

Thiele, Hermann, detection of ozone by

means of silver, A., ii, 250.

Thiele, Hermann, and Robert Calberla, determination of the solubility of salt mixtures at temperatures considerably above the boiling points of their satur-

ated solutions, A., ii, 604.

Thiele, Hermann, and Kurt Wolf, destruction of Bacteria by light, A., ii, 567.

Thiele, [Friedrich Karl] Johannes, an automatic steam generator and super-

heater, A., ii, 78.

lecture experiments; [densities of oxygen and hydrogen; structure of flames; effect of substituents in the benzene nucleus], A., ii, 661.

Thiele, Johannes, and Hans Balhorn, [and, in part, with Walther Albrecht], condensation products of cyclopeutadiene, A., i, 639.

Thiele, Johannes, and Adolf Bühner, derivatives of fulvene. I. Condensation of indene with aldehydes, A., i, 569.

Thiele, Johannes, and Kaufman George Falk, condensation products of ophthalaldehyde, A., i, 750. Thiele, Johannes, and Fritz Günther,

Thiele, Johannes, and Fritz Günther, derivatives of dicyanoquinol, A., i, 743.

Thiele, Johannes, and Oskar Günther, [with Richard Leopold], preparation of the three phthalaldehydes, A., i, 750.

Thiele, Johannes, and Franz Henle, derivatives of fulvene. 11I. Condensation products of fluorene, A., i, 571.

Thiele, Johannes, and Max Rüdiger, derivatives of fulvene. II. Derivatives of indeneoxalic esters, A., i, 586.

Thiele, Johannes, and Wilhelm Wedemann, constitution of phenylangelicalactone and iso-octenelactone, A., i, 725.

Thiele, R., utilisation of atmospheric nitrogen by micro-organisms, A., ii, 114.

Thieme, Carl. See Carl Dictrich Harries.

Thierfelder, Hans, phrenosine and cerebrone, A., ii, 183.

Thiesen, Max, friction of gaseous mixtures, Λ ., ii, 728.

Thode, Carlos. See Carl Graebe. Thomae, Karl. See Robert Stollé.

Thomann, formation of hydrogen sulphide in mineral waters, A., ii, 477.

Thomas, Frederick. See William Henry Bentley.

Thomas, John. See John Joseph Sudborough.

Thomas, J. B., action of various reagents on amedia cultures, A., ii, 478.

Thomas, (Miss) Mary Beatrice, and Humphrey Oven Jones, the effect of constitution on the rotatory power of optically active nitrogen compounds. Part I., T., 280; P., 10.

Thomas, Noel Garrod. See Harold Hartley.

Thomas, Victor [André], halogen compounds of thallium, A., ii, 356.

Thomas, Victor, and P. Dupuis, some reactions of liquid chlorine, A., ii, 662.

Thompson, James. See Theodor Curtius. Thompson, John F., and Edmund Howd Miller, platinum silver alloys, A., ii,

Thompson, M. de Kay, free energy of some halogen and oxygen compounds computed from the results of potential measurements, A., ii, 517.

Thompson, William Henry, and H. M. Johnston, pituitary feeding, A., ii, 102.

Thoms, Hermann [Friedrich Maria], tannins. II. Eutannin, A., i, 760. tannins, A., ii, 504.

Thomson, Joseph John, number of corpuscles in an atom, A., ii, 431.

Thomson, Robert Tatlock. See Robert Rattray Tatlock.

Thomson, William, an allotropic form of arsenic, A., ii, 745.

estimation of arsenic when in minute quantities, A., ii, 801.

quantities, A., ii, 801.

Thorne, Leonard Temple, and Ernest
Haynes Jeffers, purification of zinc and
hydrochloric acid from arsenic, A., ii,
394.

Thorp, Arthur William, detection of cocoanut oil in butter, A., ii, 588.

Thorpe, Jocelyn Field. See Ernest Francis Joseph Atkinson, Frank Bernhard Dehn, (Miss) Annie Higson, William Henry Perkin, jun., and Harold Rogerson.

Thorpe, Thomas Edward, note on the application of the electrolytic method to the estimation of arsenic in wall-papers, fabrics, &c., T., 408; P., 73.

Cleve memorial lecture, T., 1301; P., 169.

Tice, William G., and Henry Clapp Sherman, proteolysis in cows' milk preserved by means of formaldehyde, A., ii, 376.

Tichatschek, J. See Josef Herzig.

Tiesenholt, Woldemar von, composition of bleaching powder. II., A., ii, 163.

Tiffeneau, Marc, migration of the phenyl group in the halohydrins and the α-glycols, Λ., i, 662.

migration of the phenyl group; mode of fixation of hypoiodous acid and the elimination of hydrogen iodide, A., i, 965.

Tiffeneau, Marc, and Dorlencourt, transformation of secondary-tertiary α-glycols into ketones and the transposition of hydrobenzoin, A., i, 724,

Tiffeneau, Marc. See also Ernest Fourneau.

Tighe, Arthur, estimation of tantalum by Marignac's method, A., ii, 708.

Tijmstra, Sijbe, jun., and B. G. Eggink, carboxylation of phenols by means of II. β-Naphthol-1carbon dioxide. carboxylic acid, A., i, 179.

Tilden, William Augustus, and Donald Francis Blyther, the aminodicarboxylic acid derived from pinene, T., 1563;

P., 255.

Tilden, William Augustus, and Fredcrick George Shepheard, the action of magnesium methyl iodide on dlimonene nitrosochlorides, T., 920; P., 162.

the preparation and properties of dihydropinylamine (pinocamphylamine), T., 1560; P., 255.

Timmermans, J., iodine as a cryoscopic column A ii 420

solvent, A., ii, 429.

Tingle, John Bishop, and Charles J.
Robinson, action of amines on camphoroxalic acid, A., i, 902.

Tinkler, Charles Kenneth, the constitution of the hydroxides and cyanides obtained from acridine, methylacridine, and phenanthridine methiodides, T., 856; P., 135.

Tintemann. See Richard Waldvogel. Tischkow, P. See Paul N. Raikow.

Tissot, J., proportion of chloroform in the organism during anæsthesia, A., ii, 244.

Titherley, Arthur Walsh, and William Longton Hicks, acetyl and benzoyl derivatives of phthalimide and phthalamic acid, T., 708; P., 106.

Titherley, Arthur Walsh. See also James McConnan.

Tobler, F., Mangin's ruthenium-red as a reagent for pectins, A., ii, 906.

Tocher, James Fowler, detection of citrates and tartrates [and malates], A., ii, 813.

Tögel, Karl. See Richard Meyer.

Tollens, Bernhard [Christian Gottfried], behaviour of starch on hydrolysis with moderately concentrated sulphuric acid, A., i, 560.

Tollens, Bernhard. See also A. D. Maurenbrecher, H. Schäfer, A. Ulander, and Friedrich Wagener.

Tolman, Lucius Moody, and M. B. Smith, estimation of sugars by means of the refractometer, A., ii, 904.

Tommasi, Donato, electrolytic preparation of spongy tin, A., ii, 172.

Tommasina, Thomas, the kinetic theory of the electron as the basis of the electron theory of radiation, A., ii, 419.

Tonazzi, Umberto. See Luigi Balbiano. Torrese, Rodolfo, invertive power of certain pseudo-acids having complex functions, A., i, 531.

Torrey, Henry Augustus, action of ethylene dibromide on p-nitrosodialkyl-

anilines. II., A., i, 79.

Torrey, Henry Augustus, and J. A. Gibson, additive compounds of pnitrosodimethylaniline with certain phenols, A., i, 242.

Touplain. See Fréd. Bordas.

Tower, Olin Freeman, solubility of nitric oxide and of air in sulphuric acid, A., ii, 743.

Toyonaga, Masato, can small amounts of copper induce chronic poisoning? A., ii, 879.

Trannoy, René. See Camille Matignon. Traube, Wilhelm, preparation of 5:5dialkylbarbituric acids, A., i, 894.

Traube, Wilhelm, and Arthur Biltz, production of nitrites and nitrates by the electrolytic oxidation of ammonia in the presence of cupric hydroxide. II., A., ii, 159.

Traube, Wilhelm, and Walther Nithack, action of aldehydes on o-diamines of the pyrimidine series, A., i, 214.

Traube, Wilhelm, and Albert Schönewald, action of oxygen on aliphatic amines in presence of copper, A., i, 143.

Traube, Wilhelm, and Friedrich Winter, 3-methylhypoxanthine, A., i, 390.

Trautz, Max [Theodor], and Arnold Anschütz, influence of light on the crystallisation of supersaturated solutions, A., ii, 411.

solubility of the chlorates, bromates, and iodates of the alkaline earth metals. I. Barium, chlorate, bromate, and iodate, A., ii, 656.

Travers, Morris William, law of distribution in the case in which one of the phases possesses mechanical rigidity: absorption and occlusion, A., ii, 730.

Travers, Morris William. See also (Miss) Elizabeth Mary Rich.

Treadwell, Frederick Pearson, and E. Anneler, estimation of ozone, A., ii,

Treadwell, Frederick Pearson, W. A. K. Christie, the density of chlorine gas, A., ii, 15, 79. analysis of electrolytic chlorine, A.,

ii, 122.

Treboux, O., organic acids as a source of carbon for Algæ, A., ii, 478.

Trechzinsky, \overline{R} . M. See Nicolai A. Pushin.

Treff, Walter. See Hugo von Soden.

Treibich, Adolf. See Wilhelm Lossen. Treitschke, Wilhelm, antimony-cadmium alloys, A., ii, 763.

Treitschke, Wilhelm, and Gustav Tammann, the system : iron and sulphur, A., ii, 547.

Trephilieff, *Hypolyt*, synthesis of ethyl tetrahydroquinonedicarboxylate, A.,

constitution of methronic acid, A., i, 528.

Trevor, Joseph Ellis, solubility curves, A., ii, 341.

general equations of the theory of solutions, A., ii, 526.

Tribot, J., heat of combustion and composition of guinea-pigs in relation to their age, A., ii, 375.

Trieschmann, Armin. See Paul Pfeiffer. Trillat, [J.] Auguste, formation of formaldehyde during the destruction of sugar by heating, A., i, 234.

presence of formaldehyde in caramelised

substances, A., i, 235. part played by formaldehyde in the caramelisation of sugar, A., i, 401. influence of oxidation of ethyl alcohol

on the maturing of brandy and wine, A., i, 476.

antiseptic properties of the gases produced by burning sugar, A., ii, 384. Trillat, Auguste. and Sauton, estimation

of proteids in milk, A., ii, 591. new process for estimating the casein

in cheese, A., ii, 639. Triulzi, S. See Stanislaus von Kosta-

necki. Trnka, Adolf E. J. See Julius Stok-

lasa. Tröger, [Karl] Julius [Ludwig], H. Berlin, and M. Franke, probable constitutional formula of the sulphonic acid, C12H12O3N5S, formed by the action of SO_2 on a diazobenzene salt, A., i, 994.

Tröger. Julius, and M. Franke. action of sulphurous acid on diazobenzene

sulphate, A., i, 993.

Tröger, Julius, Waldemar Hille, and Paul Vasterling, action of sulphur dioxide on m-toluenediazonium chloride and benzenediazonium sulphate, A., i, 120.

Tröger, Julius, and F. Schaub, action of sulphurous acid on diazo-m-toluene chloride and sulphate, A., i, 993.

Tröger, Julius, Georg Warnecke, and F. Schaub, probable constitutional formula of the sulphonic acid, C₁₄H₁₆O₃N₄S, formed by the action of SO2 on diazom-toluene. A., i, 993.

XC. ii.

Trotman, Samuel Russell, and John E. Hackford, estimation of tannin by means of strychnine, A., ii, 134.

Trouton, Frederick Thomas, and (Miss) B. Pool, vapour pressure in equilibrium holding varying substances amounts of moisture, A., ii, 333.

Trowbridge, Perry Fox, and Harry Sands Grindley, chemistry of flesh. IV. Proteids of beef flesh, A., ii, 374.

Tschaplowitz, rapid estimation of fat in cocoas, A., ii, 404.

Tschelinzeff, Wladimir, a new series of organo-magnesium compounds containing ethyl ether, A., i, 241.

preparation and properties of individual organo-magnesium compounds, A.,

thermochemical investigation of the decomposition of organo-magnesium ether complexes by water, A., ii,

thermochemical investigation of the decomposition of organo-magnesium compounds by water, A., ii, 334.

heats of formation of magnesium alkyl halides from their elements; heat evolved in the preparation of magnesium alkyl halides, A., ii,

Tschermak, Gustav, metasilicates and

trisilicates, A., ii, 771. Tscherniak, Jacob. See See Fritz Ullmann. Tschirch, [Wilhelm Oswald] Alexander, and W. Bergmann, heerabol myrrh, A., i, 197.

Tschirch, Alexander, and Alviso Burdett Stevens, Japan lacquer (ki-urushi), A., i, 31.

Tschitschibabin, Alexei E., formation of incompletely hydrogenated pyridines by the Wyschnegradsky-Ladenburg reaction, A., i, 36.

capacity of ethoxy-groups for substitution by radicles; synthesis of acetal-esters and of homologous ethyl ethoxyacrylates, A., i, 397.

synthesis of pyridine bases from saturated aldehydes and ammonia,

A., i, 451.

Tschugaeff, Leo A., complex compounds organic imides; succinimide of nickel derivatives, A., i, 814.

cobalt dioximines, A., i, 814.

dioximes and similar compounds, A., i, 984.

Tschuprowa, Marie. See A. N. Schükareff.

Tsvett, M., colouring matters of Phæophyceæ, A., i, 873. chlorophyll absorption, A., i, 973.

69

Tuck, William Bradshaw. See Edward Charles Cyril Baly.

Tucker, Samuel Auchmuty, and H. J. W. Bliss, preparation of boron carbide in the electric furnace, A., ii, 439.

Tucker, Samuel Auchmuty, and Alexander Lampen, measurement of temperature in the formation of carborundum, A., ii, 610.

Tucker, Samuel Auchmuty, and J. B. preparation of metallic Whitney, calcium by electrolysis, A., ii, 162.

Türk, Hans. See Carl Dietrich Harries. Türkel, Rudolf, sugar-yielding stances in liver, A., ii, 872.

Tunmann, crystals in Herba Conii, A.,

carotin crystals [in Herba Conii], A., ii, 482.

Turner, Harold John. See Arthur Michael.

Turner, Thomas, physical and chemical properties of slags, A., ii, 30.

Turney, Horace George, and Leonard Stanley Dudgeon, lipæmia and diabetes, A., ii, 109.

Tutin, Frank, the constitution of umbellulone, T., 1104; P., 195; discussion, P., 196.

Tutin, Frank, and Archie Cecil Osborn Hann, the relation between natural and synthetical glycerylphosphoric acids. Part II., T., 1749; P., 273.

Tutin, Frank. See also Frederic Herbert Lees and Frederick Belding Power.

Tutton, Alfred Edwin Howard, ammonium selenate and the question of isodimorphism in the alkali series, T., 1059; P., 153.

Twiss, DouglasFrank.See PercuForaday Frankland and Thomas

Slater Price.

Twitchell, Ernest, reagent in the chemistry of fats, A., i, 331.

U.

Ubbelohde, Leo, receiver for vacuum distillations rendered air-tight by

mercury, A., ii, 432. new shortened barometer with reproducible vacuum, combined with two forms of the compact pressure gauge, A., ii, 432.

automatic shortened mercury pump combined with a compact apparatus for measuring high vacua, A., ii, 432.

shortened manometer with reproducible vacuum, A., ii, 739.

Uchiyama, S., stimulating action of potassium iodide on sesamum and spinach, A., ii, 388.

Urkewitsch, (Frl.) E. See Paul N. Raikow.

Ulander, A., and Bernhard Tollens, carbohydrates from lichens, A., ii, 193.

Ulbricht, Richard, action of calcium and magnesium in burnt lime, marl, and limestone meal on the assimilation of mineral substances by different crops, A., ii, 304.

Ullmann, Fritz, and J. Broido, chlorodinitrobenzophenone and its conversion into dinitrophenylacridine derivatives. A., i, 188.

Ullmann, Fritz, and Emil Bühler, syntheses of aminophenonaphthacridines, A., i, 44.

Ullmann, Fritz, and Hans W. Ernst, new synthesis of phenylacridine derivatives, A., i, 205.

Ullmann, Fritz, and Robert Fitzenkam, hydroxyacridines, A., i, 45.

Ullmann, Fritz, and Kudolf Maag, quinacridone, A., i, 459.

Ullmann, Fritz, and Albert diphenylene dioxide, A., i, 258.

Ullmann, Fritz, and Jacob Tscherniak, diphenyl-o-phenoxylenedihydroauthracene, A., i, 102.

Ullmann, Fritz, and R. von Wurstemberger, fluorene compounds, A., i,

Ullmann, Fritz. See also Irma Gold-

Ulpiani, Celso, and Masaniello Cingolani, fermentation of guanine, A., ii, 189. Ulpiani, Celso, and G. A. Rodano.

electro-synthesis in the oximo-ether group, A., i, 144.

Ulrich. See von Küttner.

Ultée, A. J., action of hydrogen cyanide on ketones, A., i, 5, 479.

Underhill, Frank Pell, and Oliver E. Closson, salt glycosuria, A., ii, 186, 243,

influence of subcutaneous injections of dextrose on nitrogenous metabolism, A., ii, 778.

adrenaline glycosuria, A., ii, 787. aderhill, Frank Pell. See also La-

Underhill, Frank Pell. fayette Benedict Mendel.

Ungemach, metalliferous veins of the Val de Villé, Vosges, Alsace, A., ii, 765.

Urbain, Georges, victorium, and the ultra-violet phosphorescence gadolinium, A., ii, 28.

cathodic phosphorescence of europium, A., ii,

Urbain, Georges, researches on the rare earths, A., ii, 359, 449, 855.

isolation and some atomic characteristics of dysprosium, A., ii, 359.

atomic weight and spark spectrum of

terbium, A., ii, 361.

cathodic phosphorescence of europium diluted with lime; study of the phosphorescent ternary system: lime—gadolinia—europia, A., ii, 510.

cathodic phosphorescence spectra of terbium and dysprosium diluted

with lime, A., ii, 674. Urbain, Georges, and M. Demenitroux, atomic weight of dysprosium, A., ii,

Urban, *Josef*, substitution of potassium by sodium in sugar-beet, A., ii, 576. Urban, Josef. See also Karl Andrlík.

See Friedrich Kehr-Urech, Walter. mann.

Uschakoff, A., action of hydrogen peroxide on sulphuric acid solutions of diphenylamine, A., i, 159.

diphenylamine nitrates, A., i, 160.

Usher, Francis Lawry, and J. H. Priestley, mechanism of carbon assimilation in green plants, A., ii, 299.

mechanism of carbon assimilation in green plants; photolytic decomposition of carbon dioxide in vitro, A., ii, 881.

Utermann, A. See Leopold Spiegel. Utescher, Kurt. See Wilhelm Biltz.

Utz, Franz, detection of methyl alcohol in liquids containing ethyl alcohol, A., ii, 56.

use of Schiff's reagent for the detection of formaldehyde in milk, A., ii, 206. estimation of organic matters in water, A., ii, 310.

copaiba balsam, A., ii, 504.

examination of oil of turpentine, A., ii, 584.

V.

Vahlen, Ernst, clavine, a new constituent of ergot, A., i, 876.

Vaillant, P., the specific heat of copper sulphate solutions, A., ii, 7.

Valenta, Eduard, use of methyl sulphate in the estimation of tar oils in admixture with resin oils or mineral oils, A., ii, 310.

Vámossy, Zoltán de, use of platinum and copper as "accelerators" in Marsh's apparatus, A., ii, 196.

Vamossy, Zoltán de. See also Gabriel Bertrand.

Vamvakas, Jean, Nessler's reagent as a test for saponin, A., ii, 504.

Albert Jacques Joseph, Vandevelde, toxicity of chemical compounds estimated by their hæmolytic effects, A.,

Vandevelde, Albert Jacques Joseph, and C. E. Wasteels, metallic substitution, A., ii, 167.

Vandeweyer and Wybauw, action of chalybeate waters on metabolic processes, A., ii, 778.

Vanino, Ludwig, Bologna phosphorus (phosphorescent sulphides). II., A., ii, 446.

history of colloidal gold, A., ii, 618.

Vanino, Ludwig, and F. Hartl, organic double salts with bismuth chloride, A., i, 574.

action of the polyhydric alcohols on bismuth salts and the preparation of bismuth salts by means of a solution of mannitol bismuth nitrate, A., i,

production of gold hydrosols by ethereal oils, A., ii, 367.

Vanzetti, B. Lino, electrolytic decomposition of dicarboxylic organic acids: adipic acid, A., i, 624.

silicon compounds of iron; formation of silicides in the electric furnace, A., ii, 614.

Vassallo, G. See Gactano Minunni. Vasterling, Paul. See Julius Tröger.

Vaubel, [Johann] Wilhelm, molecular weight of indigotin, A., i, 989. [the bromine absorption of] commercial

oil of turpentine, A., ii, 310. absorption of gases by charcoal, A., ii,

Vaubel, Wilhelm, and Eberhardt Bartelt, application of methylene-blue to the estimation of sulphonic derivatives

of aromatic amino- and hydroxy-compounds, A., ii, 207.

Vaubel, Wilhelm, and Otto Scheuer, the combination of more than one molecule of a diazo- or tetrazocompound in the production of azo-dyes, A., i, 223.

tri-imides or azoimides of the benzidine

series, A., i, 323. estimation of halogens in organic compounds, A., ii, 250.

Veimarn, P. P., apparatus for measuring the solubility of solids in liquids, A., ii, 838

Veit, Ludwig. See Hans Rupe.

Veitch, Fletcher Pearre, and H. H. Hurt, extraction of tanning materials fo analysis, A., ii, 405.

Velardi, Giuseppe, effect of heat on the toxicity of bitter almonds, A., i, 444. detection of boric acid, A., ii, 491.

Veley, Victor Herbert, the affinity constants of aminocarboxylic and aminosulphonic acids as determined by the aid of methyl-orange, P., 313; discussion, P., 314.

the Röse-Herzfeld and sulphuric acid methods for the estimation of the higher alcohols, A., ii, 497.

Venditori. Domenico, reduction of potassium ferricyanide, A., i, 486.

Verdier, E. See J. Galimard.

Verein für Chemische Industrie in Frankfurt, preparation of the anhydrides of monobasic organic acids, A., i, 3, 621.

Verley, Albert, tertiary alcohols of the cyclocitrylidene series, A., i, 196.

Vermeulen, H., structure of the dinitroanisoles, A., i, 256.

Verneuil, Auguste [Victor Louis].

Grégoire N. Wyrouboff. Verploegh, H. See C. See C. J. C. van Hoogenhuyze and Cornelis Adrianus Pekelharing.

Veselý, Victor. See Friedrich Kehrmann.

Vespignani, Gion Battista. See Luigi Balbiano.

Vesterberg, Albert, resin acids from conifers. V., A., i, 92. elemi resins, A., i, 686.

artificial crystals of ferric hydroxide and of anhydrous ferric oxide pseudomorphous with ferric sulphate, A., ii, 547.

Vial, A., o-phenolsulphonates, A., i, 255. Vierling, \hat{A} . See Josef Brandl.

Vigier, Ferd., cocaine formate, A., i, 379. Vigneron, iodotannin, A., i, 597.

Vignon, Léo, diazo-derivatives of diamines (phenylenediamines, benzidine), A., i, 223.

coupling of benzidine with aniline; diphenylbisdiazoaminobenzene and diphenylbisazoaminobenzene, A., i, 391.

Vignon, $L\acute{e}o$, and J. Mollard, the 'chlorination" of wool, A., i, 719.

Vigouroux, Emile [Casimir], action of silicon on pure aluminium and its action on impure aluminium; silicoaluminides, A., ii, 30.

action of silicon chloride on iron, A., ii,

cuprous silicide, A., ii, 168.

action of silicon tetrachloride on cobalt, A., ii, 287.

compounds of iron and molybdenum, A., ii, 364.

Vigouroux, Emile [Casimir], action of silicon tetrachloride on nickel, A., ii,

pure ferrotungstens, A., ii, 453.

Vila, Antony, and M. Piettre, oxyhæmoglobin fluorides, A., i, 914.

Vila, Antony. See also M. Piettre.

Villarello, Juan D., asbestiform mineral from Mexico, A., ii, 774.

Jules[Joseph Mathieu], and Eugène Derrien, detection of fluorine in alimentary substances, A., ii, 390.

Villiers, [Charles] Antoine [Théodore], new form of water-pump, A., ii,

pressure regulator; temperature regulator, A., ii, 277.

regulator for alternate heating and cooling, A., ii, 521.

periodic interrupter, A., ii, 521.

modification of Maquenne's washbottle, A., ii, 576.

Villiers, R., modification of Liebig's potash bu'bs, A., ii, 633.

Vintilesco, J., detection and estimation of syringin in the various organs of lilae and privet, A., ii, 701.

Vio, Giovanni. See Giovanni Pellini. Viola, Carlo Maria, crystallographic constants of 4-chloropyrazole, A., i,

Virchow, C., precipitation of tannius by ammonium salts, A., ii, 504.

Virgili, Juan Fages. See Fages y Virgili.

Vítek, Eugen. See Julius Stoklasa. Vivian, A. See A. R. Whitson.

Viviani, E., and D. Galeati, new apparatus for the estimation of sucrose in beet, A., ii, 586.

estimation of sucrose in Italian beet, A., ii, 586.

Voelcker, John Augustus, [influence of manganese and iron sulphates and of potassium and sodium silicates on wheat and barley], A., ii, 888.

Völtz, W., behaviour of certain amides alone and in combination in carnivorous metabolism, A., ii, 560.

Voerman, Gerardus Leonardus, anhydrides of dibasic acids, A., i, 795.

Vogel, Rudolf, gold-zinc alloys, A., ii, 287.

gold-cadmium alloys, A., ii, 288.

gold - bismuth and gold - antimony alloys, A., ii, 679.

Vogelsang, Walter. See Arthur Rosenheim.

Voghera, Mario. See Mario Giacomo Levi.

Vogt, Hans, the rate of proteid decomposition in different diets, A, ii, 779. Vogtherr, Hermann. See RobertPschorr.

Voisenet, E., sensitive colour reaction for formaldehyde; oxygenated compounds of nitrogen or proteid matters, A., ii, 59.

detection of methyl alcohol, A., ii, 807. Vondráček, Rudolf. See Emil Votoček. Vongerichten, Eduard, and O. Dittmer, conversion of morphenol into trihydroxyphenanthrene, A., i, 422.

Vongerichten, Eduard, and Fritz Müller, apiose, A., i, 143.

d-glucosephloroglucinol and B-glucosan, A., i, 198.

Vorländer, Daniel, liquid-crystalline substances; [azoxy-compounds], A.,

mechanism of additive reactions. VII. Reactivity of unsaturated nitrogen, A., i, 729.

diazobenzene perchlorate and phenylacridine perchlorate, A., i, 906.

Vorländer, Daniel, Georg Blau, and Theodor Wallis, oxidation of ammonia derivatives by permanganic acid, A.,

Vorländer, Daniel, [with Paul Groebel, Wilhelm König, Franz Köthner, Alfred May, Fritz Sponnagel, Hermann Staudinger, Ernst Strunck, and Paul Weissheimer], additive processes, A., i, 362.

Vorlander, Daniel, A. Logothetis, and A. J. Perold, salts of benzeneazophenyltrimethylammonium, A., i, 773.

Vorländer, Daniel, and A. J. Perold, compounds of wool with colourless

amines and acids, A., i, 736.
Vorländer, Daniel, and Carl Siebert,
[with J. Osterburg], new aromatic hydrocarbons, A., i, 345.

Vorländer, Daniel, and Theodor Wallis. preparation of pure piperidine, A., i, 764.

Voswinckel, Hugo, studies in the naphthacene series, A., i, 99.

Voswinkel, Arnold, conchloride, A., i, 203. cotarnine ferri-

condensation products of tannic acid with formaldehyde and acid amines. A., i, 527.

condensation products of gallic acid with formaldehyde and carbamide. or with formaldehyde and urethanes, A., i, 961.

Votoček, Emil, and J. Bulíř, rhodeitol, A., i, 483.

Votoček, Emil, and Rudolf Vondráček, sugar components of the glucosides solanin, convallamarin, and scammonin, A., i, 378.

Vozárik, Am., acidimetry of urine: influence of nutrition and muscular work on urinary acidity; influence of nutrition on the water of the body, A., ii, 377.

Ŵ.

Waal, A. J. C. de. See Franz Antcon Hubert Schreinemakers.

Waals, Johannes Diderik van der, contributions to the theory of mixtures, A., ii, 339.

Wachholtz, Franz, Franz Worgitzki, and Otto Weiss, the fate of carbon monoxide in the animal body, A., ii,

Wael, Aug. de. See Louis Henry.

Wagener, Friedrich, and Bernhard Tollens, compounds of hydroferrocyanic, hydroferricyanic, and hydrocobalticyanic acids, with furfuraldehyde and with nitrogen derivatives, A., i, 149.

Wagenknecht, Walter. See Alexander Gutbier.

Wagner, B., the Pavy-Sahli sugar titration [in urine], A., ii, 400.

estimation of antimony in vulcanised indiarubber, A., ii, 583.

Wagner, Paul, manurial questions, A., ii, 120.

Wahl, André [R.], ethyl dioximidosuccinate, A., i, 624. Wahl, Emil. See Hans Stobbe.

Walbaum, Heinrich [Wilhelm], aroma of natural musk, A., i, 595.

See also Walbaum, Heinrich. Jacobi.

Walbaum, Hermann, the effect of sulphurous acid and sulphites on health, with special reference to the presence of free sulphurous acid, A., ii, 567.

Walden, Paul, organic solvent and ionising media. II., A., ii, 149.

relationship between the molecular weight and the rotation of an active compound in solution, A., ii, 209.

connection between viscosity and ionic velocity or rate of diffusion, A., ii, 217.

rotatory power of optically active substances, A., ii, 257.

organic solvent and ionising media. III. Viscosity and its relation to the conductivity, A., ii, 335.

organic solvent and ionising media.

IV. Ebullioscopic measurements, A., ii, 336.

optical activity and origin of mineral oil, A., ii, 368.

organic solvent and ionising media. V. Solvent power, A., ii, 527.

Walden, Paul, and Micczyslaw Centnerszwer, molecular condition of some salts in pyridine, A., ii, 333.

Walder, E. See Robert Gnehm and

Eugène Grandmougin.

Waldvogel, Richard, and Tintemann, jecorin, A., i, 469.

Walker, Andrew Jamieson, and (Miss) Elizabeth Smith, o-cyanobenzenesulphonic acid and its derivatives, T., 350; P., 62.

Walker, Ernest William Ainley, comparison of ferments and lysins, A., i, 327.
Walker, James, ions of pure water, A.,

ii, 263. theory of amphoteric electrolytes, A.,

ii, 723. method for determining velocities of

saponification, A., ii, 732. affinity constants of amphoteric electrolytes. III. Methylated amino-

acids, A., ii, 735.

Walker, James, and John Kerfoot Wood, the electrolysis of salts of \$\beta\$-dimethyl-

glutaric acid, T., 598; P., 104.

Walker, Norman. See John Theodore

Hewitt.

Walker, Percy H. See Lewis Storms Munson.

Wallace, George Barclay. See Phoebus A. Levene.

Wallach, A., simple process for the continuous electrolytic preparation of potassium chlorate, A., ii, 748.

Wallach, Otto, terpenes and ethereal oils. LXXIII., A., i, 194.

terpenes and ethereal oils. LXXVII.
New heptacyclic compounds, A.,
i, 370.

synthesis of menthene, A., i, 683.

Wallach, Otto, [with Curt Engelbrecht, Eduard Isaac, and Friedrich Jäger], terpenes and ethereal oils. LXXVIII. Pinene series, A., i, 683.

Wallach, Otto, [with Karl Hüttner and Johannes Altenburg], terpenes and ethereal oils. LXXV. Conversion of ketones and aldehydes into bases, A., i, 160.

terpenes and ethereal oils. LXXIX. Compounds of the cyclohexanone series, A., i, 514.

Wallach, Otto, [with Eduard Isaac], terpenes and ethereal oils. LXXIV. Cyclohexanone, A., i, 175.

Wallach, Otto, [with Edward Isaac, Erich Beschke, and Edgar Evans], terpenes and ethereal oils. LXXXI. The simplest methylene hydrocarbons of various ring systems and their conversion into alicyclic aldehydes, A., i, 563.

Wallach, Otto, [with H. Köhler], the simplest methylene hydrocarbons of various ring systems and their conversion into alicyclic aldehydes, A., i, 818.

Wallach, Otto, [with Hermann Lautsch], terpenes and ethercal oils. LXXX. Isocarvoxime and the constitution of carvoline; remarks on the mechanism of the isomerisation of oximes, A., i, 522.

Wallach, Otto, [with Ernst Schmitz], terpenes and ethereal oils. LXXVI. New compounds from β-terpineol, A., i, 372.

Wallerant, Frédéric [Félix Auguste], the constitution of crystalline substances, A., ii, 14.

solid solutions, A., ii, 151.

mixed crystals of alkali nitrates, A., ii, 151.

a crystalline modification stable in two intervals of temperature, A., ii, 152.

isomorphism and the law of Mitscherlisch, A., ii, 530.

spiral arrangement in crystallised substances, A., ii, 837.

liquid crystals of cholesteryl propionate, A., ii, 837.

liquid crystals of ammonium oleate, A., ii, 838.

Wallis, Theodor, synthesis of cyanogen and of hydrogen cyanide from their elements, A., i, 730.

Wallis, Theodor. See also Daniel Vorländer.

Wallis, Thomas Edward, estimation of chloral hydrate, A., ii, 255.

Walpole, George Stanley. See Arthur Harden.

Walter, Bernhard [Ludwig Johann Heinrich], spectrum of the high tension are in air, A., ii, 257.

spectrum of the nitrogen glow produced by the rays of radiotellurium, A., ii, 516.

Walter, Bernhard, and Robert Pohl, luminescence of radium bromide, A., ii, 2.

Walters, Harry E., use of ammonium persulphate in the estimation of chromium in steel, A., ii, 198.

Walther, [Ernst Richard Heinrich] Reinhold (Freiherr) von, phenylearbamidodiphenylmethenylamidine and its easy decomposition with formation of phenylearbimide, A., i, 212.

Walther, Reinhold von, and R. Bamberg, quinazolines from o-amino-m-xylyl-p-

toluidine, A., i, 385.

Walther, Reinhold von, and Alex. Kessler, some benziminazoles from 4:2-nitroaminodiphenylamine, A., i, 898.

Walther, Reinhold von, and P. Rothacker, condensation of diazobenzeneimides with pyrazelones, A., i, 911.

Walther, Reinhold von, and A. Stenz, action of bases on thiocarbamides, A., i, 831.

Wangnick, H. See W. Rothe and Albert Stutzer.

Warburg, Emil [Gabriel], and G. Leithäuser, preparation of ozone from oxygen and atmospheric air by the silent discharge from metallic electrodes. III., A., ii, 740.

influence of moisture and temperature on the ozonisation of oxygen and atmospheric air, A., ii, 741.

oxidation of nitrogen by the action of the silent discharge in atmospheric air, A., ii, 743.

Warburg, Emil. See also T. Noda.

Warburg, Otto, decomposition of leucine esters by the pancreatic ferment, A., ii, 691.

Warburg, Otto. See also Emil Fischer. Ward, Herbert C. See Christian Archibald Herter.

Warnecke, Georg. See Julius Tröger. Warren, E. Bruce, an improved extraction cup, A., ii, 489.

Wartenberg, H. von, molecular weight of silver vapour, A., ii, 161.

determination of high temperatures by means of chemical equilibrium and the laws of thermodynamics, A., ii, 522.

dissociation of water vapour. I., A., ii, 728.

Wartenberg, H. von. See also Walther Nernst.

Wasmus, Th. See Wladimir von Gulewitsch.

Wasteels, C. E. See Albert Jacques Joseph Vandevelde.

Watanabe, Tosio. See Friedrich Willy Hinrichsen.

Waters, L. See Adolf Beythien and Heinrich Lührig. Watson, [Douglas] Chalmers, and An-

Watson, [Douglas] Chalmers, and Andrew Hunter, influence of diet on growth and nutrition, A., ii, 101, 239.

Watson, Edwin Roy, silver dioxide and silver peroxynitrate, T., 578.

Watteville, Charles de, flame spectrum of mercury, A., ii, 137.

Watts, Oliver P., iron and calcium, A., ii, 759.

Weber, Everhard. See Richard Anschütz.

Weber, G. See J. Davidsohn.

Weber, Rudolf H., magnetic susceptibility of the manganic salts, A., ii, 331.

Webster, W., physiological action of ethyl chloride, bromide, and iodide and of somnoform, A., ii, 566.

Wedekind, Edgar [Léon Waldemar Otto], asymmetric nitrogen. XXII. Optically active ammonium salts, A., i, 161.

velocity of autoracemisation of optically-active ammonium salts, A., i, 419; ii, 660.

synthesis of simple pyronones from acid haloids, A., i, 528.

magnetic compounds of non-magnetic elements, A., ii, 70.

Wedekind, Edgar, and Emanuel Fröhlich, asymmetric nitrogen. XXI. Activation of phenylbenzylmethylisobutylammonium hydroxide, A., i,

asymmetric nitrogen. XXIII. Isomerism with asymmetric ammonium salts. A., i. 162.

salts, A., i, 162.

Wedekind, Edgar, and W. Weisswange, [with L. Erdmann], synthesis of a ketone of the cyclobutane series, A., i, 437.

Wedekind & Co., R., preparation of anthraquinone-di- and -tri-sulphonic acids, A., i, 677.

preparation of p-mono- and p-di-chloroanthrarufin, A., i, 678.

preparation of dichlorochrysazin, A., i, 868.

Wedemann, Wilhelm. See Johannes Thiele.

Wedemeyer, Konrad, Java olive oil, Λ, ii, 814.
Owala oil, Α., ii, 815.

Weerman, R. A., action of formaldehyde (methanal) on tetrahydroquinoline, A.,

i, 696.

Weerman, R. A., and W. J. A. Jong-kees, action of sodium hypochlorite and of bromine and sodium alkyloxides on hydrocinnamamide, A., i, 665.

Weevers de Graaff, [Mrs.] Cornelia J. See Alide Grutterink.

Wegscheider, Rudolf [Franz Johann], constitution of o-aldehydo-acids in aqueous solution, A., i, 86.

determination of melting points in capillary tubes, A., ii, 8.

progressive dissociation of dibasic acids. II., A., ii, 73.

affinity constants of amino-acids, A., ii, 77.

density of solutions of sodium carbonate and sodium hydroxide. II., A., ii, 282.

lecture experiment with cobaltinitrites, A., ii, 549.

Wegscheider, Rudolf, and Erich Frankl, esterification of unsymmetrical di- and poly-basic acids. acid, A., i, 727. XIV. i-Aspartic

Wegscheider, Rudolf, [with Anton Kailan], esterification, A., ii, 340.

Wehmer, Carl, formation of oxalic acid by Aspergillus niger, A., ii, 191.

vitality and activity of technical lactic acid bacteria. I., A., ii, 879.

Weibull, Mats, note on soil analysis, A.,

Weidenkaff, Erich. See Carl Paal.

Weidlich, R. See Carl Bülow. Weidmann, Hugo, lead matte, Λ ., ii,

Weigand, F., double acetates of gold;

crystallised barium auryl oxide, A., i, 136.

Weigert, Fritz, action of depolarisers, A., ii, 417.
Weil, S., apnœa and carbon dioxide in

the inspired air, A., ii, 460.

Weilinger, Karl. See Richard Schmidt.

Wein, E., nutrition of barley with potassium with reference to its quality, A., ii, 484.

calcium cyanamide, A., ii, 487.

Weindel, Anton. See Robert Stollé. Weinland, Ernst, intermediary meta-

bolism in the anaërobic stage of the pupæ of Calliphora, A., ii, 560. Weinland, Rudolf Friedrich, and Walter

Fridrich, compounds of quinquevalent chromium, A., i, 37.

Weinland, Rudolf Friedrich, and Rein-

hold Krebs, two isomeric chromium chlorosulphates, A., ii, 233.

violet sulphates of chromium, A., ii, 453.

Weinland, Rudolf Friedrich, and Hugo Kühl, compounds of stannic sulphate with alkaline earth sulphates and with lead sulphate, A., ii, 762.

Weinland, Rudolf Friedrich, and Ludwig Storz, haloid salts of columbium oxychloride (CbOCl₃) and of columbium oxybromide, A., ii, 764.

Weinschenk, Arthur, condensation of epichlorohydrin with phthalic anhydride in presence of tertiary bases, A., i, 90.

Weiser, Stephan. See Franz Tangl.

Weiss, H., bark and fruits of Aegiceras majus, with especial reference to saponin, A., ii, 571.

Weiss, Otto. See Franz Wachholtz. Weiss, Valentin. See Carl Dietrich Harries.

Weissheimer, Paul. See Daniel Vorländer.

Weisswange, W. See C. von Rechenberg and Edgar Wedekind.

Weisz, Herman, solarisation in silver bromide films, A., ii, 137.

Weizmann, Charles, and Ernest Basil Falkner, ethyl \(\beta\)-naphthoylacetate, T., 122.

Weizmann, Charles. See also William Henry Bentley, Jan Quiller Orchardson, and William Henry Perkin, jun.

Welker, William H. See William N. Berg.

Wells, F. J. See A. R Whitson.

Wells, Harry Gideon. See Emil Abder-

Wells, Roger Clark, estimation of opalescent silver chloride precipitates, A., ii, 252, 492.

equilibria in silver chloride solutions, A., ii, 340

Wells, Roger Clark. See also Theodore William Richards.

Welsh, D. A., and H. G. Chapman, precipitin anti-sera and their standardisation, A., ii, 688.

Tendelstadt, Hermann, and Arthur Binz, fermentation vats, A., i, 432. Wendelstadt. Wenzel, Franz. See Josef Herzig.

Werder, examination of liquid carbon dioxide, A., ii, 900.

Werner, Alfred, triamminechromiunı salts; a contribution to the chemistry V. Chromium comof hydrates. pounds, A., ii, 760.

Werner, Alfred, [and Emil Bindschedler], trichlorotriamminecobalt and its hydrates, A., ii, 760.

Werner, Alfred, and Karl Dinklage, nitrilobromo osmonates, A., ii, 17ō.

Werner, Alfred, and Rudolf Feenstra, dichlorotetrapyridinecobalt salts, A., i, 450.

Werner, Alfred, [with Ph. Gerhardt, G. Schöler, A. Summerer, and W. Zipser], the varying values of single bonds, A., i, 436.

Werner, Alfred, and Adolf Grün, mixed triamminecobalt salts containing ethylenediamine and ammonia, A., i,

Werner, Alfred, and Alois Gubser, chromium compounds. IV. Hydrated chromium chlorides, A., ii, 452.

Werner, Alfred, and J. von Halban, thiocyanoamminechromium salts. VI. Chromium salts, A., i, 816.

Werner, Alfred, and R. Huber, chromium

salts, A., ii, 170.

Werner, Alfred, and W. Peters, condensation of phenylhydrazine with ethyl 4-chloro-3-nitrobenzoate, A., i, 220.

Werner, Alfred, [with P. Schorndorff and Ch. Chorower], influence of alkyloxy-groups on the reactivity of abromine atoms in aromatic compounds, A., i, 180.

Werner, Emil Alphonse, derivatives of multivalent iodine. The action of chlorine on organic iodo-derivatives, including the sulphonium and tetrasubstituted ammonium iodi les, T., 1625; P., 258.

note on a compound of thiocarbamide and potassium iodide, P., 245.

interaction of succinic acid and potassium dichromate; note on a black modification of chromium sesquioxide, P., 257.

Werner, Fritz. See Heinrich Ley.

Wertheimer, Friedrich, constitution of a- and \(\beta\)-benzopinacolins, A., i, 271.

West, Rodney M. See George Bell Frankforter.

Westergård, A. H., clinozoisite from Tyrol, A., ii, 684. Westphal, C. See Olto Schumm. Weyberg, Z., lithium alumino-silicates,

A., ii, 23.

the silicate, Na₂Fe₂Si₄O₁₂, A., ii, 91. compounds allied to spinel, A., ii, 865.

Weyl, Theodor, historical note on the fixation of ozone by oleic acid, A.,

action of hydrogen peroxide on phosphorus, A., ii, 350.

Wheeler, Plumer. See Gilbert Newton

Wheeler, Richard Vernon. See William Arthur Bone.

Wherry, William B., amounts of nitrates and nitrites in Witte-peptone; with special reference to the indole and cholera reaction, A., ii, 382.

Whetham, W. C. Dampier, electrical conductivity of dilute solutions of sulphuric acid, A., ii, 69.

White, Alfred Holmes, and L. Kirschbraun, nitrides of zinc, aluminium,

and iron, A., ii, 853.

White, $George\ R.$, ferromanganese anodes in solutions of sodium hydroxide, A.,

White, John, reactions between lead chloride and lead acetate in acetic acid and water solutions, A., i, 229.

White, John, and John M. Nelson, reactions involved in the formation of certain complex salts of lead, A., i, 229.

White, William Hale, intra-ocular lipæmia and diabetes, A., ii, 566.

White, W. P. See Eugene Thomas Allen.

Whiteley, (Miss) Martha Annie, 1:3-diphenylbarbituric acid and some coloured derivatives; synthesis of 1:3-diphenyluric acid, P., 200.

Whitley, Edward, effect of acid and alkali and certain indicators in arresting or otherwise influencing the development of the eggs of Pleuronectes platessa and Echinus esculentus, A., ii, 180.

Whitley, Edward. See also Edward S. Edie and Benjamin Moore.

Whitney, J. B. See Samuel Auchmuty Tucker.

Whitson, A. R., F. J. Wells, and A.Vivian, influence of the soil on the proteid contents of crops, A., ii, 47.

Whitson, A. R. See also Franklin Hiram King.

Wichelhaus, Hermann, molecular weight of indigotin, A., i, 901.

Wiebe, H. F., relation between the melting point and the coefficient of expansion of the solid elements, A., ii, 331.

Wiedemann, [Ernst] Eilhard [Gustav], K. Stelzner, and G. Niederschulte, vapour pressure of some solids, A., ii, 9.

Wiekmann, W., behaviour of ammonium cyanide with ketones of the series $CO(C_nH_{2^{n-7}})_2$, A., i, 433.

Wieland, Heinrich, dicyclopentadienes. I., A., i, 417.

Wieland, Heinrich, and Hugo Bauer, benzenylnitrosolic acid, A., i, 412.

Wieland, Heinrich, and Siegfried Bloch, diazotation of dibenzoylmethane, A., i, 466.

Wieland, Heinrich, and Stephan Gambarjan, oxidation of diphenylamine, A., i, 453.

substituted diphenylhydroxylamines, A., i, 830.

Wieland, Heinrich, and Leopold Semper, phenylnitrolic acid, A., i, 643.

Wieneke, Leo. See Hermann Grossmann.

Wiesler, Arthur, estimation of dextrose in urine, A., ii, 810.

Wigger, Otto, character of α - and γ -rays, A., ii, 139.

Wigger, Otto. See also Eduard Riecke. Wigham, Joseph Theodore, agglutinin test in tuberculosis, A., ii, 296.

Wijk, H. J. van, the system: perchloric acid and water, A., ii, 79.

Wijsman, H. P., and J. J. Reijst, detection of cocoanut oil in butter, A., ii, 402.

Wilcox, Burton B. See William Maurice Dehn.

- Wild, Wilhelm, estimation of cyanates in the presence of cyanides, A., ii, 405.
- Wilderman, Meyer, galvanic cells produced by the action of light. II. Chemical statics and dynamics of reversible and irreversible systems under the influence of light, A., ii, 325.

Wilderman, Meyer. See also Robert Ludwig Mond.

Wilfarth. Hermann, Hermann Römer, and Gustav Wimmer, assimilation by plants during different periods of growth, A., ii, 44.

destruction of nematodes by treating the soil with carbon disulphide, and its effect on sugar beet, A., ii, 485.

Wilhelmi, Arthur, apparatus for the estimation of sulphur and carbon with single or double receiver, A., ii, 390.

Wilke-Dörfurt, Ernst. See Wilhelm Biltz.

Willanen, K., the source of thiocyanate in the organism, A., ii, 784.

Willcock, (Miss) Edith Gertrude, action of radium rays on tyrosinase, A., i, 548.

Willcox, Oswin IV., reaction between acid chlorides and potassium ethylxanthate, A., i, 726.

xanthate, A., i, 726.

Willen, Louis, detection of dextrose in urine in presence of mercury, A., ii, 810.

Willgerodt, [Hcinrich] Conrad [Christian], and Max Simonis, ortho-substituted iodo-compounds with uniand multi-valent iodine, A., i, 155.

Williams, F. M., modified Westphal balance for solids and liquids, A., ii,

277.

Williams, Owen Thomas, influence of X-rays on nitrogenous metabolism and on the blood in myelogenous leucemia, A., ii, 378.

Williams, R. H., and Henry Clapp Sherman, detection, estimation, and rate of disappearance of formaldehyde in milk, A., ii, 206.

Williams, R. H. See also Henry Clapp Sherman.

Williams, Robert S., antimony-thallium alloys, A., ii, 673.

Williamson, Ernest H. See Herbert S. Elworthy.

Willimsky, Walther, the behaviour of aërobic organisms towards complete withdrawal of oxygen, A., ii, 113.

Willott, F. J. See Richard Seligman.
Willstätter, Richard [Martin] and Max
Benz, azophenols, A., i, 990.
quinoneazines, A., i, 997.

Willstätter, Richard, and Max Goldmann, amino-derivatives of tetraphenylethylene; quinonoid compounds. X., A., i, 980.

Willstätter, Richard, and Ludwig Kalb, the oxidation of benzidine, A., i, 996.

Wilson, Alexander. See William Porter Dreaper.

Wilson, Francis Daniel. See Arthur Michael.

Wilson, Fred. Perera. See Benjamin Moore.

Wilson, Frederick Robert Leyland, a new luboratory method for the preparation of hydrogen sulphide, P., 312; discussion, P., 313.

Wilson, Harold A., velocities of the ions of alkali salt vapours at high temperatures, Λ., ii, 420.

Wilson, J. Hunt, some concentration cells in methyl and ethyl alcohols, A., ii, 144.

Wilson, Robert William. See Albert Ernest Dunstan.

Wilson, Thos. M., comparison of conductivity and freezing points of small quantities of body-fluids in health and disease, A., ii, 687.

Wimmer, Gustav. See Hermann Wilfarth.

Windaus, Adolf, cholesterol. V., A., i, 174, 579, 580.

separation of animal from vegetable cholesterol, A., ii, 904.

Windaus, Adolf, and Franz Knoop,

constitution of histidine, A., i, 880. Windelschmidt, A. See Alfred Thiel. Winkelblech, K., measurement of the

gelatinising points and specific gravities of solutions of various glues, A., ii, 639.

Winkelmann, Adolf [August], diffusion of hydrogen through hot platinum, A., ii, 336.

Winkler, Ludwig Wilhelm, regularity in the absorption of gases by liquids, A., ii, 342.

Winter, Friedrich. See Wilhelm Traube.

Winterson, William George. See Edward Stanhope Kitchin.

Winterstein, Ernst [Heinrich], and W. Bissegger, constituents of Emmenthaler cheese. III., A., ii, 248.

Winterstein, Ernst, and O. Hiestand, vegetable lecithins, A., i, 478.

Winterstein, Ernst, and E. Strickler, composition of colostrum, A., ii, 242.

Winterstein, Ernst. See also Ernst Schulze.

Wintgen, M., amount of solanin in potatoes, A., ii, 701.

Wintgen, M., and O. Keller, composition of lecithins, A., i, 331.

Winther, [Hans] Christian, theory of optical activity, A., ii, 320, 822. researches on catalytic racemisation, A., ii, 736, 835.

separation of d- and i-tartaric and racemic acids, A., ii, 813.

Winton, A. L., and J. Lehn Kreider, determination of the "lead number" in maple syrup and maple sugar, A., ii, 811.

Wirther, R., thioindigo-red B, A., i, 528.

Wirthwein, Heinz. See Arthur Stähler. Withrow, Jumes R., electrolytic precipitation of gold with the use of a rotating anode, A., ii, 903.

Witkowski, August Wiktor, expansion of hydrogen, A., ii, 7.

Witt, Reinhold. See Zdenko Hanns Skraup.

Witte, E. See Emilio Noelting.

Wöhler, Lothar, oxidation of palladium, A., ii, 94.

Wöhler, Lothar, A. Foss, and W. Plüddemann, sulphuric acid contact process, A., ii, 846.

Wöhler, Lothar, and H. Kasarnowski, coloration of the halogen salts of the alkalis and alkaline earths, A., ii, 22.

Wöhler, Lothar, and James König, oxides of palladium, A., ii, 176.

Wöhlk, Alfred, tests for the purity of hexamethylenetetramine, A., ii, 133.

Wölbling, Hans, 1-isobutylphthalazine, A., i, 48.

action of hydrazine on β-deoxybenzoino-carboxylic acid and on its lactone (3-phenylisocoumarin), A., i, 49.

Wörmann, A., heat of neutralisation of strong acids and bases, as affected by temperature and concentration, A., ii, 148.

Woernle, M. See Alexander Gutbier. Wohl, Alfred, chlorination by means of

sulphuryl chloride, A., i, 9. aminoacetals and aminoaldehydes. II.,

A., i, 105.
depression of the temperature of re-

action in syntheses with organic chloro-compounds, A., i, 559.

[distillations in high years] A. ii, 148.

[distillations in high vacua], A., ii, 148.

Wohl, Alfred, W. Hertzberg, and M. S.
Losanitsch, hydrogenated pyridinealdehydes, A., i, 106.

Wohl, Alfred, and M. S. Losanitsch, free aminoaldehydes, A., i, 107.

distillation in high vacua by means of Dewar's air absorption method and a shortened MacLeod vacuum gauge, A., ii, 72.

Wohl, Alfred, Kurt Schäfer, and A. Thiele, γ-aminobutyraldehyde and pyrrolidine, A., i, 105.

Wohl, Alfred, and H. Schweitzer, preparation of aliphatic dialdehydes, A., i, 232.

Wohlers, Hans Emil. See Ernst Hermann Riesenfeld.

Wohlgemuth, Julius, and Carl Neuberg, amino-acids in normal urine, A., ii, 874.

Wohltmann, Ferdinand, H. Fischer, and Ph. Schneider, bacteriological and chemical studies of soils from the experimental fields, A., ii, 119.

Wohlwill, Friedrich, the potassium in human urine in altered circulatory conditions of the kidney, A., ii, 469.

Woker, (Frl.) Gertrud, a-naphthaflavonol, A., i, 447.
the theory of fluorescence, A., ii, 511.
relations between structure and odour in organic compounds, A., ii, 739.

Wolf, Bertram. See Otto Diels.

Wolf, Charles George Lewis. See B. J.
Dryfuss and W. McKim Marriott.

Wolf, Kurt. See Hermann Thiele. Wolff. See Ferdinand Blumenthal.

Wolff, Carl, estimation of caffeine in raw coffee, A., ii, 507.

Wolff, Ernst, spectrum of lanthanum, A., ii, 409.

Wolff, Jules, mineral compounds which may possess the rôle, like diastase, of liquefying malt, A., i, 66.

estimation of sugars, A., ii, 57. estimation of insoluble amyloses in starches, A., ii, 500.

Wolff, Jules, and Auguste Fernbach, influence of some mineral matters on the liquefaction of starch, A., i, 803.

Wolff, Jules. See also Auguste Fernbach. Wolosewicz, J. E. von. See Albert Stutzer.

Wood, John Kerfoot, bromo- and hydroxy-derivatives of βββ'β'-tetramethylsuberic acid, T., 604; P., 104.

the acidic constants of some ureides and uric acid derivatives, T., 1831; P., 271.

the affinity constants of xanthine and its methyl derivatives, T., 1839; P., 271.

Wood, John Kerfoot. See also James Walker.

Wood, Robert Williams, fluorescence of sodium vapour caused by monochromatic light, A., ii, 319.

fluorescence, magnetic rotation, and temperature emission spectra of iodine vapour, A., ii, 714. Wood, Robert Williams, fluorescence and magnetic rotation spectra of sodium vapour and their analysis, A., ii, 821.

Woodiwiss, Geo., the chemical elements; a new classification, A., ii, 431.

Woodman, Alpheus Grant, and Henry Paul Talbot, the etching tests for small amounts of fluorine, A., ii, 895.

Herbert S. See Waldcmar Koch.

Woods, James Royle, a new indicator, A., ii, 194.

Wootton, William Ord. See Gilbert Thomas Morgan.

Worgitzki, Franz. See Franz Wachholtz.

Wortmann, W. See Emilio Noelting. Wozasek, O. See Walter Hausmann.

Wren, Henry. See Alexander McKenzie. Wright, Fred. Eugene. See Eugene

 $m{T}$ $ar{h}omas$ Allen. Würsch, August. See Herman Decker. Wüst, Friedrich, iron-carbon alloys of high carbon content, A., ii, 232.

Wüst, Friedrich, and C. Geiger, "temper" carbon and graphite in iron, A., ii, 88.

Wüst, Friedrich, [with Jos. Kreiten and P. Pütz], influence of foreign elements on the separation of graphite from cast iron, A., ii, 362.

Wulff, Carl, Natrium arsenicum, A., ii,

Wunschheim, Oskar R. von, hæmolysis in vitro and in vivo, A., ii, 97.

Wurstemberger, R. von. FritzUllmann.

Wuyts, Henri, action of disulphides on organo-magnesium haloids; synthesis of mixed sulphides, A., i, 257.

Wybauw. See Vandeweyer.

Wynne, A. J. See A. Robertson.

Wyrouboff, Grégoire N., and Auguste Verneuil, chemistry of the rare earths, A., ii, 88.

Wyss, H. von, behaviour of bromides in the body, A., ii, 876.

Y.

Yates. Joseph. See Robert Howson Pickard.

Yégounow, Michel, diffusion of solutions and molecular weights, A., ii, 338.

Yockey, Harry, assay of Babbit metal, A., ii, 581.

[volumetric estimation of] antimony in Babbit and type metals, A., ii, 903. Yorke, Warrington, and Charles Harold

Smith, effects of injection of antitoxic and antibacterial sera on the opsonic power of the blood, A., ii, 557.

Young, Charles Robert. See Thomas Purdie.

Young. George,and Samuel Irwin Crookes, contributions to the chemistry of the amidines. 2-Aminothiazoles 2-imino-2:3-dihydrothiazoles. 2-Iminotetrahydrothiazoles and amino-4:5-dihydrothiazoles, T., 59.

Young, Stewart Woodford, and W. E. Burke, hydrates of sodium thiosul-

phate, A., ii, 281.

Young, Sydney, vapour pressure of a pure liquid at constant temperature, A., ii, 422.

Young, William John. See Arthur Harden.

Z.

Zahn, Chr. See Wilhelm Manchot. Zaleski, W., rôle of enzymes in the conversion of organic phosphorus compounds in germinating seeds, A., ii, 881.

Zambonini, Ferruccio, constitution of titanite, A., ii, 370.

[palmerite] new hydrated aluminium phosphate, A., ii, 554.

scheelite from Traversella, A., ii, 620. galena formed during the last eruption of Vesuvius, April, 1906, A., ii, 766. epidote from the neighbourhood of

Chiavrie near Condove in the Valley of Susa, A., ii, 774.

Zart, A. See Max Conrad.

Zawidzki, Jan [Wiktor Tomasz] von, physical constants of pure pyridine, A., i, 381.

Zebrowski, Eduard von, the secretory function of the parotid in man, A., ii,

Zedner, Julian, chemical composition of the nickel oxide electrode in the Jungner-Edison accumulator, A., ii, 65.

chemical and physical behaviour of the nickel oxide electrode in the Jungner-Edison accumulator, A., ii, 595.

Zeitschel, Franz Otto, nerol and its preparation from linalool, A., i, 521.

Zelinsky, Nicolai D., and George Stadnikoff, a simple general method for the synthesis of a-amino-acids, A., i, 425.

Zellner, Julius, fly agaric (Amanita muscaria). III., A., ii, 572. Zemczwżnyj. See Schemtschuschny.

Zemjatschensky, Petr A., silicomagnesiofluorite, a new mineral from Finland, A., ii, 681.

Zemplén, Géza, surface tension of aqueous solutions, A., ii, 728.

Zemplén, Gyözö, determination of the coefficient of internal friction of gases by a new experimental method, A., ii, 272.

periodic Zengelis, Constantin, $_{
m the}$ system and the methodical classification of the elements, A., ii, 276. vaporisation of solid substances at the ordinary temperature. II., A., ii,

Zickendraht, H, surface tension of fused sulphur, A., ii, 846.

Ziegler, J. See Heinrich Bechhold. Ziersch, Paul. See Emil Fromm.

Zilg, Adalbert. See August Michaelis. Zimmermann, Fr. See Hartwig Franzen and Paul Jannasch.

Zimmermann, Siegfried, metallic nitrosocompounds and nitric oxide, A., ii,

Zincke, [Ernst Carl] Theodor, action of bromine and chlorine on phenols. Substitution products, \(\psi\)-bromides, and XVI. Hexabromo-ψ-V-chlorides. bronide of p-isopropylphenol, A., i, 737.

Zincke, Theodor, and Karl Böttcher, tetrabromo-p-cresol ψ -bromide. XV., A., i, 166.

tetrachloro-p-cresolψ-chloride. XVIII., A., i. 739.

Zincke, Theodor, and W. Geibel, bromine derivatives of p-hydroxystilbene. XIX., A., i, 739.

Zincke, Theodor, and Max Grüters, action of bromine and chlorine on phenols; substitution products: ψ -bromides and ψ -chlorides. XIV. bromides and ψ -chlorides. XIV. Action of bromine on p-diphenoldimethylmethane; \psi-bromides and quinones of p-isopropylphenol, A., i, 172.

Zincke, Theodor, and L. Hunke, action of tertiary amines on tetrachloro-pcresol 4-bromide. XVII., A., i, 738.

Zincke, Theodor, and Gottfried Mühlhausen, arylamine derivatives of furfuraldehyde and their conversion into pyridine compounds, A., i, 33.

Zincke, Theodor, and Wilhelm Prenntzell, action of o nitrobenzaldehyde on dimethylaniline in presence of hydrochloric acid, A., i, 110.

Zincke. Theodor, and K. Siebert, action of o-nitrobenzaldehyde on phenols in

presence of hydrogen chloride, A., i, 515.

Zipser, W. See Alfred Werner. Zirngibl, E. See Andreas Lipp.

Zoneff, N. See Pacel Iw. Petrenko-Kritschenko.

Zopf, Wilhelm [Friedrich], compounds from lichens. XV., A., i, 672.

fern secretions. I. Glandular secretions of Gymnogramme chrysophylla G. calomelanos, and 871.

Zoppi, M. See Mieczyslaw Centnerszwer. Zortman, Israel Hyman. See Julius Berend Cohen.

Zsigmondy, Richard, amicroscopic gold

nuclei. I., A., ii, 679. separation of silver by colloidal gold from reduction mixtures containing silver. II., A., ii, 679.

Zublena, Silvio, transformations of the quinine salt of isobutyldicyanoglutaconimide, A., i, 983.

Zweifel, the poison of eclampsia, A., ii, 472.

Zwerger, Rudolf. See Zdenko Hanns Skraup.